

**Flat Washers / Flat & Helical Lockwashers**

Inch

**Rondelles plates / Rondelles freins plates et hélicoïdales**

Pouce

**ASSORTMENT ASSORTIMENT B-558C**

**STEEL FLAT WASHERS**

Zinc Plated  
17 SIZES  
1190 PIECES



REGULAR SIZE welded Steel grey enamel  
Drawer has hinged lid and "scooped" Bins.  
Drawer fits the Slide Racks shown on Page A2

Shipping Weight - **8.16 kg** (18 lbs.)

| Compatible Bolt Size | Spenaaur No. | Inner Diameter | Outer Diameter | Thickness       | Qty. | Page |
|----------------------|--------------|----------------|----------------|-----------------|------|------|
| #8                   | 656-B54-1T   | 11/64"         | 3/4"           | 0.031"          | 100  | D3   |
|                      | 656-B37-2Y   | 3/16"          | 7/16"          | 0.036" - 0.065" | 200  | D2   |
|                      | 656-B32-1W   |                | 1/2"           | 0.055" - 0.065" |      |      |
| #14                  | 656-B35-1A   | 1/4"           | 5/8"           | 0.044" - 0.052" | 150  | D4   |
| 3/16"                | 656-B46-1X   |                | 9/16"          | 0.036" - 0.065" |      | D2   |
| 1/4"                 | 656-B01-1Y   | 5/16"          | 3/4"           | 0.051" - 0.080" | 100  |      |
| 5/16"                | 656-B34-1Y   | 11/32"         | 1-1/4"         | 0.065"          | 50   | D3   |
|                      | 656-B19-1M   |                | 1-1/2"         | 0.083"          | 40   |      |
|                      | 656-B72-1X   | 3/8"           | 7/8"           | 0.064" - 0.104" | 50   | D2   |
| 3/8"                 | 656-B66-1T   | 25/64"         | 1-1/2"         | 0.083"          | 40   | D3   |
|                      | 92-SN-ZP     | 7/16"          | 1"             | 0.064" - 0.104" |      | D2   |
|                      | 656-B28-1E   |                | 1-3/4"         | 0.078"          |      | D3   |
| 7/16"                | 656-B68-1W   | 1/2"           | 1-1/4"         | 0.064" - 0.104" | 25   | D2   |
| 1/2"                 | 656-B57-1M   | 9/16"          | 1-3/8"         | 0.086" - 0.132" |      |      |
| 9/16"                | B-927-ZP     | 5/8"           | 1-1/2"         |                 |      |      |
| 5/8"                 | 95-SN-ZP     | 11/16"         | 1-3/4"         | 0.108" - 0.160" | 10   |      |
| 3/4"                 | 105-SN-ZP    | 13/16"         | 2"             | 0.122" - 0.177" |      |      |

**ASSORTMENT ASSORTIMENT 805-520**

**FLAT WASHERS**  
18-8 Stainless Steel

16 SIZES  
967 PIECES



REGULAR SIZE Steel, grey enamel Drawer  
will fit Slide Racks shown on page A2.

Shipping Weight **4.31 kg** (9-1/2 lbs.)


| Spenaaur No. | Compatible Bolt Size | Inner Diameter | Outer Diameter | Thickness       | Qty. | Page |
|--------------|----------------------|----------------|----------------|-----------------|------|------|
| W-2009       | #2                   | 0.0937"        | 1/4"           | 0.012" - 0.022" | 100  | D6   |
| 658-B06-2T   | #4                   | 0.1250"        | 5/16"          | 0.022" - 0.041" |      | D6   |
| 658-B05-1N   | #6                   | 0.1470"        | 3/8"           |                 |      | E33  |
| 658-B04-1C   | #8                   | 0.1710"        |                |                 |      | D6   |
| 658-B02-2P   | #10                  | 0.2000"        | 7/16"          |                 |      | D6   |
| W-2037       | #12                  | 0.2430"        | 1/2"           | 0.045" - 0.075" | 50   | D6   |
| 658-015      | 1/4"                 | 0.2810"        | 5/8"           | 0.034" - 0.068" |      |      |
| 658-B26-1P   | 5/16"                | 0.3430"        | 3/4"           |                 |      |      |
| W-2039       | 3/8"                 | 0.3910"        | 1"             | 0.040" - 0.075" |      |      |
| 658-B22-1W   | 7/16"                | 0.5000"        | 1-1/8"         | 0.045" - 0.075" |      |      |
| 658-B21-1K   | 1/2"                 | 0.5620"        | 1-1/4"         | 0.056" - 0.112" |      |      |
| 658-B16-1C   | 5/8"                 | 0.6870"        | 1-1/2"         | 0.075" - 0.155" |      |      |
| 658-B20-1T   | 3/4"                 | 0.8120"        | 1-7/8"         |                 |      |      |
| 658-B29-1N   | 7/8"                 | 0.9370"        | 2-1/4"         |                 |      |      |
| 658-B25-1A   | 1"                   | 1.0625"        | 2-1/2"         | 0.109" - 0.140" |      |      |
| W-2072       | 1-1/4"               | 1.3120"        | 2-3/4"         |                 | 2    |      |

**PLASTIKIT «PLASTIKIT» 804-081**

14 SIZES  
270 PIECES

**FLAT AND HELICAL LOCKWASHERS**  
STEEL, Zinc Plated

Put up in a clear durable plastic container with hinged lid.  
Size: 1" x 2-3/4" x 4-1/2"



| Name                           | Spenaaur No. | Compatible Bolt Size | Thickness       | Qty. | Page |
|--------------------------------|--------------|----------------------|-----------------|------|------|
| Steel Flat Washer Zinc Plated  | 656-B48-1P   | #6                   | 0.036" - 0.065" | 20   | D2   |
|                                | 656-B55-1X   | #8                   | 0.044" - 0.052" |      | D4   |
|                                | 656-B07-1M   | #10                  | 0.036" - 0.065" |      | E33  |
|                                | 656-B33-1M   | 1/4"                 | 0.051" - 0.080" | 10   | D2   |
|                                | 656-B47-1A   | 5/16"                |                 |      |      |
|                                | 656-B02-1Z   | 3/8"                 |                 |      |      |
| W-177                          | 1/2"         | 0.098" - 0.112"      |                 | D5   |      |
| Helical Lockwasher Zinc Plated | W-311        | #6                   | 0.031"          | 20   | D22  |
|                                | 663-W03-1M   | #8                   | 0.040"          |      |      |
|                                | 663-W05-1A   | #10                  | 0.047"          |      |      |
|                                | 16-SN        | 1/4"                 | 0.062"          |      |      |
|                                | 17-SN        | 5/16"                | 0.078"          |      |      |
|                                | 663-W06-1P   | 3/8"                 | 0.094"          |      |      |
| 20-SN                          | 1/2"         | 0.125"               |                 |      |      |

Inch and Metric

**Flat Washers / Fibre Washers / Flat & Helical Lockwashers**

Pouce et Métrique

Rondelles plates / Rondelles de fibres / Rondelles freins plates et hélicoïdales

**ASSORTMENT**  
**ASSORTIMENT** **805-519**

**BRASS FLAT WASHERS**  
**16 SIZES - 1315 PIECES**

REGULAR SIZE Steel, grey enamel Drawer will fit Slide Racks shown on page A2

Shipping Weight:  
**3.18 kg** (7 lbs.)




| Spenaaur No. | Compatible Screw Size | Compatible Bolt Size | Inner Diameter | Outer Diameter | Thickness | Qty. | Page |
|--------------|-----------------------|----------------------|----------------|----------------|-----------|------|------|
| 649-B01-2C   | #2                    |                      | 0.092"         | 3/16"          | 0.018"    | 200  | D8   |
| W-501        | #3                    |                      | 0.105"         | 1/4"           | 0.020"    |      |      |
| 649-B20-1M   | #4                    |                      | 0.119"         | 9/32"          | 0.025"    | 100  |      |
| W-528        | #5                    | 1/8"                 | 0.133"         |                | 0.028"    |      |      |
| 649-B21-1X   | #6                    |                      | 0.147"         | 5/16"          | 0.032"    | 25   |      |
| 649-B14-1N   | #8                    | 5/32"                | 0.172"         | 3/8"           | 0.036"    |      |      |
| 649-B13-1C   | #10                   | 3/16"                | 0.200"         | 7/16"          | 0.040"    | 10   |      |
| 649-B19-1X   | #12                   | 7/32"                | 0.227"         | 1/2"           |           |      |      |
| 649-B09-1P   | #14                   | 1/4"                 | 0.260"         | 9/16"          | 0.064"    | 25   |      |
| 649-B15-1T   | #18                   |                      | 0.310"         | 1 1/16"        | 0.050"    |      |      |
| 649-B18-1M   | #20                   | 5/16"                | 0.337"         | 3/4"           | 0.081"    | 10   |      |
| W-540        |                       | 3/8"                 | 0.390"         | 0.682"         | 0.091"    |      |      |
| 649-B17-1W   | #30                   | 7/16"                | 1/2"           | 1-1/8"         | 0.102"    | 25   |      |
| 649-B12-1Y   | #34                   | 1/2"                 | 9/16"          | 1-1/4"         | 0.114"    |      |      |
| W-519        |                       | 5/8"                 | 1 1/16"        | 1-1/2"         |           |      |      |
| 649-B03-1M   |                       | 3/4"                 | 1 3/16"        | 1-7/8"         |           |      |      |

**ASSORTMENT**  
**ASSORTIMENT** **B-584A**

**FIBRE WASHERS of Red, Vulcanized Fibre**  
**24 SIZES — 1000 PIECES**

REGULAR SIZE Steel, grey enamel Drawer will fit Slide Racks shown on page A2

Shipping Weight:  
**2.49 kg** (5-1/2 lbs.)



| Name                           | Spenaaur No. | Inner Diameter | Outer Diameter | Qty. | Page |
|--------------------------------|--------------|----------------|----------------|------|------|
| Flat Washer<br>1/32" Thickness | 638-C01-1C   | 1/8"           | 1/4"           | 50   | D11  |
|                                | W-28F        | 3/16"          | 3/8"           |      |      |
|                                | W-30F        | 1/4"           | 1/2"           |      |      |
|                                | 638-C03-1T   | 5/16"          | 9/16"          |      |      |
|                                | W-38F        | 3/8"           | 5/8"           |      |      |
|                                | W-40F        | 7/16"          | 11/16"         |      |      |
|                                | W-46F        | 1/2"           | 3/4"           | 25   |      |
|                                | W-48F        | 5/8"           | 7/8"           |      |      |
|                                | W-52F        | 3/4"           | 1"             |      |      |
|                                | W-56F        |                | 1-1/16"        |      |      |
|                                | W-58F        | 1/8"           | 1/4"           |      |      |
|                                | W-23F        | 3/16"          | 3/8"           |      |      |
| Flat Washer<br>1/16" Thickness | W-29F        | 1/4"           | 1/2"           | 50   |      |
|                                | 638-C05-1W   | 5/16"          | 9/16"          |      |      |
|                                | 638-C09-1P   | 3/8"           | 5/8"           |      |      |
|                                | W-39F        | 7/16"          | 11/16"         |      |      |
|                                | W-41F        | 1/2"           | 3/4"           |      |      |
|                                | W-45F        | 5/8"           | 7/8"           | 25   |      |
|                                | W-47F        |                | 1"             |      |      |
|                                | W-49F        | 3/4"           | 1-1/16"        |      |      |
|                                | W-53F        |                |                |      |      |
|                                | W-57F        |                |                |      |      |
| W-59F                          |              |                |                |      |      |

**PLASTIKIT**  
«PLASTIKIT» **804-082**

**DIN 125**

**Metric FLAT and HELICAL LOCKWASHERS**

**Steel, Zinc Plated**  
**14 SIZES – 280 PIECES**

Put up in a clear durable plastic container with hinged lid. Size: 1" x 2-3/4" x 4-1/2".



| Name              | Spenaaur No. | Compatible Bolt Size | Inner Diameter | Outer Diameter | Thickness | Qty. | Page |
|-------------------|--------------|----------------------|----------------|----------------|-----------|------|------|
| Split Lockwashers | 664-C07-1P   | M4                   | 4.1mm          | 7.6mm          | 0.9mm     | 20   | D25  |
|                   | 664-007ZP    | M5                   | 5.1mm          | 9.2mm          | 1.2mm     |      |      |
|                   | 664-008ZP    | M6                   | 6.1mm          | 11.8mm         | 1.6mm     |      |      |
|                   | 664-009ZP    | M7                   | 7.1mm          | 12.8mm         |           |      |      |
|                   | 664-C10-1Y   | M8                   | 8.1mm          | 14.8mm         | 2.0mm     |      |      |
|                   | 664-011ZP    | M10                  | 10.2mm         | 18.1mm         | 2.2mm     |      |      |
| Flat Washers      | 664-012ZP    | M12                  | 12.2mm         | 21.1mm         | 2.5mm     | 20   | D12  |
|                   | 657-W03-1M   | M4                   | 4.3mm          | 9.0mm          | 0.8mm     |      |      |
|                   | 657-008ZP    | M5                   | 5.3mm          | 10.0mm         | 1.0mm     |      |      |
|                   | 657-W04-1Y   | M6                   | 6.4mm          | 12.0mm         | 1.6mm     |      |      |
|                   | 657-010ZP    | M7                   | 7.4mm          | 14.0mm         |           |      |      |
|                   | 657-011ZP    | M8                   | 8.4mm          | 16.0mm         |           |      |      |
|                   | 657-012ZP    | M10                  | 10.5mm         | 20.0mm         |           |      |      |
| 657-013ZP         | M12          | 13.0mm               | 24.0mm         | 2.5mm          |           |      |      |

Flat Washers

Inch and Metric

Rondelles plates

Pouce et Métrique

A

ASSORTMENT 805-446

~DIN 125A  
~ ISO 7089

Metric FLAT WASHERS  
A2 Stainless Steel



20 Sizes  
893 Pieces

Shipping Weight:  
3.2 kg (7 lb.)



| Spenaaur No. | Compatible Bolt Size | Inner Diameter (min.) | Outer Diameter (max.) | Thickness (nom.) | Qty. | Page |
|--------------|----------------------|-----------------------|-----------------------|------------------|------|------|
| 659-F12-1M   | M1.6                 | 1.7mm                 | 4.0mm                 | 0.3mm            | 100  | D15  |
| 659-F06-1N   | M2                   | 2.2mm                 | 5.0mm                 | 0.5mm            |      |      |
| 659-003      | M2.3                 | 2.5mm                 | 6.0mm                 |                  |      |      |
| 659-004      | M2.6                 | 2.8mm                 | 7.0mm                 | 0.8mm            |      |      |
| 659-F03-1P   | M3                   | 3.2mm                 | 4.0mm                 |                  |      |      |
| 659-006      | M3.5                 | 3.7mm                 | 8.0mm                 | 1.0mm            |      |      |
| 659-F04-2Y   | M4                   | 4.3mm                 | 9.0mm                 |                  |      |      |
| 659-008      | M5                   | 5.3mm                 | 10.0mm                | 1.6mm            |      |      |
| 659-F01-1X   | M6                   | 6.4mm                 | 12.0mm                |                  |      |      |
| 659-F10-1K   | M8                   | 8.4mm                 | 16.0mm                | 2.0mm            |      |      |
| 659-F02-1A   | M10                  | 10.5mm                | 20.0mm                |                  |      |      |
| 659-013      | M12                  | 13.0mm                | 24.0mm                | 2.5mm            |      |      |
| 659-014      | M14                  | 15.0mm                | 28.0mm                |                  |      |      |
| 659-015      | M16                  | 17.0mm                | 30.0mm                | 3.0mm            |      |      |
| 659-016      | M18                  | 19.0mm                | 34.0mm                |                  |      |      |
| 659-F11-1W   | M20                  | 21.0mm                | 37.0mm                | 4.0mm            |      |      |
| 659-018      | M22                  | 23.0mm                | 39.0mm                |                  |      |      |
| 659-019      | M24                  | 25.0mm                | 44.0mm                | 56.0mm           |      |      |
| 659-020      | M27                  | 28.0mm                | 50.0mm                |                  |      |      |
| 659-021      | M30                  | 31.0mm                | 56.0mm                | 2                |      |      |

ASSORTMENT 805-447

~DIN 125A  
~ ISO 7090

Metric FLAT WASHERS  
Brass



20 Sizes  
940 Pieces

Shipping Weight:  
3.2 kg (7 lb.)



| Spenaaur No. | Compatible Bolt Size | Inner Diameter (min.) | Outer Diameter (max.) | Thickness (nom.) | Qty. | Page |
|--------------|----------------------|-----------------------|-----------------------|------------------|------|------|
| 650-001      | M1.7                 | 1.8mm                 | 4.5mm                 | 0.3mm            | 100  | D15  |
| 650-002      | M2                   | 2.2mm                 | 5.0mm                 | 0.5mm            |      |      |
| 650-003      | M2.3                 | 2.5mm                 | 6.0mm                 |                  |      |      |
| 650-004      | M2.6                 | 2.8mm                 | 7.0mm                 | 0.8mm            |      |      |
| 650-005      | M3                   | 3.2mm                 | 4.0mm                 |                  |      |      |
| 650-006      | M3.5                 | 3.7mm                 | 8.0mm                 | 1.0mm            |      |      |
| 650-007      | M4                   | 4.3mm                 | 9.0mm                 |                  |      |      |
| 650-008      | M5                   | 5.3mm                 | 10.0mm                | 1.6mm            |      |      |
| 650-009      | M6                   | 6.4mm                 | 12.0mm                |                  |      |      |
| 650-026      | M7                   | 7.4mm                 | 14.0mm                | 2.0mm            |      |      |
| 650-K01-1C   | M8                   | 8.4mm                 | 16.0mm                |                  |      |      |
| 650-012      | M10                  | 10.5mm                | 20.0mm                | 2.5mm            |      |      |
| 650-013      | M12                  | 13.0mm                | 24.0mm                |                  |      |      |
| 650-014      | M14                  | 15.0mm                | 28.0mm                | 3.0mm            |      |      |
| 650-015      | M16                  | 17.0mm                | 30.0mm                |                  |      |      |
| 650-K02-1N   | M18                  | 19.0mm                | 34.0mm                | 4.0mm            |      |      |
| 650-017      | M20                  | 21.0mm                | 37.0mm                |                  |      |      |
| 650-018      | M22                  | 23.0mm                | 39.0mm                | 56.0mm           |      |      |
| 650-019      | M24                  | 25.0mm                | 44.0mm                |                  |      |      |
| 650-021      | M30                  | 31.0mm                | 56.0mm                | 2                |      |      |

ASSORTMENT 805-448

~DIN 125A  
~ ISO 7089

Inch & Metric FLAT WASHERS  
6/6 Nylon



18 Sizes  
1000 Pieces

Shipping Weight:  
2.27 kg (5 lb.)



| Spenaaur No. | Compatible Bolt Size | Inner Diameter | Outer Diameter | Thickness | Qty. | Page |
|--------------|----------------------|----------------|----------------|-----------|------|------|
| 655-010      | M3                   | 3.2mm          | 7mm            | 0.5mm     | 100  | D15  |
| 655-011      | M4                   | 4.3mm          | 9mm            | 0.8mm     | 80   |      |
| 655-012      | M5                   | 5.3mm          | 11mm           | 1.0mm     | 70   |      |
| 655-013      | M6                   | 6.4mm          | 12mm           | 1.5mm     | 60   |      |
| 655-015      | M8                   | 8.4mm          | 16mm           | 1.6mm     | 50   |      |
| 655-016      | M10                  | 10.5mm         | 22mm           | 2.5mm     | 40   |      |
| 655-017      | M12                  | 13.0mm         | 24mm           |           |      |      |
| 655-018      | M16                  | 17.0mm         | 30mm           | 3.0mm     | 35   |      |
| 655-019      | M20                  | 21.0mm         | 37mm           |           |      |      |
| 654-G02-1A   | #4                   | 0.115"         | 0.250"         | 0.032"    | 100  |      |
| 654-003      | #6                   | 0.140"         | 0.312"         | 0.062"    | 80   | D10  |
| 654-G06-1N   | #8                   | 0.170"         | 0.375"         |           | 70   | H34  |
| 654-004      | #10                  | 0.194"         | 0.500"         |           | 60   | D10  |
| 654-G07-1T   | 1/4"                 | 0.257"         |                | 50        | D10  |      |
| 654-006      | 5/16"                | 0.317"         | 0.093"         | 40        | D10  |      |
| 654-007      | 3/8"                 | 0.380"         |                | 35        |      |      |
| 654-008      | 7/16"                | 0.443"         | 0.750"         | 30        |      |      |
| 654-009      | 1/2"                 | 0.505"         |                |           |      |      |

A74

Spenaaur reserves the right to substitute parts in any assortment without notice. For any questions or suggestions about our Assortments and Plastikits, please contact us 1-800-265-8772. © 2018 Spenaaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spenaaur Inc. Subject to Catalog Terms and Conditions of Use available at Spenaaur.com and on page TC2 and TC3 at the back of this catalog. Spenaaur se réserve le droit de remplacer des pièces dans n'importe quel assortiment sans préavis. Pour toute question ou suggestion concernant nos Assortiments et Plastikits, veuillez nous contacter au 1-800-265-8772. © 2018 Spenaaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spenaaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spenaaur.com et à la page TC4 et TC5 à la fin de ce catalogue.

Inch and Metric

Flat Washers / Split Lockwashers

Pouce et Métrique

Rondelles plates/freins fendues

**ASSORTMENT** **805-411**

**~DIN 125**

This Standard has been replaced. Please see Catalog Page R21 for more information.

**Metric**

**FLAT WASHERS**

Steel, Plated & Plain

**21 SIZES - 943 PIECES**

All drawers shown above are REGULAR SIZE, welded steel, have hinged lids and finished in grey enamel. Drawers will fit Slide Racks shown on A2



Shipping Weight: **3.52 kg** (7-1/4 lbs.)



| Spenaaur No. | Compatible Bolt Size | Inner Diameter | Outer Diameter | Thickness | Qty. | Page |    |
|--------------|----------------------|----------------|----------------|-----------|------|------|----|
| 657-001ZP    | M1.7                 | 1.8mm          | 4.5mm          | 0.3mm     | 100  | D12  |    |
| 657-002ZP    | M2                   | 2.2mm          | 5.0mm          |           |      |      |    |
| 657-003ZP    | M2.3                 | 2.5mm          | 6.0mm          | 0.5mm     |      |      |    |
| 657-004ZP    | M2.6                 | 2.8mm          | 7.0mm          |           |      |      |    |
| 657-W02-1W   | M3                   | 3.2mm          | 7.0mm          |           |      |      |    |
| 657-006ZP    | M3.5                 | 3.7mm          | 8.0mm          | 0.8mm     |      |      |    |
| 657-W03-1M   | M4                   | 4.3mm          | 9.0mm          |           |      |      |    |
| 657-008ZP    | M5                   | 5.3mm          | 10.0mm         | 1.0mm     |      |      | 70 |
| 657-W04-1Y   | M6                   | 6.4mm          | 12.0mm         | 1.6mm     |      |      | 60 |
| 657-010ZP    | M7                   | 7.4mm          | 14.0mm         |           |      |      | 50 |
| 657-011ZP    | M8                   | 8.4mm          | 16.0mm         | 2.0mm     | 40   |      |    |
| 657-012ZP    | M10                  | 10.5mm         | 20.0mm         |           | 25   |      |    |
| 657-013ZP    | M12                  | 13.0mm         | 24.0mm         | 2.5mm     | 20   |      |    |
| 657-014ZP    | M14                  | 15.0mm         | 28.0mm         |           | 15   |      |    |
| 657-015ZP    | M16                  | 17.0mm         | 30.0mm         | 3.0mm     | 10   |      |    |
| 657-016ZP    | M18                  | 19.0mm         | 34.0mm         |           | 6    |      |    |
| 657-017      | M20                  | 21.0mm         | 37.0mm         |           | 5    |      |    |
| 657-018      | M22                  | 23.0mm         | 39.0mm         | 4.0mm     | 4    |      |    |
| 657-W20-1P   | M24                  | 25.0mm         | 44.0mm         |           | 3    |      |    |
| 657-020ZP    | M27                  | 28.0mm         | 50.0mm         | 4.0mm     | 3    |      |    |
| 657-W07-1Y   | M30                  | 31.0mm         | 56.0mm         |           | 2    |      |    |

**ASSORTMENT** **A-203**

**Inch Sizes**

**SPLIT LOCKWASHERS**

Steel, Plated



Helical, "Regular" and "Light" Styles

**14 SIZES**  
**582 PIECES**

Regular Size Drawer Size: 13-3/8" x 9-1/4" x 2"

See page A2 for Storage Slide Rack

Shipping Weight: **2.95 kg** (6-1/2 lbs.)

| Style   | Spenaaur No. | Bolt Size | Width  | Thickness | Qty. | Page |
|---------|--------------|-----------|--------|-----------|------|------|
| Light   | B-488        | #4        | 0.035" | 0.020"    | 50   | D24  |
|         | B-489        | #6        | 0.040" | 0.025"    |      |      |
|         | B-490        | #8        | 0.047" | 0.031"    |      |      |
|         | 663-W01-1K   | #10       | 0.055" | 0.040"    |      |      |
|         | B-492        | #12       | 0.062" | 0.047"    |      |      |
| Regular | 663-W05-1A   | #10       | 0.062" | 0.047"    | 75   | D22  |
|         | 16-SN        | 1/4"      | 0.109" | 0.062"    | 50   |      |
|         | 17-SN        | 5/16"     | 0.125" | 0.078"    | 35   |      |
|         | 663-W06-1P   | 3/8"      | 0.141" | 0.094"    | 30   |      |
|         | 19-SN        | 7/16"     | 0.156" | 0.109"    | 20   |      |
|         | 20-SN        | 1/2"      | 0.171" | 0.125"    | 15   |      |
|         | 21-SN        | 9/16"     | 0.188" | 0.141"    | 20   |      |
|         | 22-SN        | 5/8"      | 0.203" | 0.156"    | 12   |      |
|         | 23-SN        | 3/4"      | 0.234" | 0.188"    |      |      |

**ASSORTMENT** **805-528**

**Inch Sizes**

**SPLIT LOCKWASHERS**

(18-8) Stainless Steel  
Helical, "Regular" Styles

**16 SIZES - 1000 PIECES**

Regular Drawer Size: 13-3/8" x 9-1/4" x 2" See page A2 for Storage Slide Racks.

Shipping Wt. **3.62 kg** (8 lbs.)

| Spenaaur No. | Bolt Size | Width  | Thickness | Qty. | Page |
|--------------|-----------|--------|-----------|------|------|
| 667-P08-2N   | #2        | 0.035" | 0.020"    | 100  | D23  |
| W-2022       | #3        | 0.040" | 0.025"    |      |      |
| 667-P03-2X   | #4        | 0.047" | 0.031"    |      |      |
| 667-P04-2A   | #6        | 0.055" | 0.040"    |      |      |
| 667-P16-1A   | #8        | 0.062" | 0.047"    |      |      |
| 667-P02-2M   | #10       | 0.070" | 0.056"    | 50   | D23  |
| 667-P12-1K   | #12       | 0.070" | 0.056"    |      |      |
| 667-P06-1W   | 1/4"      | 0.109" | 0.062"    | 25   | D23  |
| 667-P24-1K   | 5/16"     | 0.125" | 0.078"    |      |      |
| 667-P01-2W   | 3/8"      | 0.141" | 0.094"    | 15   | D23  |
| W-2031       | 7/16"     | 0.156" | 0.109"    |      |      |
| 667-P11-1T   | 1/2"      | 0.171" | 0.125"    | 10   | D23  |
| W-2033       | 5/8"      | 0.203" | 0.156"    |      |      |
| W-2034       | 3/4"      | 0.234" | 0.188"    | 10   | D23  |
| W-2035       | 7/8"      | 0.266" | 0.219"    |      |      |
| 667-P23-1T   | 1"        | 0.297" | 0.250"    |      |      |