

Rubber Grommets / O-Ring Seals

Inch

Rondelles isolantes en caoutchouc / Joints toriques d'étanchéité

Pouce

A

PLASTIKIT «PLASTIKIT» A-32



RUBBER GROMMETS

12 SIZES - 52 PIECES




| Outer Diameter | Spenaaur No. | Groove Diameter | Groove Width | Bore Diameter | Overall Thickness | Qty. | Page |
|----------------|--------------|-----------------|--------------|---------------|-------------------|------|------|
| 11/32"         | B-1030       | 1/4"            | 1/16"        | 1/8"          | 0.218"            | 4    | J64  |
| 7/16"          | B-1200       |                 | 3/32"        | 5/32"         | 3/8"              | 6    | J64  |
|                | 315-H53-1Y   | 5/16"           | 1/8"         | 3/16"         | 1/4"              |      |      |
| 15/32"         | B-1325       | 3/32"           | 5/16"        | 9/64"         | 9/32"             | 5    | J64  |
| 1/2"           | 315-G18-2A   | 3/8"            | 1/16"        | 1/4"          | 7/32"             | 8    |      |
| 5/8"           | 315-G56-2A   | 7/16"           |              | 5/16"         | 3/16"             | 4    | J65  |
| 21/32"         | 4071         | 1/2"            |              | 3/8"          | 5/16"             | 3    |      |
| 7/8"           | 315-G71-1P   | 5/8"            |              | 5/16"         | 1/2"              | 2    |      |
| 1"             | RB-223       | 3/4"            | 3/16"        | 1/2"          | 7/16"             | 4    | J65  |
| 1-1/16"        | 315-H67-1N   | 13/16"          |              |               |                   | 5/8" |      |
| 1-1/8"         | RB-245       | 7/8"            | 1/16"        | 1/2"          | 7/16"             | 3    |      |
| 1-1/4"         | B-992        | 1"              |              |               | 1/4"              | 2    |      |

O-RING SEALS

Temperature Range: -40° to +121°C (-40° to +250°F).

36 VARIETIES - 428 PIECES



ASSORTMENT ASSORTIMENT A-216

Made of Nitrile (Buna N)

ASSORTMENT ASSORTIMENT 805-606

Made of Viton

| Width   | Spenaaur No. | Inner Diameter | Outer Diameter | Qty.   | Page |     |
|---------|--------------|----------------|----------------|--------|------|-----|
| 0.070"  | OR-006N      | 0.114"         | 1/4"           | 30     | J85  |     |
|         | OR-007N      | 0.145"         | 9/32"          |        |      |     |
|         | OR-008N      | 0.176"         | 5/16"          |        |      |     |
|         | 0.103"       | OR-009N        | 0.208"         | 11/32" | 20   | J85 |
|         |              | OR-010N        | 0.239"         | 3/8"   |      |     |
|         |              | OR-011N        | 0.301"         | 7/16"  | 15   | J85 |
|         |              | OR-012N        | 0.364"         | 1/2"   |      |     |
|         |              | OR-013N        | 0.426"         | 9/16"  |      |     |
|         |              | OR-014N        | 0.489"         | 5/8"   |      |     |
|         |              | OR-015N        | 0.551"         | 11/16" |      |     |
|         |              | OR-016N        | 0.614"         | 3/4"   |      |     |
|         | 0.139"       | OR-110N        | 0.362"         | 9/16"  | 10   | J85 |
| OR-111N |              | 0.424"         | 5/8"           |        |      |     |
| OR-112N |              | 0.487"         | 11/16"         | 6      | J85  |     |
| OR-113N |              | 0.549"         | 3/4"           |        |      |     |
| OR-114N |              | 0.612"         | 13/16"         |        |      |     |
| OR-115N |              | 0.674"         | 7/8"           |        |      |     |
| OR-116N |              | 0.737"         | 15/16"         |        |      |     |
| OR-210N |              | 0.734"         | 1"             |        |      |     |
| OR-211N |              | 0.796"         | 1-1/16"        |        |      |     |
| OR-212N |              | 0.859"         | 1-1/8"         |        |      |     |
| 0.210"  | OR-213N      | 0.921"         | 1-3/16"        | 6      | J86  |     |
|         | OR-214N      | 0.984"         | 1-1/4"         |        |      |     |
|         | OR-215N      | 1.046"         | 1-5/16"        | 6      | J86  |     |
|         | OR-216N      | 1.109"         | 1-3/8"         |        |      |     |
|         | OR-217N      | 1.171"         | 1-7/16"        |        |      |     |
|         | OR-218N      | 1.234"         | 1-1/2"         |        |      |     |
|         | OR-219N      | 1.296"         | 1-9/16"        |        |      |     |
|         | OR-220N      | 1.359"         | 1-5/8"         |        |      |     |
|         | OR-221N      | 1.421"         | 1-11/16"       |        |      |     |
|         | OR-222N      | 1.484"         | 1-3/4"         |        |      |     |
| OR-223N | 1.609"       | 1-7/8"         |                |        |      |     |
| 0.210"  | OR-224N      | 1.734"         | 2"             | 6      | J86  |     |
|         | OR-325N      | 1.475"         | 1-7/8"         |        |      |     |
|         | OR-326N      | 1.600"         | 2"             |        |      |     |
|         | OR-327N      | 1.725"         | 2-1/8"         |        |      |     |

| Width   | Spenaaur No. | Inner Diameter | Outer Diameter | Qty.   | Page |     |
|---------|--------------|----------------|----------------|--------|------|-----|
| 0.070"  | 320-006      | 0.114"         | 1/4"           | 30     | J87  |     |
|         | 320-007      | 0.145"         | 9/32"          |        |      |     |
|         | 320-008      | 0.176"         | 5/16"          |        |      |     |
|         | 0.103"       | 320-009        | 0.208"         | 11/32" | 20   | J87 |
|         |              | 320-010        | 0.239"         | 3/8"   |      |     |
|         |              | 320-011        | 0.301"         | 7/16"  | 15   | J87 |
|         |              | 320-012        | 0.364"         | 1/2"   |      |     |
|         |              | 320-013        | 0.426"         | 9/16"  |      |     |
|         |              | 320-014        | 0.489"         | 5/8"   |      |     |
|         |              | 320-015        | 0.551"         | 11/16" |      |     |
|         |              | 320-016        | 0.614"         | 3/4"   |      |     |
|         | 0.139"       | 320-110        | 0.362"         | 9/16"  | 10   | J87 |
| 320-111 |              | 0.424"         | 5/8"           |        |      |     |
| 320-112 |              | 0.487"         | 11/16"         | 6      | J87  |     |
| 320-113 |              | 0.549"         | 3/4"           |        |      |     |
| 320-114 |              | 0.612"         | 13/16"         |        |      |     |
| 320-115 |              | 0.674"         | 7/8"           |        |      |     |
| 320-116 |              | 0.737"         | 15/16"         |        |      |     |
| 320-210 |              | 0.734"         | 1"             |        |      |     |
| 320-211 |              | 0.796"         | 1-1/16"        |        |      |     |
| 320-212 |              | 0.859"         | 1-1/8"         |        |      |     |
| 0.210"  | 320-213      | 0.921"         | 1-3/16"        | 6      | J88  |     |
|         | 320-214      | 0.984"         | 1-1/4"         |        |      |     |
|         | 320-215      | 1.046"         | 1-5/16"        | 6      | J88  |     |
|         | 320-216      | 1.109"         | 1-3/8"         |        |      |     |
|         | 320-217      | 1.171"         | 1-7/16"        |        |      |     |
|         | 320-218      | 1.234"         | 1-1/2"         |        |      |     |
|         | 320-219      | 1.296"         | 1-9/16"        |        |      |     |
|         | 320-220      | 1.359"         | 1-5/8"         |        |      |     |
|         | 320-221      | 1.421"         | 1-11/16"       |        |      |     |
|         | 320-222      | 1.484"         | 1-3/4"         |        |      |     |
| 320-223 | 1.609"       | 1-7/8"         |                |        |      |     |
| 0.210"  | 320-224      | 1.734"         | 2"             | 6      | J88  |     |
|         | 320-325      | 1.475"         | 1-7/8"         |        |      |     |
|         | 320-326      | 1.600"         | 2"             |        |      |     |
|         | 320-327      | 1.725"         | 2-1/8"         |        |      |     |

Furnished in Large Size Grey enameled STEEL Drawer, with scooped bins. Size: 18" x 12" x 3"  
 Drawer will fit into the Slide Racks, shown on page A3. Shipping Wt. 3.96 kg (8-3/4 lbs.)

A116

Spenaaur reserves the right to substitute parts in any assortment without notice. For any questions or suggestions about our Assortments and Plastikits, please contact us 1-800-265-8772. © 2018 Spenaaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spenaaur Inc. Subject to Catalog Terms and Conditions of Use available at Spenaaur.com and on page TC2 and TC3 at the back of this catalog. Spenaaur se réserve le droit de remplacer des pièces dans n'importe quel assortiment sans préavis. Pour toute question ou suggestion concernant nos Assortiments et Plastikits, veuillez nous contacter au 1-800-265-8772. © 2018 Spenaaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spenaaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spenaaur.com et à la page TC4 et TC5 à la fin de ce catalogue.

Inch and Metric

Pouce et Métrique


O-Ring Seals / O-Ring Splicing Kit

Joint d'étanchéité toriques / Trousse d'épissage de joints toriques

**PLASTIKIT**  
«PLASTIKIT» **804-001**

**O-RING SEALS**  
Viton

19 SIZES - 78 PIECES



| Spaenaur No. | Outer Diameter | Inner Diameter | Qty. | Page |
|--------------|----------------|----------------|------|------|
| 320-006      | 1/4"           | 0.114"         | 5    | J87  |
| 320-007      | 9/32"          | 0.145"         |      |      |
| 320-008      | 5/16"          | 0.176"         |      |      |
| 320-009      | 11/32"         | 0.208"         |      |      |
| 320-010      | 3/8"           | 0.239"         |      |      |
| 320-011      | 7/16"          | 0.301"         |      |      |
| 320-012      | 1/2"           | 0.364"         |      |      |
| 320-110      | 9/16"          | 0.362"         | 3    |      |
| 320-013      |                | 0.426"         | 5    |      |
| 320-111      | 5/8"           | 0.424"         | 3    |      |
| 320-014      |                | 0.489"         | 5    |      |
| 320-112      | 11/16"         | 0.487"         | 3    |      |
| 320-015      |                | 0.551"         | 5    |      |
| 320-113      | 3/4"           | 0.549"         | 3    |      |
| 320-016      |                | 0.614"         | 5    |      |
| 320-114      | 13/16"         | 0.612"         | 3    |      |
| 320-115      | 7/8"           | 0.674"         |      |      |
| 320-116      | 15/16"         | 0.737"         |      |      |
| 320-210      | 1"             | 0.734"         | 2    |      |

**ASSORTMENT**  
**ASSORTIMENT** **805-A05-2M**

**O-RING SPLICING KIT**  
8 PIECES - 8 SIZES

Kit comes in a Regular Size Grey Enamelled STEEL drawer, and will fit the Slide Racks as shown on page A2

Drawer: 13<sup>3</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>4</sub>" x 2"  
Shipping Weight: **1.93 kg** (4-1/4 lbs.)




| Name                   | Spaenaur No. | Outer Diameter | Qty.          | Page |      |
|------------------------|--------------|----------------|---------------|------|------|
| O-Ring Splicing Cord   | 825-B01-1P   | 0.070"         | 5'            | J84  |      |
|                        | 825-174      | 0.103"         |               |      |      |
|                        | 825-175      | 0.139"         |               |      |      |
|                        | 825-176      | 0.210"         |               |      |      |
|                        | 825-177      | 0.275"         |               |      |      |
| Name                   | Spaenaur No. | Blade Length   | Blade Width   | Qty. | Page |
| Cutting & Splicing Jig | 877-505      | 4" (overall)   | 16" (overall) | 1    | J84  |
| Razor Blade            | 877-504      | 1-1/2"         | 3/4"          |      |      |
| Name                   | Spaenaur No. | Weight         | Qty.          | Page |      |
| Turbo Fuse Super Glue  | 800-B78-1W   | 2 g            | 2             |      |      |

**PLASTIKIT**  
«PLASTIKIT» **804-069**

**O-RING SEALS**  
Nitrile

19 SIZES - 78 PIECES



| Spaenaur No. | Outer Diameter | Inner Diameter | Qty. | Page |
|--------------|----------------|----------------|------|------|
| OR-006N      | 1/4"           | 0.114"         | 5    | J85  |
| OR-007N      | 9/32"          | 0.145"         |      |      |
| OR-008N      | 5/16"          | 0.176"         |      |      |
| OR-009N      | 11/32"         | 0.208"         |      |      |
| OR-010N      | 3/8"           | 0.239"         |      |      |
| OR-011N      | 7/16"          | 0.301"         |      |      |
| OR-012N      | 1/2"           | 0.364"         |      |      |
| OR-110N      | 9/16"          | 0.362"         | 3    |      |
| OR-013N      |                | 0.426"         | 5    |      |
| OR-014N      | 5/8"           | 0.489"         | 3    |      |
| OR-112N      |                | 0.487"         | 5    |      |
| OR-015N      | 11/16"         | 0.551"         | 3    |      |
| OR-113N      |                | 0.549"         | 5    |      |
| OR-016N      | 3/4"           | 0.614"         | 3    |      |
| OR-114N      |                | 0.612"         | 5    |      |
| OR-111N      | 7/8"           | 0.424"         | 3    |      |
| OR-115N      |                | 0.674"         | 5    |      |
| OR-116N      | 15/16"         | 0.737"         | 2    |      |
| OR-210N      | 1"             | 0.734"         |      |      |


**ASSORTMENT**  
**ASSORTIMENT** **805-625**

**METRIC**  
**O-RING SEALS**  
Made of Nitrile

36 Sizes  
439 Pieces

Furnished in Large Size, Grey enamelled STEEL Drawer, with scooped bins. Drawer will fit into the Slide Racks, shown on page A3.  
Size: 18" x 12" x 3"

Shipping Weight:  
**3.97 kg** (8.75 lbs.)



| Spaenaur No. | Inner Diameter | Outer Diameter | Qty. | Page |
|--------------|----------------|----------------|------|------|
| 204-003      | 3mm            | 7mm            | 30   | J92  |
| 204-004      | 4mm            | 8mm            |      |      |
| 204-A01-1W   | 5mm            | 9mm            |      |      |
| 204-006      | 6mm            | 10mm           | 20   |      |
| 204-007      | 7mm            | 11mm           |      |      |
| 204-008      | 8mm            | 12mm           | 15   |      |
| 204-009      | 9mm            | 13mm           |      |      |
| 206-109      |                | 14mm           |      |      |
| 206-111      | 11mm           | 16mm           | 10   |      |
| 206-112      | 12mm           | 17mm           |      |      |
| 206-113      | 13mm           | 18mm           | 6    |      |
| 206-114      | 14mm           | 19mm           |      |      |
| 206-115      | 15mm           | 20mm           |      |      |
| 206-116      | 16mm           | 21mm           | 10   |      |
| 206-117      | 17mm           | 22mm           |      |      |
| 206-118      | 18mm           | 23mm           | 6    |      |
| 206-119      | 19mm           | 24mm           |      |      |
| 206-569      |                | 26mm           | 6    |      |
| 206-321      |                | 27mm           | 10   |      |
| 206-570      | 20mm           | 27mm           | 6    |      |
| 204-120      |                | 28mm           |      |      |
| 206-572      | 22mm           | 29mm           | 10   |      |
| 206-323      | 23mm           | 30mm           |      |      |
| 206-573      |                | 31mm           | 10   |      |
| 206-325      |                | 32mm           |      |      |
| 206-575      | 25mm           | 32mm           | 6    |      |
| 204-125      |                | 33mm           |      |      |
| 206-327      | 27mm           | 34mm           | 10   |      |
| 206-577      |                | 36mm           |      |      |
| 206-330      | 30mm           | 36mm           | 10   |      |
| 206-580      |                | 37mm           |      |      |
| 206-583      | 33mm           | 40mm           | 6    |      |
| 206-588      | 38mm           | 45mm           |      |      |
| 204-A03-1X   |                | 48mm           |      |      |
| 204-641      | 41mm           | 51mm           |      |      |
| 204-644      | 44mm           | 54mm           |      |      |

O-Ring Seals / O-Ring Splicing Cord

Metric

Joint d'étanchéité toriques / Cordon d'épissage de joints toriques

Métrique


PLASTIKIT «PLASTIKIT» **804-071**

GERMAN METRIC SIZES  
O-RING SEALS  
Nitrile

28 SIZES - 128 PIECES

Clear durable plastic container with hinged lid.  
Size: 4-1/2" x 2-3/4" x 1"

Shipping Weight: .252 kg (1/4 lb.)



| Spenaaur No. | Inner Diameter | Outer Diameter | Qty. | Page |
|--------------|----------------|----------------|------|------|
| 204-003      | 3mm            | 7mm            | 6    | J92  |
| 206-004      | 4mm            |                |      |      |
| 206-006      | 6mm            | 9mm            |      |      |
| 204-006      |                | 10mm           |      |      |
| 204-010      | 10mm           | 14mm           |      |      |
| 206-110      |                | 15mm           |      |      |
| 206-012      | 12mm           | 17mm           |      |      |
| 206-112      |                |                |      |      |
| 204-014      | 14mm           | 18mm           |      |      |
| 206-015      | 15mm           |                |      |      |
| 206-116      | 16mm           | 21mm           |      |      |
| 206-569      | 19mm           | 26mm           |      |      |
| 206-120      | 20mm           | 25mm           | 6    |      |
| 206-321      |                | 26mm           |      |      |
| 204-120      |                | 28mm           |      |      |
| 206-572      |                | 29mm           |      |      |
| 204-125      | 25mm           | 33mm           | 4    |      |
| 206-327      | 27mm           |                |      |      |
| 206-332      | 32mm           | 38mm           |      |      |
| 206-583      | 33mm           | 40mm           |      |      |
| 204-A03-1X   | 38mm           | 48mm           | 2    |      |
| 206-339      | 39mm           | 45mm           | 4    |      |
| 204-650      | 50mm           | 60mm           | 2    |      |

METRIC  
O-RING SPLICING CORD

Solve that problem of LARGE Metric O-Ring availability. Now YOU can make any standard size in German or Swedish cross-section.

ASSORTMENT ASSORTIMENT **805-455**

German  
Metric O-Rings  
Cord Stock Refill

9 SIZES, 9 PIECES

Shipping Weight: 1.8 kg (4 lbs.)



| Name                                      | Spenaaur No. | Outer Diameter | Hardness    | Qty. | Page |
|---|--------------|----------------|-------------|------|------|
| O-Ring NITRILE (Buna-N) Metric Cord Stock | 825-181      | 2.0mm          | Duro 70     | 5'   | J91  |
|   | 825-182      | 2.5mm          |             |      |      |
|   | 825-184      | 3.5mm          |             |      |      |
|   | 825-185      | 4.0mm          |             |      |      |
|   | 825-186      | 5.0mm          |             |      |      |
| O-Ring-Swedish Metric Sizes               | 825-183      | 3.0mm          |             |      |      |
| Name                                      | Spenaaur No. | Blade Length   | Blade Width | Qty. | Page |
| Razor Blade                               | 877-504      | 1-1/2"         | 3/4"        | 1    | J84  |
| Cutting & Splicing Jig                    | 877-505      | 4"             | 3/16"       |      |      |
| Name                                      | Spenaaur No. | Weight         |             | Qty. |      |
| Turbo Fuse Super Glue                     | 800-B78-1W   | 2g             |             | 2    |      |

ASSORTMENT ASSORTIMENT **805-456**

Swedish  
Metric O-Rings  
Cord Stock Refill

5 SIZES, 8 PIECES

Shipping Weight: 1.9 kg (4-1/4 lbs.)

| Name                        | Spenaaur No. | Outer Diameter |             | Qty. | Page |
|-----------------------------|--------------|----------------|-------------|------|------|
| O-Ring-Swedish Metric Sizes | 825-187      | 1.6mm          |             | 5'   | J91  |
|                             | 825-188      | 2.4mm          |             |      |      |
|                             | 825-183      | 3.0mm          |             |      |      |
|                             | 825-190      | 5.7mm          |             |      |      |
|                             | 825-191      | 8.4mm          |             |      |      |
| Name                        | Spenaaur No. | Blade Length   | Blade Width | Qty. | Page |
| Razor Blade                 | 877-504      | 1-1/2"         | 3/4"        | 1    | J84  |
| Cutting & Splicing Jig      | 877-505      | 4"             | 3/16"       |      |      |
| Name                        | Spenaaur No. | Weight         |             | Qty. |      |
| Turbo Fuse Super Glue       | 800-B78-1W   | 2g             |             | 2    |      |

Kit comes in Grey enamelled STEEL Drawer. Drawer will fit into the Slide Racks, as shown on page A2.  
Size: 13-3/8" x 9-1/4" x 2" Buy your refills by the foot.