

Solderless Terminals

Inch

Cosses sans soudure

Pouce

ASSORTMENT **805-628A**
ASSORTIMENT

67 Sizes  Total: 1010 terminals

Includes insulated Standard Ring, Spade, Hook, Three-way and Four-way Terminals, Quick-disconnect, Butt, Trailer, and T-type connectors. Most complete "Terminal" Kit available

Large Size Drawer: 18" x 12" x 3" With 32 SCOOPED compartments.

Drawer fits Slide Racks on page A3

Shipping Weight: **4.86 kg** (12.75 lbs.)

SOLDERLESS TERMINALS

Large size

Name	Spaenaur No.	Compatible Wire Size	Compatible Screw/Stud Size	Overall Length	Insulation Colour	Qty.	Page
Ring Tongue Terminals Insulated	622-B08-1T	12 AWG - 10 AWG	#10	59/64"	Yellow	15	G39
	WT-97		#12 - 1/4"	1-11/64"		10	
	WT-98		3/8"	1-9/32"		10	
	WT-91	16 AWG - 14 AWG	#5 - #6	3/4"	Blue	20	
	WT-92		#10	55/64"		10	
	WT-93		#12 - 1/4"	1-7/64"		10	
	WT-94		3/8"	1-1/4"		10	
	WT-95	22 AWG - 16 AWG	#5 - #6	25/32"	Red	20	
	WT-89		#12 - 1/4"	1-7/64"		10	
	WT-87		#5 - #6	27/32"		20	
	WT-88	22 AWG - 18 AWG	#10	55/64"	Yellow	10	
	WT-90		3/8"	1-1/4"		10	
Fork Tongue Terminals	WT-103	12 AWG - 10 AWG	#10	1"	Yellow	15	G40
	622-B07-1N	16 AWG - 14 AWG	#4 to #6	29/32"	Blue	20	
	622-109		#6	31/32"		15	
	WT-102	22 AWG - 18 AWG	#6	29/32"	Red	20	
	622-108		#5 to #6	1"		15	
Insulated Solderless Fork and Spade Terminals	622-129	12 AWG - 10 AWG	#6		Yellow	15	G41
	622-161		#10				
	622-128	16 AWG - 14 AWG	#6		Blue	15	
	622-160		#10				
	622-131		#6				
	622-B22-1T	22 AWG - 18 AWG	#6		Red	15	
	622-130		#10				
622-159							
Name	Spaenaur No.	Compatible Wire Size	Compatible Tab Width	Connector Gender	Insulation Colour	Qty.	Page
Insulated Shoulderless Disconnects	622-121	12 AWG - 10 AWG	1/4"	Male	Yellow	15	G41
	622-118			Female			
	622-124			Male			
	622-123	16 AWG - 14 AWG	3/16"	Female	Blue	15	
	622-120			Male			
	622-117	22 AWG - 18 AWG	1/4"	Female	Red	15	
	622-122			Male			
	622-119			Female			
	622-116						
Name	Spaenaur No.	Compatible Wire Size	Connector Gender		Insulation Colour	Qty.	Page
Fully Insulated Nylon Coupler	622-180	12 AWG - 10 AWG	Male		Blue	15	G41
	622-A01-1Z		Female				
	622-137	16 AWG - 14 AWG	Male				
	622-B05-1Y		Female				
	622-B09-1K	22 AWG - 18 AWG	Male				
622-132	Female						
Solderless Connectors & Bullets	622-B24-1W	16 AWG - 14 AWG	Female		Blue	20	G37
	622-143		Male				
	622-162		Female				
	622-145	18 AWG - 14 AWG	Female		Natural	15	
	622-B26-1X		Female				
622-125	0.156"					G37 G38	
Name	Spaenaur No.	Compatible Wire Size			Insulation Colour	Qty.	Page
Insulated Solderless Splice Connectors	622-B20-1C	12 AWG - 10 AWG			Yellow	5	G41
	622-139					15	
	622-112					10	
	622-B13-1M	16 AWG - 14 AWG			Blue	10	
	622-B21-1N					15	
	622-B19-1N					20	
Insulated Solderless Butt Connector	622-110	22 AWG - 18 AWG			Red	15	
	WT-85	12 AWG - 10 AWG			Yellow	20	
	WT-84	16 AWG - 14 AWG			Blue	15	
	WT-83	22 AWG - 18 AWG			Red	15	
Solderless Closed-End Connectors Clear Nylon with Tinned Copper	622-149	18 AWG - 10 AWG				15	G37
Female T-Tap Connectors Fully Insulated	622-181	22 AWG - 18 AWG				10	G38
Female Piggyback Disconnect Terminal	622-147	22 AWG - 14 AWG				15	G41
Snap Terminal Connectors	WT-65	16 AWG - 14 AWG				15	G38
Economy, Female Disconnect	622-144					15	G41
1/4" M.Q.D. Adapter	622-126					15	G41
Name	Spaenaur No.	Compatible Wire Size	Compatible Screw / Stud Size	Hole Size	Connector Gender	Qty.	Page
Double (Male-Female) Adapter	622-148		1/4"		Male-Female	15	G38
Flanged Fork Tongue Terminals	WT-99	22 AWG - 18 AWG	#6	0.144"		20	G40



Inch

Solderless Terminals

Pouce

Cosses sans soudure


ASSORTIMENT
ASSORTIMENT **A-200-B**

**NON-INSULATED
SOLDERLESS TERMINALS**

24 SIZES - 478 PIECES
Plus one (T-138) Crimping Tool.

REGULAR SIZE welded STEEL Drawer has hinged lid, "scooped" bins, and is finished in Grey enamel. Drawer will fit into Slide Racks shown on page A2

Shipping Wt. **2.84 kg** (6-1/4 lbs.)



A

Name	Spaenaur No.	Compatible Wire Size	Compatible Screw/Stud Size	Hole Size	Qty.	Page
Spade Tongue Terminals	WT-47	16 AWG - 14 AWG	#4 - #6	9/64"	20	G38
	WT-48		#10	13/64"		
	WT-46	22 AWG - 18 AWG	#4 - #6	9/64"	30	
	WT-45					
Name	Spaenaur No.	Compatible Wire Size	Connector Gender	Contact Material	Qty.	Page
Solderless Connectors & Bullets	622-125	0.156"	Female	Copper	15	G37 G38
Name	Spaenaur No.	Compatible Wire Size	Compatible Screw/Stud Size	Barrel Inside Diameter	Qty.	Page
Hook Type Terminal	WT-75	22 AWG - 18 AWG	#4 to #8	11/64"	20	G38
Ring Tongue Terminal Uninsulated	622-B01-1P	12 AWG - 10 AWG	1/4"	17/64"		
	WT-38	16 AWG - 14 AWG	#5 to #6	9/64"	25	
	WT-39		#10	13/64"		
	WT-40	#12 to 1/4"	17/64"	20		
WT-34	22 AWG - 18 AWG	#10	13/64"	25		
Name	Spaenaur No.	Compatible Wire Size			Qty.	Page
Flag Type Terminals	WT-52	12 AWG - 10 AWG			20	G38
	WT-51	16 AWG - 14 AWG				
	WT-50	22 AWG - 16 AWG				
Butt Connectors	WT-54	16 AWG - 14 AWG				
Name	Spaenaur No.	Inside Diameter	Outside Diameter	Overall Length	Qty.	
Distributor Cap Rubber Hood	RB-62	7/32"	7/8"	1"	7	
Name	Spaenaur No.	Clip Finish	Receptacle Type	-	Qty.	Page
Ignition Repair Parts	WT-106	Cadmium	Angled	-	15	G43
	622-B11-1K	Nickel	Straight		20	
Name	Spaenaur No.	For Wire Gauge	Special Features		Qty.	Page
Molex Crimper Tools	876-F18-1T	22 - 10	Cushion Handles		1	G44
Name	Spaenaur No.	Size			Qty.	Page
Snap Terminal Connectors	WT-64	Standard			25	G38
Name	Spaenaur No.	Connector Gender			Qty.	Page
Quick Connect Terminals	WT-59	Female			20	G38
	WT-57					
	WT-56	Male				
Name	Spaenaur No.				Qty.	Page
Spade Bolts	R-328				30	G43

CATALOG 14

SPAENAUR

Spaenaur reserves the right to substitute parts in any assortment without notice. For any questions or suggestions about our Assortments and Plastikits, please contact us 1-800-265-8772. © 2018 Spaenaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spaenaur Inc. Subject to Catalog Terms and Conditions of Use available at Spaenaur.com and on page TC2 and TC3 at the back of this catalog. Spaenaur se réserve le droit de remplacer des pièces dans n'importe quel assortiment sans préavis. Pour toute question ou suggestion concernant nos Assortiments et Plastikits, veuillez nous contacter au 1-800-265-8772. © 2018 Spaenaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spaenaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spaenaur.com et à la page TC4 et TC5 à la fin de ce catalogue.

Solderless Terminals / Molex® KK® Interconnection System .100

Inch

Cosses sans soudure / Système d'interconnexion Molex^{MD} KK^{MD} de 0,100 po (2,54 mm)

Pouce

ASSORTMENT
ASSORTIMENT **A-215**

21 SIZES - 541 PIECES

Plus one (876-1836) Crimping Tool.

REGULAR SIZE welded STEEL Drawer has hinged lid, "scooped" bins and is finished in Grey enamel. Drawer will fit into Slide Racks shown on page A2

Shipping Wt. **2.95 kg** (6-1/2 lbs.)



Plastic Insulated SOLDERLESS TERMINALS

Name	Insulation Length	Insulation Colour	Compatible Wire Size	Spaenaur No.	Compatible Screw/Stud Size	Outside Width	Overall Length	Qty.	Page			
Ring -Tongue Terminals Insulated	7/16"	Yellow	12 AWG - 10 AWG	622-B08-1T	#10	3/8"	59/64"	25	G39			
				WT-97	#12 - 1/4"	33/64"	1-11/64"					
				WT-98	3/8"	19/32"	1-9/32"					
				WT-91	#5 - #6	15/64"	3/4"					
				WT-92		21/64"	55/64"					
				WT-93		#10	29/32"					
		Blue	16 AWG - 14 AWG	WT-94	#12 - 1/4"	15/32"	1-7/64"	30				
				WT-95	3/8"	17/32"	1-1/4"					
				WT-86	#5 - #6	7/32"	25/32"			30		
						WT-89	#12 - 1/4"				15/32"	1-7/64"
				Red	22 AWG - 16 AWG	WT-90	3/8"			17/32"	1-1/4"	25
						WT-87	#5 - #6			9/32"	27/32"	
22 AWG - 18 AWG	Red	WT-88	#10	21/64"	55/64"	30						
		Fork -Tongue Terminals	1/2"	Yellow	12 AWG - 10 AWG	WT-103	#10	3/8"	1"	25	G40	
				Blue	16 AWG - 14 AWG	622-B07-1N	#4 - #6	19/64"	29/32"	30		
Red	22 AWG - 18 AWG			WT-102	#10	23/64"	31/32"	25				
Insulated Solderless Butt Connector		Yellow	12 AWG - 10 AWG	WT-85				25	G41			
		Blue	16 AWG - 14 AWG	WT-84								
		Red	22 AWG - 18 AWG	WT-83								
All Purpose Electrician's Tool			18 ga. - 8 ga.	876-1836				1	G44			

ASSORTMENT
ASSORTIMENT **805-502**



KK® Interconnection System .100" (2.54 mm) Centre Spacing

**235 CONNECTORS
350 TERMINALS**

Drawer Size: 13-3/8" x 9-1/4" x 2"
Drawers will fit into the Slide Racks shown on page A2



Name	Product Type	Angle	Spaenaur No.	Number of Contacts	Qty.	Page	
Molex KK International System	PCB Connector	Right Angle	700-101	10	10	G55	
	Top Entry PCB Connector		700-103				
	Bottom Entry PCB Connector		700-102				
	Square Pin Straight Wafer	Straight	700-104				15
	Crimp Terminal		700-105				
	Friction Lock Wafer		700-510				
			700-114	2	10		
			700-115	3	5		
		700-116	4				
		700-117	5				
		700-118	6	10			
		700-119	10				
		Right Angle	700-108	4	10		
700-109	5		5				
700-110	6						
700-111	7						
700-112	8						
700-113	10						
Molex KK International System Connector & Terminal Housings	700-093	2	15				
	700-094	3					
	700-095	4					
	700-096	5					
	700-138	6					
	700-098	7	10				
	700-099	8					
	700-100	10					
	Name	Tool Type		Spaenaur No.	For Use With	Qty.	Page
	Tools	Crimping Tool		876-482	Installing 0.093 terminals	1	G54 G55 G56 G60
Extraction Tool		876-485	Removing Terminals	G55			

A106

Spaenaur reserves the right to substitute parts in any assortment without notice. For any questions or suggestions about our Assortments and Plastikits, please contact us 1-800-265-8772. © 2018 Spaenaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spaenaur Inc. Subject to Catalog Terms and Conditions of Use available at Spaenaur.com and on page TC2 and TC3 at the back of this catalog. Spaenaur se réserve le droit de remplacer des pièces dans n'importe quel assortiment sans préavis. Pour toute question ou suggestion concernant nos Assortiments et Plastikits, veuillez nous contacter au 1-800-265-8772. © 2018 Spaenaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spaenaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spaenaur.com et à la page TC4 et TC5 à la fin de ce catalogue.