

Inch

Extension / Compression Springs

Pouce

Ressorts de traction / compression

ASSORTIMENT
ASSORTIMENT **B-550-M-A**

EXTENSION & COMPRESSION SPRINGS
STEEL - Black & Zinc Finish

57 SIZES - 264 PIECES

LARGE SIZE Welded STEEL Drawer
Furnished in strong metal case, with hinged lid,
and finished in green enamel.

Shipping Weight **5.10 kg** (11-1/4 lbs.)



Extension Spring



Conical Spring



Compression Long



Compression spring

Name	Spenaaur No.	Overall Length	Spring Outside Diameter	Wire Gauge	Qty.	Page	
Compression Long	B-623	10"	5/8"	0.062"	1	H16	
	B-624		11/16"				
	610-A02-1A		3/4"				
	B-626	11-1/2"	7/8"	0.047"			
	B-618		7/32"				
	610-A01-1X		5/16"				
	B-620		3/8"				
B-621	1/2"	0.062"					
Conical	B-662	1-1/4"		0.065"	3		
Extension	B-656	1"	3/16"	0.022"	6	H17	
	610-A09-1W		1/4"			H20	
	B-613	1-5/8"	3/8"	0.037"	2	H17	
	B-611			0.054"			
	B-616	4-7/8"	1/2"	0.072"			
	B-606	5-1/4"	9/32"	0.042"			
	B-617		9/16"	0.080"			
	B-614	5-3/8"	7/16"	0.062"			
	B-610	5-1/2"	11/32"	0.047"			
	B-605	5-3/4"	1/4"	0.025"			
	B-615	6-3/8"	7/16"	0.047"			
	B-607	6-5/8"	9/32"	0.340"			
	B-608	6-3/4"	5/16"	0.470"			
	B-603	7-1/4"	3/16"	0.250"			
	B-604	9"	7/32"	0.031"			
	B-627		7/16"	0.062"			
	B-600		9/16"	0.080"			
	B-601		5/8"	0.800"			
	B-602		13/16"	0.080"			
	B-612	10"	3/8"	0.054"			
B-648	5/16"	1/8"	0.015"	10			H18
B-633	9/16"	19/32"	0.054"	12			H18
B-640	5/8"	11/32"	0.028"				
B-643	11/16"	7/32"	0.032"				
B-646	3/4"	1/4"	0.018"				
B-637		7/16"	0.047"				
B-631	27/32"	11/16"	0.054"	6			
B-634	7/8"	1/2"	0.047"	10			
B-687	1-1/16"	9/32"	0.032"				
B-645	1-1/2"	1/4"	0.047"				
B-638		1-3/32"		0.054"			
B-628				3			
B-642	1-5/8"	9/32"	0.034"	10			
B-644			0.028"				
B-639	1-7/8"	3/8"	0.034"	8			
B-629	1-15/16"	1"	0.062"	3			
B-632	2"	5/8"	0.105"	5			
B-630		7/8"	0.054"	3			
B-636	2-1/4"	7/16"	0.062"	8			
B-647	2-3/8"	7/32"	0.016"	6			
B-622	3"	5/8"	0.800"	4			
B-635	3-1/8"	1/2"	0.041"	6			
B-650	5"	3/8"					
B-651	6"	7/16"	0.054"	3			
B-653	7-1/4"	9/16"	0.062"	2			
B-654	9-1/4"	1/2"	0.047"				
B-655			9/16"	0.054"			
B-652	9-1/2"	7/16"	0.047"	3			

A

Compression Springs / Extension Springs

Inch

Ressorts de compression / Ressorts de traction

Pouce

ASSORTMENT 805-632A
ASSORTIMENT

COMPRESSION SPRINGS

Steel - Zinc Plated

30 SIZES - 435 PIECES

Put up in a LARGE SIZE grey enamelled Steel Drawer, with hinged lid and "Adjusta-bins." Drawer will fit into our Slide Racks, as shown on page A3

Shipping Weight **6.24 kg** (13.75 lbs.)

Q.U.

Q.U.

Q.U.

Q.U.

Q.U.



Name	Spaenaur No.	Spring Outside Diameter	Overall Length	Wire Gauge	Qty.	Page
Utility Springs - Compression Type	B-648	1/8"	5/16"	0.015"	15	H18
	B-643	7/32"	11/16"	0.032"	25	
	B-647		2-3/8"	0.016"	20	
	B-646	1/4"	3/4"	0.018"	25	
	B-645		1-1/2"	0.032"		
	B-687	9/32"	1-1/16"	0.034"	20	
	B-642		1-5/8"			
	B-644		1-7/8"			
	B-640	11/32"	5/8"	0.028"	25	
	B-639	3/8"	1-7/8"	0.034"	20	
	B-638	13/32"	1-1/2"			
	B-637	7/16"	3/4"			
	B-636	1/2"	2-1/4"	0.062"	15	
	B-635		7/8"	0.047"		
	B-634	5/8"	3-1/8"	0.041"	20	
	B-632		2"	0.105"		
	B-622	11/16"	3"	0.800"	8	
	B-631		27/32"	0.054"		
	B-630	7/8"	2"	0.062"	10	
	B-629	1"	1-15/16"	0.062"	8	
B-628	1-3/32"	1-1/2"	0.054"	6		
Utility Springs - Compression Type - Plain Ends	B-618	7/32"	11-1/2"	0.041"	5	H16
	610-A01-1X	5/16"		0.047"		
	B-620	3/8"		0.062"		
	B-621	1/2"	9/16"	0.054"	20	
	610-A10-1K	19/32"		0.062"		
	B-623	5/8"	10"	0.091"	5	
	B-624	11/16"		0.080"		
	610-A02-1A	3/4"				
B-626	7/8"					

ASSORTMENT 805-633
ASSORTIMENT

EXTENSION SPRINGS


Steel - Black & Zinc Finish

29 Sizes - 268 Pieces

Put up in a LARGE SIZE grey enamelled Steel Drawer, with hinged lid and "Adjusta-bins."

Drawer will fit into our Slide Racks, as shown on page A3

Shipping Weight **8.39 kg** (18-1/2 lbs.)



Name	Spaenaur No.	Overall Length	Spring Outside Diameter	Wire Gauge	Qty.	Page	
Extension Springs Single Loop	B-659	1/2"	3/32"	0.014"	20	H17	
	B-660	5/8"	1/8"	0.018"			
	B-656	1"	3/16"	0.022"			
	610-A09-1W	1-5/8"	1/4"	0.054"	15		
	B-611		3/8"	0.037"			
	B-613	5-1/2"	1/2"	0.047"	8		
B-661	4-7/8"		0.072"				
Extension Springs Double Loop	B-606	5-1/4"	9/32"	0.042"	5	H17	
	B-617	9/16"	0.080"	8			
	B-614	5-3/8"	7/16"	0.062"	10		
	B-610	5-1/2"	11/32"	0.047"	5		
	B-605	5-3/4"	1/4"	0.025"	5		
	B-615	6-3/8"	7/16"	0.047"	10		
	B-607	6-5/8"	9/32"	0.340"	5		
	B-608	6-3/4"	5/16"	0.470"	15		
	B-603	7-1/4"	3/16"	0.250"	12		
	610-A07-1T	9"	7/32"	0.031"	5		H17
	B-627		7/16"	0.062"			
	B-600		9/16"	0.080"	3		
	B-601		5/8"	0.800"			
	B-602	10"	13/16"	0.080"	10		H16
B-612	3/8"		0.054"				
B-650	5"	7/16"	0.054"	5			
B-651	6"	9/16"	0.062"	5			
B-652	7-1/4"	1/2"	0.047"				
B-654	9-1/4"	9/16"	0.054"				
B-653		7/16"	0.047"				
B-655	9-1/2"						

Inch

Extension / Compression Springs

Pouce

Ressorts de traction / compression

EXTENSION AND COMPRESSION SPRINGS

Clear PLASTIC CONTAINERS - durable and practical.
Hinged lids - all plastic - no metal pins to rust or break.
Positive gripping clasp - no spilling of contents.

Size: 1" x 2-3/4" x 4-1/2"




A-26



A-27



A-28



PLASTIKIT
«PLASTIKIT» **A-28**

25 SIZES - 54 PIECES

Steel - Zinc Plated EXTENSION & COMPRESSION SPRINGS

Name	Spenaaur No.	Spring Outside Diameter	Overall Length	Wire Gauge	Qty.	Page
Compression Springs	B-648	1/8"	5/16"	0.015"	2	H18
	B-647	7/32"	11/16"	0.032"		
	B-643		2-3/8"	0.016"	3	
	B-646	1/4"	3/4"	0.018"		
	B-645		1-1/2"	0.032"	2	
	B-644	1-1/16"	3			
	B-687	9/32"	1-5/8"	0.034"	2	
	B-642		1-7/8"	0.028"		
	B-640	11/32"	5/8"		3	
	B-638	13/32"	1-1/2"	2		
	B-637	7/16"	3/4"			
	B-635	1/2"	7/8"	0.047"	1	
	B-634		3-1/8"		0.041"	
	B-633	19/32"	9/16"	0.054"	1	
B-631	11/16"	27/32"	0.054"	H18		
Extension Springs	B-659	3/32"	1/2"	0.014"	2	H17
	B-660	1/8"	5/8"	0.018"	3	
	B-665	5/32"	1-5/16"			
	B-656	3/16"	1"	0.022"	2	
	B-664	7/32"	1-1/4"	0.028"		
	B-667		2"	0.025"		
	610-A09-1W	1/4"	1"	0.022"	3	
	B-666	5/16"	1-9/32"	0.023"	2	
	B-613	3/8"	1-5/8"	0.037"	1	
B-611	0.054"			H17		

PLASTIKIT
«PLASTIKIT» **A-27**

17 SIZES - 44 PIECES

Steel - Zinc Plated COMPRESSION SPRINGS

PLASTIKIT
«PLASTIKIT» **A-26**
Steel - Zinc Plated
EXTENSION SPRINGS
10 SIZES - 45 PIECES

Spenaaur No.	Spring Outside Diameter	Wire Gauge	Overall Length	Qty.	Page	
B-659	3/32"	0.014"	1/2"	4	H17	
B-660	1/8"	0.018"	5/8"	6		
B-665	5/32"		1-5/16"	5		
B-656	3/16"	0.022"	1"	4		
B-667	7/32"	0.025"	2"			
B-664		0.028"	1-1/4"	5		
610-A09-1W	1/4"	0.022"	1"			
B-666	5/16"	0.023"	1-9/32"	3		
B-613	3/8"	0.037"	1-5/8"			H20
B-611		0.054"				H17

Name	Spenaaur No.	Spring Outside Diameter	Overall Length	Wire Gauge	Qty.	Page
Compression Springs - Closed, Squared, or Squared & Ground Ends	B-648	1/8"	5/16"	0.015"	4	H18
	B-643	7/32"	11/16"	0.032"		
	B-647		2-3/8"	0.016"	2	
	B-646	1/4"	3/4"	0.018"	5	
	B-645		1-1/2"	0.032"	2	
	B-687	9/32"	1-1/16"		0.034"	
	B-642		1-5/8"			
	B-644	1-7/8"	0.028"	5		
	B-640	11/32"			5/8"	
	B-639	3/8"	1-7/8"	0.034"	1	
	B-638	13/32"	1-1/2"	0.047"	2	
	B-637	7/16"	3/4"			
	B-636	1/2"	2-1/4"	0.062"	1	
	B-634		7/8"	0.047"	2	
B-635	1/2"	3-1/8"	0.041"	1		
B-631		11/16"	27/32"			
Compression Springs - Plain Ends	610-A10-1K	19/32"	9/16"	0.054"	2	