

Body Shop Tools

Metric

Outils d'atelier de carrosserie

Métrique



Toe Dolly,
SPAENAUR No.
877-1045
- all polished, one face bowed and cross-milled for shrinking, length 120 mm, width 60 mm, height 28 mm, wt. 1,100 g.



Shrinking Dolly,
SPAENAUR No.
877-1048
- "Diabolo" face, diameter 60 mm, height 55 mm, wt. 850 g.



Heel Dolly,
SPAENAUR No.
877-1047
- with round and flat face, length 80 mm, width 60 mm, height 35 mm, wt. 1,100 g.



File Holder,
SPAENAUR No.
877-1050
- for milled curved tooth-files, light metal, adjustable, length 350 mm, wt. 950 g.



Roof Wedge (Curved Dolly)
SPAENAUR No.
877-1023
- long curved face, 110 mm long, wt. 1,150 g.



Dolly - Wedge Form,
SPAENAUR No.
877-1027
- 115 x 60 mm, height 25 mm, wt. 800 g.



Toe Dolly,
SPAENAUR No.
877-1044
- flat and bowed face, length 115 mm, width 60 mm, height 28 mm, wt. 1,200 g.

All items on this page PKG QTY. 1

P



Heavy Inside Spoon,
SPAENAUR No.
877-1035
 - working face 200 mm length, 60 x 30 mm width,
 overall length 400 mm, wt. 1,250 g.



Light Inside Spoon,
SPAENAUR No.
877-1034
 - working face 150 mm length, 50 mm
 width, overall length 280 mm, wt. 750 g.



Pry and Bumping Spoon,
SPAENAUR No.
877-1469
 - face length 200 mm, width 60 x 40 mm,
 overall length 450 mm, wt. 1,600 g.



Heavy Inside Shrinking Spoon,
SPAENAUR No.
877-1036
 - fine cross-milled working face 170 mm
 length, 60 x 30 mm width, overall length 400
 mm, wt. 1,200 g.



Aligning Bar,
SPAENAUR No.
877-1041
 - all nickel plated, overall length 400 mm,
 diameter 17 mm, wt. 600 g.



Pry and Bumping Spoon,
SPAENAUR No.
877-1038
 - face length 200 mm, width 60 x 40 mm,
 overall length 525 mm, wt. 2,150 g.



Rolling Head Bar,
SPAENAUR No.
877-1040
 - all nickel plated, overall length 400 mm,
 diameter 14 mm, wt. 500 g.

All items on this page
 PKG QTY. 1

Body Shop Tools

Inch and **Metric**

Outils d'atelier de carrosserie

Pouce et **Métrique**



Rubber Mallet,
with two flat faces


| SPAENAUR No. | Size | Face Dia. in mm | Head Lgth. in mm | Weight in grams |
|---------------------|-------------|------------------------|-------------------------|------------------------|
| 877-1058 | 2 | 65 | 128 | 530 |

For additional **HAMMERS** see pages **M43, P113-P115**

PULL ROD

MAKE BODY REPAIRS IN 1/3 THE TIME!
DRILL-PULL-FILL and job is finished

ARROWS SHOW LOCATING POINTS OF
500 LB. TEST



Be a "metal magician." Repair quarter sections, doors, tops, etc., entirely from the outside! Super tough Pull Rods were developed as the answer to repairing today's boxed-in cars. A must for metal station wagons and panel trucks. Time saved on one job will more than pay for a complete set.



SPAENAUR No. T-200-1

6-1/4" overall length

EACH TOOL IS FACTORY TESTED AT 500 LBS. PULL

SURFACE SHAPING TOOLS & FILES

SPAENAUR No. 876-202

10" Flat, regular cut teeth. For planing large flat areas, smooth surfaces on hard or soft woods, soft metals, and plastics.

SPAENAUR No. 876-203

14" Half Round, regular cut teeth. For curved surfaces and faster trimming, smoothing.

SPAENAUR No. 876-204

14" Flat, regular cut teeth. For planing large flat areas. Smooth surfaces on hard or soft woods, soft metals, and plastics.



Hawkbill Knife

"The Shipper's Favourite"

SPAENAUR No.

876-735

Varnished Hardwood Handle

3" blade of finest cutlery steel.



More Knives on page M34.

Electric Heat Gun

115 VOLTS AC

Two temperature settings 750°F & 1100°F.
Cool down time not required. Fold down stand
for hands free operation.

SPAENAUR No. 876-194



PKG QTY. 1

Power Torch

Portable Butane Heat Tool


PKG QTY. 1

Ideal for heat shrinkable connectors and tubing, soldering, and a variety of other applications. This versatile heat tool is fast and light weight, and will stand alone for hands-free operation. The self-igniting torch uses butane fuel, and is refillable. The tank capacity provides approximately 70 minutes of continuous usage. Two special attachments are included for use with heat shrinkable products.

Overall Height
5-3/4"

SPAENAUR No.

876-F51-1A



(Butane not included.)



Heat Shrink Tubing



Heat Shrink Connectors



Soldering