

Straight Compression Springs

Inch


Ressorts de compression droits

Pouce

Continued from Previous Page




STEEL INCH SIZES

- ▲ 302 Stainless Steel
- Wire ends may not be galvanized



| SPAENAUR No. | SPECIFICATIONS | | | | | | PKG QTY. |
|--------------|----------------|----------------|---------------|-------------|---------------|-------------|----------|
| | Outside Dia. | Length Overall | Gauge of Wire | Total Coils | Style of Ends | Finish | |
| B-648 | 1/8" | 5/16" | .015" | 5 | S | Br. Zinc | 25 |
| 610-051 | .128/.133" | .360/.340 | .014" | 12 | SG | Plain | 25 |
| 610-050 | .140/.147" | .740/.700 | .016" | 20 | SG | Plain | 25 |
| 610-053 | 3/16" | 3/8" | .032" | 5 | S | Black Oxide | 25 |
| 610-014 | 3/16" | 7/16" | .032" | 6 | S | Plain | 50 |
| 610-003 | 3/16" | 33/64" | .029" | 9 | P | Plain | 25 |
| B-643 | 7/32" | 11/16" | .032" | 7 | S | Br. Zinc | 25 |
| B-681 | 7/32" | 1-3/32" | .013" | 25 | S | Br. Zinc | 25 |
| B-647 | 7/32" | 2-3/8" | .016" | 22 | S | Br. Zinc | 25 |
| B-677 | .220" | 13/16" | .025" | 10-1/4 | S | Br. Zinc | 25 |
| ▲ SP-2000 | 1/4" | 3/8" | .025" | 5 | SG | 302 S. Stl. | 25 |
| B-682 | 1/4" | 3/8" | .032" | 5 | S | Br. Zinc | 50 |
| ■ B-646 | 1/4" | 3/4" | .018" | 8 | S | Galvanized | 25 |
| B-679 | 1/4" | 15/16" | .015" | 13 | S | Br. Zinc | 25 |
| B-678 | 1/4" | 1" | .013" | 11 | S | Br. Zinc | 25 |
| B-645 | 1/4" | 1-1/2" | .032" | 18 | S | Br. Zinc | 25 |
| B-687 | 9/32" | 1-1/16" | .032" | 10 | SG | Br. Zinc | 50 |
| B-642 | 9/32" | 1-5/8" | .034" | 16 | S | Br. Zinc | 25 |
| B-644 | 9/32" | 1-7/8" | .028" | 14 | S | Br. Zinc | 25 |
| B-640 | 11/32" | 5/8" | .028" | 4-1/2 | S | Br. Zinc | 25 |
| ■ 610-054 | 11/32" | 11/16" | .016" | 5 | S | Galvanized | 25 |
| SP-7 | 11/32" | 1-7/32" | .047" | 10 | SG | Br. Zinc | 25 |
| B-685 | 3/8" | 7/8" | .062" | 6 | SG | Br. Zinc | 50 |
| B-639 | 3/8" | 1-7/8" | .034" | 16 | S | Br. Zinc | 25 |
| B-686 | 25/64" | 1-7/32" | .035" | 9 | SG | Br. Zinc | 25 |
| 110-027 | .400" | .700" | .040" | 7 | S | Br. Zinc | 100 |
| B-638 | 13/32" | 1-1/2" | .047" | 10-1/2 | S | Br. Zinc | 25 |
| B-692 | 13/32" | 1-17/32" | .035" | 9 | SG | Br. Zinc | 25 |
| ▲ 610-A05-1K | 27/64" | 1" | .039" | 7 | SG | 302 S. Stl. | 25 |
| B-637 | 7/16" | 3/4" | .047" | 5-1/2 | S | Br. Zinc | 25 |
| B-696 | 7/16" | 15/16" | .054" | 7-3/4 | S | Br. Zinc | 25 |
| B-636 | 7/16" | 2-1/4" | .062" | 14 | SG | Br. Zinc | 10 |
| 610-A03-1P | 7/16" | 2-1/2" | .035" | 18 | S | Plain | 25 |
| 610-018 | 7/16" | 7-3/4" | .054" | 48-1/4 | S | Br. Zinc | 10 |
| B-674 | 15/32" | 1" | .047" | 8 | S | Br. Zinc | 10 |
| B-697 | 15/32" | 1-1/2" | .062" | 8 | SG | Br. Zinc | 25 |
| ▲ SP-2001 | .480" | 1" | .055" | 5 | S | 302 S. Stl. | 25 |
| 110-031 | .490" | .720" | .062" | 6-3/4 | S | Br. Zinc | 100 |
| B-634 | 1/2" | 7/8" | .047" | 5 | S | Br. Zinc | 25 |
| B-635 | 1/2" | 3-1/8" | .041" | 22 | S | Br. Zinc | 10 |
| B-691 | 17/32" | 4" | .072" | 28 | SG | Plain | 25 |
| SP-6 | 35/64" | 7/8" | .105" | 6 | SG | Plain | 10 |
| 610-A10-1K | 19/32" | 9/16" | .054" | 3-1/2 | S | Br. Zinc | 25 |
| B-680 | 5/8" | 1-3/8" | .062" | 7-1/2 | S | Br. Zinc | 25 |
| B-663 | 5/8" | 1-3/8" | .100" | 7 | S | Br. Zinc | 10 |
| B-632 | 5/8" | 2" | .105" | 10 | SG | Br. Zinc | 25 |
| B-622 | 5/8" | 3" | .080" | 15 | SG | Br. Zinc | 10 |
| B-631 | 11/16" | 27/32" | .054" | 5 | S | Br. Zinc | 25 |
| 610-048 | 11/16" | 2" | .092" | 10 | SG | Br. Zinc | 25 |
| 610-016 | .707" | 1" | .041" | 5 | SNG | Plain | 25 |
| ▲ B-688 | .720" | 2" | .067" | 8 | SG | 302 S. Stl. | 10 |
| 610-015 | .733" | 1" | .054" | 5 | SNG | Plain | 25 |
| 610-A11-1W | 3/4" | 13/16" | .1875" | 3 | SG | Plain | 10 |
| B-630 | 7/8" | 2" | .054" | 7 | SG | Br. Zinc | 10 |
| B-629 | 1" | 1-15/16" | .062" | 6-1/4 | S | Br. Zinc | 10 |
| B-628 | 1-3/32" | 1-1/2" | .054" | 7 | SG | Br. Zinc | 10 |

CODE EXPLAINING STYLE OF ENDS



ASSORTMENT **B-550-M-A**

EXTENSION & COMPRESSION SPRINGS

STEEL - Black & Zinc Finish

57 SIZES - 264 PIECES

LARGE SIZE Welded STEEL Drawer
Furnished in strong metal case, with hinged lid,
and finished in green enamel.

Shipping Weight **5.10 kg** (11-1/4 lbs.)



For the complete assortment contents turn to A109

ASSORTMENT **805-632A**

COMPRESSION SPRINGS

Steel - Zinc Plated

30 SIZES - 435 PIECES

Put up in a LARGE SIZE grey enamelled Steel
Drawer, with hinged lid and "Adjusta-bins." Drawer
will fit into our Slide Racks, as shown on page A3

Shipping Weight **6.24 kg** (13.75 lbs.)



ASSORTMENT **805-633**

EXTENSION SPRINGS


Steel - Black & Zinc Finish

29 Sizes - 268 Pieces

Put up in a LARGE SIZE grey enamelled Steel
Drawer, with hinged lid and "Adjusta-bins."

Drawer will fit into our Slide Racks,
as shown on page A3

Shipping Weight **8.39 kg** (18-1/2 lbs.)



For the complete assortment contents turn to A110

H

Extension & Compression Spring Assortments

Inch

Assortiments de ressorts de traction et de compression

Pouce

Miscellaneous Springs




Spaenaur No. B-1278

Black Finish

Headlamp Reflector Retaining Spring

Coil O.D.: 19/64" Wire Gauge: .049"
Tip to Tip: 2-3/8" PKG QTY. 25



Spaenaur No. B-613

Zinc Plated

Carburetor Spring

Coil O.D.: 3/8" Wire Gauge: .037"
Coil Lgth.: 1-5/8" PKG QTY. 10

**Steel - Zinc Plated
EXTENSION
SPRINGS**

PLASTIKIT
«PLASTIKIT» **A-26**

10 SIZES - 45 PIECES

| Spaenaur No. | Spring Outside Diameter | Wire Gauge | Overall Length | Qty. | Page | |
|--------------|-------------------------|------------|----------------|------|------|---|
| B-659 | 3/32" | 0.014" | 1/2" | 4 | H17 | |
| B-660 | 1/8" | 0.018" | 5/8" | 6 | | |
| B-665 | 5/32" | | 1-5/16" | 5 | | |
| B-656 | 3/16" | 0.022" | 1" | | | |
| B-667 | 7/32" | 0.025" | 2" | 4 | | |
| B-664 | | 0.028" | 1-1/4" | 5 | | |
| 610-A09-1W | 1/4" | 0.022" | 1" | | | |
| B-666 | 5/16" | 0.023" | 1-9/32" | | | 3 |
| B-613 | 3/8" | 0.037" | 1-5/8" | H20 | | |
| B-611 | | 0.054" | | H17 | | |

**EXTENSION AND
COMPRESSION SPRINGS**

Clear PLASTIC CONTAINERS - durable and practical. Hinged lids - all plastic - no metal pins to rust or break. Positive gripping clasp - no spilling of contents.

Size: 1" x 2-3/4" x 4-1/2"



A-26

PLASTIKIT
«PLASTIKIT» **A-28**

25 SIZES - 54 PIECES

**Steel - Zinc Plated
EXTENSION &
COMPRESSION
SPRINGS**

| Name | Spaenaur No. | Spring Outside Diameter | Overall Length | Wire Gauge | Qty. | Page | | |
|---------------------|-------------------|-------------------------|----------------|------------|--------|------|-----|-----|
| Compression Springs | B-648 | 1/8" | 5/16" | 0.015" | 2 | H18 | | |
| | B-647 | 7/32" | 11/16" | 0.032" | | | | |
| | B-643 | | 2-3/8" | 0.016" | 3 | | | |
| | B-646 | 1/4" | 3/4" | 0.018" | | | | |
| | B-645 | | 1-1/2" | 0.032" | 2 | | | |
| | B-644 | 1-1/16" | 3 | | | | | |
| | B-687 | 9/32" | 1-5/8" | 0.034" | 2 | | | |
| | B-642 | | 1-7/8" | 0.028" | | | 3 | |
| | B-640 | 11/32" | 5/8" | | 0.028" | | 5 | |
| | B-638 | 13/32" | 1-1/2" | 0.047" | 2 | | | |
| | B-637 | 7/16" | 3/4" | | | | | |
| | B-635 | 1/2" | 7/8" | 0.041" | 2 | | | |
| | B-634 | | 3-1/8" | | | | | |
| | B-633 | 19/32" | 9/16" | 0.054" | 1 | | | |
| | B-631 | 11/16" | 27/32" | 0.054" | | | H18 | |
| | Extension Springs | B-659 | 3/32" | 1/2" | 0.014" | | 3 | H17 |
| | | B-660 | 1/8" | 5/8" | 0.018" | | | |
| | | B-665 | 5/32" | 1-5/16" | | | | |
| B-656 | | 3/16" | 1" | 0.028" | | | | |
| B-664 | | 7/32" | 1-1/4" | | 0.025" | | | |
| B-667 | | | 2" | | | | | |
| 610-A09-1W | | 1/4" | 1" | 0.022" | 2 | | | |
| B-666 | | 5/16" | 1-9/32" | 0.023" | | 1 | | |
| B-613 | | 3/8" | 1-5/8" | 0.037" | H20 | | | |
| B-611 | | | | 0.054" | H17 | | | |

PLASTIKIT
«PLASTIKIT» **A-27**

**Steel - Zinc Plated
COMPRESSION
SPRINGS**

17 SIZES - 44 PIECES

| Name | Spaenaur No. | Spring Outside Diameter | Overall Length | Wire Gauge | Qty. | Page |
|---|--------------|-------------------------|----------------|------------|--------|------|
| Compression Springs - Closed, Squared, or Squared & Ground Ends | B-648 | 1/8" | 5/16" | 0.015" | 4 | H18 |
| | B-643 | 7/32" | 11/16" | 0.032" | | |
| | B-647 | | 2-3/8" | 0.016" | 2 | |
| | B-646 | 1/4" | 3/4" | 0.018" | 5 | |
| | B-645 | | 1-1/2" | 0.032" | 2 | |
| | B-687 | 9/32" | 1-1/16" | | 0.034" | |
| | B-642 | | 1-5/8" | | | |
| | B-644 | 1-7/8" | 0.028" | 5 | | |
| | B-640 | 11/32" | | | 5/8" | |
| | B-639 | 3/8" | 1-7/8" | 0.034" | 1 | |
| | B-638 | 13/32" | 1-1/2" | 0.047" | 2 | |
| | B-637 | 7/16" | 3/4" | | | |
| | B-636 | | 2-1/4" | 0.062" | 1 | |
| | B-634 | 1/2" | 7/8" | 0.047" | 2 | |
| | B-635 | | 3-1/8" | 0.041" | 1 | |
| | B-631 | 11/16" | 27/32" | 0.054" | 2 | |
| 610-A10-1K | 19/32" | 9/16" | | | | |

H20