

Inch












**Snap Fasteners / Grommets / Installation Tools**

Pouce

Fermeoirs à pression / Passe-fils / Outils d'installation












**“COMMON SENSE” FASTENERS**

PKG QTY. 100 (ALL FASTENERS ON THIS PAGE)  
PKG QTY. 1 (ALL TOOLS ON THIS PAGE)

 <p><b>401-CS STUD</b> Single, two screw base. Nickel on Brass</p>	 <p><b>402-CS STUD</b> Double, two screw base. Nickel on Brass. <b>402-CSB</b> Plain Brass.</p>	 <p><b>404-CS STUD</b> #7 x 5/8" Wood Screw. Nickel on Brass. (Steel Screw.)</p>	 <p><b>404-B STUD</b> #12 x 5/8" Wood Screw. Nickel on Brass. (Steel Screw.)</p>	
 <p><b>400 EYELET</b> Regular 1/4" prongs. Nickel on Brass. <b>400B</b> Plain Brass. <b>420</b> Long prong, 5/16". (Not Illustrated) Nickel on Brass. <b>420-B</b> Plain Brass.</p>	 <p><b>400A WASHER</b> For attaching No. 400 or No. 420. Nickel on Brass. <b>400AB</b> Plain Brass.</p>	 <p><b>410 STUD</b> Single, two prong, clinch type. Nickel on Brass. <b>410-B</b> Plain Brass.</p>	 <p><b>412 STUD</b> Double, two prong, clinch type. Nickel on Brass. <b>412-B</b> Plain Brass.</p>	 <p><b>410A CLINCH PLATE</b> For attaching stud No. 410 or No. 412. Nickel on Brass. <b>410-AB</b> Plain Brass.</p>
		<p><b>450-T</b></p>  <p>Punch for 400, 400B, 420, 420B Eyelets.</p>	<p><b>HAND PUNCHES</b></p>  <p><b>171-T</b> Punch for 410 and 412, also 895 Studs.</p>	

**LIFT-THE-DOT FASTENERS**

Supplied in Nickel Finish Only

 <p><b>608 SOCKET</b> Regular, 7/32" prongs. Brass with bronze spring.</p>	 <p><b>609 SOCKET</b> Long prong, 9/32". Brass with bronze spring.</p>	 <p><b>708A CLINCH PLATE</b> For attaching No. 608 or No. 609. Brass.</p>	 <p><b>895 STUD</b> Single, clinch type. Brass.</p>	 <p><b>295A CLINCH PLATE</b> Use with stud No. 895. Brass.</p>	 <p><b>844 STUD</b> Single, eyelet type. Brass. Tubular.</p>	 <p><b>844A WASHER</b> Use with stud No. 844.</p>	<p><b>151-T HAND PUNCH</b></p>  <p>For 608 and 609 Sockets.</p>
 <p><b>106-W06-1W</b> #8 x 3/8" <b>952-DL</b> #8 x 5/8" Single, large hexagon base. Self-Tapping Steel Screw.</p>	 <p><b>852-D STUD</b> #8 x 5/8" Brass Wood Screw. Single, large hexagon base.</p>	<p><b>HAND SCREW DRIVER</b> <b>169-E</b></p>  <p>for Studs 882D, 852D, 952D, and 953D.</p>					

ALL STUDS MADE OF BRASS, NICKEL PLATED.

CATALOG 14 SPAENAUR

M

**Snap Fasteners / Grommets / Installation Tools**

Inch

**Fermeirs à pression / Passe-fils / Outils d'installation**

Pouce

**Klikit**<sup>®</sup>


**SNAP FASTENERS** Brass — Nickel Plated

PKG QTY. 100


**ATTACHING TOOLS**

with 3/8" Arbor  
for 876-830 Hand Press


See page M26 for Bench Press




**106-100**  
OPEN FRONT



**106-101**  
SOCKET



**106-W04-1T**  
STUD




**106-W05-1K**  
EYELET

SPAENAUR No.	Fits Fastener	PKG QTY.
876-014	106-100	1
876-015	106-101	1
876-016	106-W04-1T	1
876-017	106-W05-1K	1


**CINCH FASTENING TOOL**

PKG QTY. 1

**3501-T**



(64C socket is no longer available.)



**VELTRES — Vintage type CARPET FASTENERS**

Socket is fastened to carpet by means of a pronged ring. When attached, ring is concealed in nap of carpet. Will not bend or break under pressure of stepping on fastener.

PKG QTY. 100

See M24 for Snap Fasteners




**106-W15-1N**  
Socket




**106-195**  
Pronged Ring

Brass — Black Nickel Finish

**BENCH TOOLS**



SPAENAUR No. **192-T**  
**CHUCK DIE HOLDER**  
For 3/8" Shank Dia. Upper Die.



SPAENAUR No. **9902-T**  
**LOWER DIE HOLDER**  
For 3/8" Shank Dia. Dies

PKG QTY. 1 (ALL ITEMS ON THIS PAGE)

For Installation Tool & Dies see Page M26

**Snap Fastener Dies**



**CAP (Bottom)**  
SPAENAUR No. **876-831**



**SOCKET (Top)**  
SPAENAUR No. **876-832**



**STUD (Top)**  
SPAENAUR No. **876-833**



**EYELET (Bottom)**  
SPAENAUR No. **876-834**



SPAENAUR No. **876-830**

Inch

**Snap Fastener / Grommet Installation Tool**

Pouce

Fermeoir à pression / Outils d'installation de passe-fils

**PRES-N-SNAP**

**SETTING TOOL**

**876-220**

for

**Snap Fasteners,  
Brass Grommets,  
Speedy Rivets** with O.D. of 9/32",  
**Pull-the-Dot Fasteners** 24 Line.

PKG QTY. 1

(Includes 1 each of Die Nos. 876-221,  
876-222, 876-223 and 876-1554 for setting Snap  
Fasteners, plus one two-piece die set 876-226 for  
setting sheet Brass Grommets.)



U.S.A. Patent 0-221126

- **Strong aluminum body.**
- **3-1/8" throat clearance.**  
(O/A Lgth. 12", O/A Width 5-1/2")
- **Adjustable stroke for positive clinching.**
- **All-Steel, basic die-set included.**

Installs SNAPS and GROMMETS quickly in upholstery, auto tops, boat covers, tents, tarps, canvas, etc.

**A "No Nonsense" Tool at last — built to last!**

PKG QTY. 1 (ALL DIES AND PARTS ON THIS PAGE)



**876-221**

Die for No. 670-D  
Snap Fastener Cap



**876-1554**

Die for No. 548-D Snap  
Fastener Socket.



**876-222**

Die for Nos.  
550-A, B & C  
Snap Fastener Eyelets



**876-223**

Die for 550-S  
Snap Fastener Stud



**876-230**

Rubber Retainer  
used with Die Nos.  
876-221 and 876-222

**Tool parts list for Pres-N-Snap**

- 876-1551** Plunger Only
- 876-232** Handle
- 876-233** Lever
- 876-234** Compression Spring
- 876-235** Bolt & Nut
- 876-236** Adjusting Bolt
- 876-237** Frame Only

Die Set	Size	
	<b>876-224</b>	00
	<b>876-225</b>	0
	<b>876-226</b>	1
	<b>876-227</b>	2

Two-Piece Die-Sets, for setting  
Sheet Brass Grommets

Die Set	Size	
	<b>876-228</b>	0
	<b>876-229</b>	1

Two piece Die-Sets, for setting  
Spur Type Brass Grommets

CATALOG 14



SPAENAUR

**Brass / Aluminum Grommets & Washers / Tools**

Inch

**Passe-fils et rondelles de laiton / aluminium / Outils**



Pouce



<b>SHEET BRASS GROMMETS WITH WASHERS</b>					<b>S.B. GROMMETS &amp; WASHERS SEPARATE COMPONENTS</b>		
Furnished in "PACKAGES" only					<b>GROMMET ONLY</b>	<b>WASHER ONLY</b>	<b>PKG QTY.</b>
Stamped Brass  Flat Flange Style 							
SPAENAUR No.	Size No.	(Approx.) Hole Dia.	Finish	PKG QTY.	SPAENAUR No.	SPAENAUR No.	PKG QTY.
7344	00	3/16"	Plain Brass	144	116-A03-1A	116-205	100
7344-GB	00	3/16"	Black Oxide	144	116-105GB	116-205GB	100
7344-N	00	3/16"	Nickel Plated	144	116-106	116-206	100
7345	0	1/4"	Plain Brass	144	116-107	116-207	100
116-A10-1T	0	1/4"	Nickel Plated	144	116-A08-1T	116-A09-1K	100
7346	1	5/16"	Plain Brass	144	116-109	116-209	100
7346-N	1	5/16"	Nickel Plated	144	116-110	116-210	100
7347	2	3/8"	Plain Brass	144	116-A04-1P	116-211	100
7347-N	2	3/8"	Nickel Plated	144	116-112	116-212	100
7348	3	13/32"	Plain Brass	144	116-113	116-213	100
7349	4	15/32"	Plain Brass	144	116-117	116-217	100
7350	5	9/16"	Plain Brass	144	116-119	116-219	100
7363	6	13/16"	Plain Brass	144	116-120	116-220	100


<b>INSERTING DIES FOR SHEET BRASS GROMMETS</b>			
SPAENAUR No.	Size No.	(Approx.) Grommet Hole Dia.	
876-1777	00	3/16"	
876-1778	0	1/4"	
1-GT	1	5/16"	
2-GT	2	3/8"	
3-GT	3	13/32"	
4-GT	4	15/32"	
5-GT	5	9/16"	
6-GT	6	13/16"	



<b>GROMMETING DIES FOR USE IN PRESSES</b>		
Sold in complete sets only (Top and Bottom Dies).		
Dies have 3/8" SHANK DIAMETER to fit any press which accepts 3/8" shank dia. (e.g. 876-830 Hand Press on page M26).		
FOR GROMMET SIZE No.	For SHEET BRASS GROMMETS DIE SET No.	For Spur-type GROMMETS DIE SET No.
00	876-549	-
0	T-218	876-537
1	T-219	876-538
2	T-220	876-539
3	T-221	876-540
4	T-222	876-541
5	T-223	876-542

<b>INSERTING DIES FOR BRASS SPUR GROMMETS</b>		
SPAENAUR No.	Size No.	(Approx.) Grommet Hole Dia.
M-40	0	5/16"
M-41	1	3/8"
M-42	2	7/16"
M-43	3	15/32"
M-44	4	5/8"
M-45	5	11/16"
M-46	6	7/8"
M-47	7	15/16"
M-48	8	1"

<b>ROLLED RIM BRASS GROMMETS WITH SPUR WASHERS</b>				<b>SPUR-TYPE SEPARATE COMPONENTS</b>		
Plain Finish  *Nickel Plated 				<b>GROMMET ONLY</b>	<b>WASHER ONLY</b>	<b>PKG QTY.</b>
SPAENAUR No.	Size No.	(Approx.) Hole Dia. When Set	PKG QTY.			
7370	0	5/16"	144	116-121	116-221	100
7371	1	3/8"	144	116-123	116-223	100
7372	2	7/16"	144	116-125	116-225	100
*7372-N	2	7/16"	144	*116-126	*116-226	100
7373	3	15/32"	144	116-127	116-227	100
7374	4	5/8"	144	116-129	116-229	100
7375	5	11/16"	144	116-130	116-230	100
7376	6	7/8"	144	116-132	116-232	100
7377	7	15/16"	144	116-134	116-234	100
7378	8	1"	144	116-136	116-236	100

<b>BRASS VENTILATOR GROMMETS (WITH STEEL WASHERS)</b>				<b>SETTING TOOLS: T-201 Hand Cutter &amp; Dies For No. 116-A06-1C</b>		
 				<b>SEPARATE COMPONENTS</b>		
SPAENAUR No.	Hole Diameter	Top O.D.	PKG QTY.	GROMMET ONLY SPAENAUR No.	WASHER ONLY SPAENAUR No.	PKG QTY.
116-A06-1C	9/16"	3/4"	144	116-A02-1X	116-A07-1N	100
B-1299A	3/4"	1"	100	116-A01-1M	116-203	100

<b>HOLE CUTTERS Drop Forged Steel - Side-type</b>		
		
Use a wood mallet with all dies and cutters.		
SPAENAUR No.	Size No.	Hole Dia.
M-29	00	3/16"
M-30	0	1/4"
M-31	1	9/32"
M-32	2	3/8"
M-33	3	7/16"
M-34	4	1/2"
M-35	5	5/8"
M-36	6	3/4"
M-37	7	7/8"
M-38	8	1"
M-93	-	1-1/4"

<b>ALUMINUM</b>			
	116-A05-1Y Grommet	0	7/32"
	116-302 Washer	0	7/32"
<b>PKG QTY. 100</b>			

M30