


Upholsterers' Tools

Inch


Outils pour rembourreurs

Pouce

TRIM PAD REMOVING TOOL



Used to pull out the plastic trim pad fasteners on GM cars since 1971. Saves the fastener, and avoids damage to the trim pad backboard, paint, etc.



HEADLINER TOOLS

Used to stuff headliner into channel above doors, etc. Blunt edge will not damage the material. Easy to use around curves and near corners.

PKG QTY. 1

876-135


TUCKING TOOL



AUTO TRIMMERS' & UPHOLSTERERS' COMBINATION KNIFE

876-025

PKG QTY. 1



Trimming Knives



PKG QTY. 1

Safety Sheath

876-734



WISS® Snap Knife

876-1833



**8 Point Snap Knife with metal track
3 blades included.**

Molded from high-impact plastic for long-term service and has metal track to keep the blade secure in use.

PKG QTY. 1

See page P118 for more Knives

M

CATALOG 14

SPAENAUR

Inch

Upholsterers' Tools

Pouce


Outils pour rembourreurs

Revolving Punch

For Professional and Industrial Use

PKG QTY.
1

6-tube punch
Length of Punch



876-136

8-1/2"

This punch has been known for many years as the best Revolving Punch ever made. The frame is made of forged steel, highly polished. The cutting tubes are hand turned from high carbon tool steel, and threaded to allow easy replacement. These tubes are individually tempered.

Replacement Tube Punches available for 876-136

Order by SPAENAUR No.

876-737 876-738 876-739 876-740 876-741 876-742

●	●	●	●	●	●
1	2	3	4	5	6
3/32"	7/64"	1/8"	5/32"	11/64"	3/16"

Revolving Punch

PKG QTY.
1

(Tube punches for 876-137 cannot be replaced.)



876-137

Length 8"

A fine quality, inexpensive pressed-frame revolving punch with drive tubes. All tubes are heat treated to give long wear. Fully nickel plated. Furnished with six tube sizes:

●	●	●	●	●	●
1	2	3	4	5	6
5/64"	3/32"	7/64"	1/8"	5/32"	3/16"

For punching holes in leather, plastic, rubber, cork, etc.

NOTE: Dab outside of tube with light oil. Holes will be easier to make.

T-240 COMBINATION RIPPER AND TACK LIFTER for heavy-duty work.

Drop forged high carbon or alloy steel. Plastic handle.



PKG QTY. 1

STAPLE KNOCKER 876-732



PKG QTY. 1

Staple Knocker for removing staples and shredded material. Manufactured from top-grade steel. Electronically hardened working ends. Easy to grip plastic handle.

STAPLE LIFTER 876-731



PKG QTY. 1

Same specifications as Staple Knocker, except shank has a greater angle to facilitate lifting the staples instead of knocking them out.

T-241 RIPPING CHISEL

Rugged enough to shear a six-penny nail without damage to the edge. Unbreakable plastic handle.



PKG QTY. 1

Upholsterers' Tools

Inch

Outils pour rembourreurs

Pouce

**AUTOMATIC
AWL
T-203**



PKG QTY. 1

Ideal for sewing leather or canvas. The awl carries a spool of thread on the handle. Hollow handle holds extra curved needle and wrench.

Directions with each awl for automatic lock stitch. Awl includes one T-203-8 straight and one T-203-6 curved tip, diamond pointed needle.



EXTRA NEEDLES

- T-203-5 Straight #5 fine.
- T-203-6 Curved tip, #6 reg.
- T-203-8 Straight #8 reg.

**EXTRA (waxed) THREAD
in 12-1/2 yard reels**

- T-203-RB Black
- T-203-RB1 White
- T-203-RB2 Brown

PKG QTY. 1

**HEAVY-DUTY
SCRATCH AWLS**




Best quality steel blades with rugged plastic handles. Made in four sizes for your convenience.

SPAENAUR No.	Blade Lgth.
T-246-1	2-1/2"
T-246-2	3-1/2"
T-246-3	4-1/2"
T-246-4	5-1/2"

PKG QTY. 1

**RETAINER BUTTON REMOVER
FOR AUTO TRIMMERS**



SPAENAUR
No.

876-023

Special pliers for removing the retainers from the underside of auto upholstery buttons. Does not damage buttons or retainers, so that they can be reused. This tool is a great money and time saver. A difficult job is now easy.

To remove the retainers, the lower forked jaw of the pliers is inserted between the retainer and the upholstery material with the pin of the button in the forked portion of the jaw. The upper jaw with dimple is then in position for the pointed pin of the button to fit into the dimple. Then with pressure on the pliers, the retainer will snap off the button. On buttons with two pins, the procedure is repeated. If the retainer does not snap off, rotate the pliers a quarter-turn and apply pressure again. After removal, if the ears on the retainer plates are slightly distorted, they can easily be flattened to original shape by using a tack hammer on a solid, flat surface.

PKG QTY. 1

All Purpose Awl

876-138



PKG QTY. 1

The bent awl is a varied-purpose tool. It assists in the installation of roof windows, windshield rubber and back glass. It is used to remove body clips, mouldings and for spring pulling and cotter pin extracting or for radiator hose removal. Great for hard to reach places. Can be used to remove small staples in grooves. Tempered end.

**SAILMAKER'S
PALMS**



**Sewing
Palm**

Right-hand
style
shown.

A hide-bound, iron thimble palm, riveted joints. Furnished either in right or left-hand. Right-hand will be furnished unless otherwise specified.

SPAENAUR
No.

- 876-021
- 876-022

STYLE

- Right-hand
- Left-hand

PKG
QTY.

- 1
- 1

M

Inch


Upholsterers' Needles

Pouce

Aiguilles de tapissier


UPHOLSTERERS' STRAIGHT NEEDLES

PKG QTY. 1



LONG EYE (MATTRESS NEEDLES) ONE BAYONET POINT

SPAENAUR No. 142-020	8" long	SPAENAUR No. 142-021	10" long	SPAENAUR No. 142-022	12" long	SPAENAUR No. 142-023	18" long
--------------------------------	---------	--------------------------------	----------	--------------------------------	----------	--------------------------------	----------



OVAL EYE

BAYONET POINTS
AT BOTH ENDS

SPAENAUR No. 142-024	8" long	SPAENAUR No. 142-026	12" long	SPAENAUR No. 142-028	16" long
SPAENAUR No. 142-025	10" long	SPAENAUR No. 142-027	14" long	SPAENAUR No. 142-029	18" long



OVAL EYE (MATTRESS NEEDLES) ONE ROUND POINT

SPAENAUR No. 142-013	8" long	SPAENAUR No. 142-014	10" long	SPAENAUR No. 142-015	12" long	SPAENAUR No. 142-016	18" long
--------------------------------	---------	--------------------------------	----------	--------------------------------	----------	--------------------------------	----------



OVAL EYE

ROUND POINTS AT BOTH ENDS

SPAENAUR No. 142-017	8" long	SPAENAUR No. 142-018	10" long	SPAENAUR No. 142-019	12" long
--------------------------------	---------	--------------------------------	----------	--------------------------------	----------

SPAENAUR No.
T-176 PACKING NEEDLE (BALING NEEDLE)




Curved Point




5" Long

PKG QTY. 1

SEWING NEEDLES

	SPAENAUR No.	SIZE	LENGTH
	142-002	1	1-15/16"
(EGG EYED SHARPS)	142-003	2	1-13/16"
ROUND POINT, SHARP			
PKG QTY. 25 - (ONE SIZE)			

CARPET NEEDLES — Round Point

	16
	17
	18
SPAENAUR No.	SIZE
142-006	16
142-008	18
PKG QTY. 25 - (ONE SIZE)	

GLOVERS' NEEDLES — WITH CUTTING EDGES — BAYONET POINTS



SPAENAUR No.	SIZE	
142-009	1	PKG QTY. 25 - (ONE SIZE)
142-010	1/0	
142-011	2/0	
142-012	3/0	

Upholsterers' Needles / Skewers / Thimbles


Inch

Aiguilles de tapisseries / Brochettes / Dés à coudre

Pouce

CURVED TRIMMERS' NEEDLES


PKG QTY. 1



ROUND POINT

- 142-030 2"
- 142-031 2-1/2"
- 142-032 3"
- 142-033 4"
- 142-034 5"
- 142-035 6"
- 142-036 7"
- 142-037 8"

Length is measured around curve.



BAYONET POINT


- 142-038 2"
- 142-039 2-1/2"
- 142-040 3"
- 142-041 4"
- 142-042 5"
- 142-043 6"
- 142-044 8"

UPHOLSTERERS' REGULATORS

SPAENAUR No.

- B-179 10" Length x 8 Gauge
- B-180 12" Length x 7 Gauge

PKG QTY. 1



UPHOLSTERERS' SKEWERS

SPAENAUR No.

Length

PKG QTY.


B-182

3"

144



Gauge 8 10 11 12 13 14 15 16 17



STRAIGHT SAIL NEEDLES

Sail Needles, triangular points, long eyes.

Made from the finest quality cast steel, highly polished, with smooth eyes and "Three Square" blades.

SPAENAUR No.	LENGTH	GAUGE	PKG QTY.
142-167	2-1/4"	17	10
142-166	2-3/8"	16	10
142-168	2-1/2"	15	10
142-165	2-3/4"	14	10
142-164	3"	13	10
142-169	3-1/4"	12	10
142-163	3-1/2"	11	10
142-162	3-3/4"	10	10
142-161	4-1/2"	8	10

OPEN END THIMBLE


SPAENAUR No.

ENGLISH Size

AMERICAN Size

- T-510-00 00 14 ... 27/32 inch
- T-510-0 0 13 ... 13/16 inch
- T-510-2 2 10 3/4 inch

PKG QTY. 1



Nickel Plated Brass thimble, indispensible wherever hand sewing is required. Coarse grate.

M

Inch

Pouce

Upholsterers' Tools / Webbing

Outils pour rembourreurs / Sanglage



Overall length 6-3/8"

UPHOLSTERY SPRING BENDER

Portable, Lightweight

A completely portable spring bending tool for both furniture and automobile springs - EASY TO USE - simply hold one BENDER in each hand and exert pressure in opposite directions to get precise arc, angle or curve desired.

SPAENAUR No.	W (Width)	PKG QTY.
T-224	1"	1 Pair
876-733	2"	1 Pair

PROFESSIONAL and INDUSTRIAL BENT TRIMMERS' SHEARS INLAID STEEL BLADES


PKG QTY. 1



Made with bent handles for greatest ease in cutting and trimming, these larger sizes have powerful leverage and unequalled cutting capacity.

SPAENAUR No. M-92 WEBBING STRETCHER

Length 7-1/2" Width 3-3/8" (Rubber End)




PKG QTY. 1

WEBBING OR LEATHER PLIER

SPAENAUR No. M-127

Length 8-3/4" Jaw width 3-1/2"

PKG QTY. 1



SPAENAUR No.	Right or Left	Full Length	Length of Cut
T-107	Right-handed	8"	3-3/4"
B-397	Right-handed	10"	5"
B-397L	Left-handed	10"	5"
B-398	Right-handed	12"	6-1/4"

SPAENAUR No. 876-527 QUICK CLIPPER

PKG QTY. 1



Sharp Points

Quick-Clip® Speed Cutters with stainless steel replaceable blades. Positive spring action reopens blades for fast cutting. Heavy-duty contour-designed Delrin® frames. (A registered trademark of DuPont.)

Full length 4-3/4"

Length of cut approx. 1"

NYLON & POLYESTER WEBBING

Inch Sizes




SPAENAUR No.	Colour and Material	Width	Thick.	PKG QTY.
895-043	White Nylon	1/2"	1/16"	50 m
895-044	White Nylon	1"	1/16"	50 m
895-050	Black Polyester	1"	1/16"	50 m
895-051	Black Polyester	1-1/2"	1/16"	50 m

WISS PINKING SHEARS

11-1/2" Overall Length
4-1/16" Length of cut
Extra heavy-duty for professional use.

Fully nickel plated

SPAENAUR No. T-124



PKG QTY. 1


CATALOG 14 SPAENAUR

Upholstery Tufting Buttons / Tools

Inch

Boutons de capitonnage / Outils


Pouce

<p>BUTTON MOULDS Shells and Backs (Not Assembled)</p> <p>Wire-Eye </p> <p>PKG QTY. 720</p>	SPAENAUR No.	SIZE	USE CUTTER AND DIE
	B-177	22 ligne (1/2" dia.)	M-39
	UH-66	24 ligne (5/8" dia.)	T-231
	UH-67	30 ligne (3/4" dia.)	T-232
	B-1093	45 ligne (1-1/8" dia.)	M-126

DECORATIVE TUFTING BUTTONS For special effects on padded walls, counter fronts, doors, furniture, etc.

Special Finishes - on steel. Complete with prong or wire-eye backs, assembled and ready to use.

Ligne Size	Dia.	Finish	SPAENAUR No.		Length of Prong
			Wire-Eye	Prong	
24	5/8"	Black	UH-49	UH-21P	1-1/4"
45	1-1/8"	Chrome		UH-49P	1-1/4"
45	1-1/8"	Brushed Brass			
45	1-1/8"	Bright Gold	UH-52	UH-52P	1-1/2"
60	1-1/2"	Brushed Brass		UH-53P	1-1/2"
60	1-1/2"	Bright Gold			



BUTTON MOULDS "Prong Buttons"

2-Piece -Shells and Backs- (Not Assembled)

PKG QTY. 144


Size 22 (1/2" Dia.)	SPAENAUR No.	Prong Length	EXTRA NEEDLE POINTS
May be assembled and covered by M-28 Button Machine using M-39 Cutter & Die Set. (See bottom left of page.)	UH-1	1-1/4"	
	UH-2	1-1/2"	
	UH-3	2"	
	UH-4	2-1/2"	
Large size (30 ligne - 3/4" dia.)	*UH-75	2"	

*Takes T-232 Cutter & Die

PRONG-BUTTON TUFTING TOOL **SPAENAUR No. 876-F02-1P**

PKG QTY. 1

TUFTING WITH PRONG BUTTONS MADE EASIER



SPAENAUR No. M-28 BUTTON MACHINE

(Not including Cutters and Dies)


For assembling and covering all types of Button Moulds - Tuft, Wire-Eye, Prong, Nail, Tape, etc.

Height 22" Note long handle for maximum leverage. Important for ease in cutting covers and clinching buttons tightly.

Takes 2-piece dies, as per chart.

PKG QTY. 1

CUTTER AND DIE SETS	
Will cover either Tuft or Wire-Eye styles of buttons.	
Set No.	For Button Mould Size
M-39	22 ligne (1/2" dia.)
T-231	24 ligne (5/8" dia.)
T-232	30 ligne (3/4" dia.)
M-49	36 ligne (7/8" dia.)
M-126	45 ligne (1-1/8" dia.)
T-150	60 ligne (1-1/2" dia.)



PRONG BUTTON WASHERS

STEEL - ZINC PLATED

SPAENAUR No. UH-7



I.D. 13/64"
O.D. 15/16"

PKG QTY. 144