

Vise-Grip® Locking Pliers

Vise-Grip® pince de verrouillage




Inch
Pouce

A WHOLE TOOL KIT BY ITSELF!

Genuine VISE-GRIP, the most sensational hand tool ever made. Puts Ton-Grip in the palm of your hand! It LOCKS, CLAMPS, TWISTS, TURNS, PULLS, CUTS, RATCHETS, HOLDS! Has hundreds of uses as an Adjustable End Wrench, Pipe Wrench, Locking Wrench, Super Pliers, Vise and Toggle Press. VISE-GRIP is the handiest tool you can own!

Locking Wrench Pipe Wrench Clamp Portable Vise Wire Cutter



Curved Jaw Locking Pliers with Wire Cutter

- Convenient wire cutter cuts up to a 1/4" bolt.
- Involute jaw curve permits user to put tremendous pressure on four points of any style nut or bolt head.



SPAENAUR No.	Size	Jaw Adjustment
T-7WR	7"	0 - 1-5/8"
T-10WR	10"	0 - 1-7/8"

Curved Jaw Locking Pliers

- Involute jaw curve permits user to put tremendous pressure on four points of any style nut or bolt head.



SPAENAUR No.	Size	Jaw Adjustment
T-7CR	7"	0 - 1-5/8"
T-10CR	10"	0 - 1-7/8"

Straight Jaw Locking Pliers

- Straight jaws allow for maximum contact on flat, square or hex work.
- Very popular in welding and other metal working.
- Use for safer grinding or as a portable vise.



SPAENAUR No.	Size	Jaw Adjustment
T-7R	7"	0 - 1-1/8"
T-10R	10"	0 - 1-5/8"

Long Nose Locking Pliers

- Convenient wire cutter cuts up to a 1/4" bolt.
- Long, straight nose allows for use in narrow spaces not reachable by curved or straight jaws.
- Use to clamp or tighten bolts or to extract items in hard-to-reach places.



SPAENAUR No.	Size	Jaw Adjustment
876-247	4"	0 - 1-5/8"
876-238	6"	0 - 2-1/4"
876-240	9"	0 - 2-7/8"

VISE-GRIP Pinch-Off Tool

Specially for the refrigeration industry! Crimps copper tubing instantly for shut-off.



T-RR
with EASY Release

SPAENAUR No. T-RR
VISE-GRIP Pinch-Off Pliers

Size	Jaw Thickness	Throat Depth
7"	1/4"	1"

VISE-GRIP Sheet Metal Tool

LOCKS to work with tremendous grip, eliminating tiresome hand gripping! Material can't slip - giving a smoother, more accurate bending and seaming job. Adjusts to non-locking Pliers Action.



Makes all kinds of bending, forming, crimping jobs EASIER ...FASTER.


T-8R
with EASY Release

SPAENAUR No. T-8R
VISE-GRIP Sheet Metal Tool

Size	Jaw Width	Throat Depth
8"	3-1/8"	1-3/4"

VISE-GRIP Welding Clamp

Simply place the U-shaped jaws over the edges to be welded ... close the toggle lever. This LOCKS the jaws to the work with powerful grip. The work is brought into alignment ... HELD securely ... freeing both hands for handling equipment. Jaws provide good visibility and working space, adjusts up to 1-5/8" Makes every job FASTER, EASIER.



T-9R
with EASY Release

Locks Parts in Alignment

SPAENAUR No. T-9R
VISE-GRIP Welding Clamp

Size	Jaw Width	Jaw Adjustment
9"	2-3/4"	1-5/8"

Inch
Pouce


WISE-GRIP®

Locking C Clamps / Wrenches

Serre-joints blocables / Clés




Wood clamp.



Clamp angle iron.

- Quick, easy locking and release action makes old fashioned screw-type "C" clamps obsolete.



Auto body work.



Clamp intricate work.



Carpentry work.



Clamp awkward jobs.

WISE-GRIP LOCKING "C" CLAMPS

**Spenaaur No.
876-244**

Mfr's. No. 6R

Length 6-1/2"

Jaw Adjusts 0" to 2"

A = 2" B = 1-1/2"



**Spenaaur No.
T-11R**

Mfr's. No. 11R

Length 10-5/8"

Jaw Adjusts 0" to 3-3/4"

A = 3-3/4" B = 2-5/8"

**All WISE-GRIP® Tools
PKG QTY. 1**

**Spenaaur No.
876-766**

Mfr's. No. 24R

Length 24"

Jaw Adjusts 0" to 14-3/4"

A = 3-5/8" B = 15-1/2"



WISE-GRIP CHAIN WRENCH

**Spenaaur No.
T-20R**



Hold odd shapes for
welding and fabricating.


**SPAENAUR
No.**

T-20R – Chain Wrench


T-20REP – Replacement Chain 19"

T-20EX – Extension Chain 18"

WISE-GRIP LOCKING "C" CLAMPS WITH SWIVEL PADS



Protects wood



Holds tapered work.

- Quick, easy locking and release action makes old fashioned screw-type "C" clamps obsolete.
- Self-leveling swivel pads won't damage work.



876-765

Mfr's. No. 4SP
Length 5-1/2"
Jaw Adjusts 0" to 1-1/2"
A = 1-7/8" B = 1-1/8"



876-241

Mfr's. No. 6SP
Length 6-1/2"
Jaw Adjusts 0" to 2"
A = 2-1/8" B = 1-3/8"



Clamp awkward fabricating jobs.




Hold delicate work.



876-242

Mfr's. No. 11SP
Length 11"
Jaw Adjusts 0" to 3-3/4"
A = 3-3/8" B = 2-5/8"



Hold tapered work.



876-243

Mfr's. No. 18SP
Length 18"
Jaw Adjusts 0" to 7"
A = 3-1/2" B = 9-1/2"



876-764

Mfr's. No. 24SP
Length 24"
Jaw Adjusts 0" to 11-1/4"
A = 3-1/2" B = 15-1/2"

P