

Inch

Screen & Window Glazing Clips / Snap Retainers

Pouce

Clips pour vitrages de fenêtres et de pare-brise / Fixations à ressort

GLAZING CLIPS

(SASH CLIPS)
 Made for high-tensile, spring-tempered, steel wire.

18 GA. CASEMENT CLIPS

SPAENAUR No. 120-007




For aluminum sash.

PKG QTY. 100

Used in glazing Truscon, Ceco, Fenestra, Vento, Mesker and other well-known industrial steel sash. C-974 and 120-004 are also commonly used in glazing double strength and picture windows.

18 GA. RESIDENTIAL

16 GA. INDUSTRIAL



SPAENAUR No. C-974


For commercial steel sash.



16-12 GA. INDUSTRIAL

SPAENAUR No. 120-004

For commercial steel sash.



SPAENAUR No. 120-005

For commercial aluminum sash.



SPAENAUR No. 120-006

For steel sash.

it's a Snap . . .

when you use

Snap Fastening Retainers
 For many holding applications:


- Retains removable panels, grills, access doors, covers, filters, screens, windows, placards, etc.
- Quick, positive, easy to install

Zinc Plated, Carbon Steel


Data: "A" Dimensions as shown in drawing, — same on all numbers. (Hole dia. .203")

"B" Movable Arm is 7/16" wide, but configuration differs, number to number.

PKG QTY. 50



SPAENAUR No. 120-801 SAME AS 120-009 EXCEPT 2 HOLES
 120-800 AND 18-8 STAINLESS STEEL




SPAENAUR No. 120-009

120-800 SAME AS 120-009 EXCEPT 2 HOLES AND 18-8 STAINLESS STEEL



SPAENAUR No. 120-008 7/16" Wide - Movable Arm - One Hole - Steel Zinc Plated

120-800 SAME AS 120-009 EXCEPT 2 HOLES AND 18-8 STAINLESS STEEL



SPAENAUR No. 120-010 7/16" Wide - Movable Arm - One Hole - Steel Zinc Plated

CATALOG 14

SPAENAUR

Auto Glass Shop Items

Inch

Articles pour atelier de vitrerie automobile

Pouce

**SOME
VINTAGE
CAR
ITEMS**

WINDOW REGULATOR ROLLERS AND PARTS



SPAENAUR No. RP-87
Window Regulator Roller
Steel Washer, Coil Spring.

PKG QTY. 10




SPAENAUR No. 2198
Window Regulator
Arm Stud Clip.
Wire Diameter .48"

PKG QTY. 50



SPAENAUR No. B-1370
5/16" - 24 x 3/4"
Window Regulator Adjusting
Screw Assembly

PKG QTY. 10



SPAENAUR No. 2473
Window Regulator Arm
Stud Washer:


PKG QTY. 50

41/64" I.D. x 7/8" O.D. x 1/32" Thick



SPAENAUR No. RP-88
Window Regulator Roller:
Ford, Mercury, Edsel '59-'63


PKG QTY. 10



SPAENAUR No. RP-89
(Nylon)
Window Regulator
Roller

PKG QTY. 10


TRIM PAD REMOVING TOOL




**SPAENAUR No.
876-217**

Made of High-Carbon
Heat-Treated Steel
Beveled, de-burred
edges.

Used to pull out the plastic trim pad fasteners on GM cars since 1971.
Saves the fastener and avoids damage to the trim pad backboard, paint, etc.



PKG QTY. 1



Inch


Weatherstrip & Moulding Clip Tools / Knives

Pouce

Outils pour moulures et bourrelets d'étanchéité / Couteaux

For Windshield Work
COLD CUT-OUT TOOL

SPAENAUR No.
876-F04-1C



PKG QTY. 1

Instructions

for the proper use of the 876-F04-1C Tool

Remove trim mouldings, wiper blades and any obstructions from around the glass. Starting at the bottom, push the cutting blade through the sealant staying as close to the bottom surface of the glass as possible. Now, begin pulling with a steady motion ... still keeping the blade against the bottom surface of the glass. Always take care to avoid damage to moulding clips and vinyl tops. Where there is a buildup of sealant (corners) a slight rocking motion will help. The cutting edges should always be kept as sharp as possible. A bench grinder or glass belt sander works very nicely. After several sharpenings the old blade should be discarded and replaced with a new one.




FOR BEST RESULTS KEEP CUTTING EDGES SHARP AT ALL TIMES.

MOULDING CLIP TOOL

SPAENAUR No.
876-024

This clever tool installs and removes the Plastic Clips which hold Moulding Strips. Just press down and slide Clip on or off. Helps avoid scratches on new finishes or injury to workers' hand.



PKG QTY. 1

GLASS RETAINER CLIP INSTALLER

SPAENAUR No.
876-139

A practical tool for placing trim retainer clips over headed studs welded around the body window shields and rear window openings. This tool reduces the risk of chips and scratches to glass windows put in by make-shift tools. This tool is specifically designed to fit trim clips over the studs and virtually eliminates glass breakage. It also dispenses with the need to remove rubber-like sealant surrounding the studs.



PKG QTY. 1

CATALOG 14 SPAENAUR

K

Mattings / Glass Channel Packing / Rubber Sheets

Inch

Tapis / Ruban de fixation du verre / Feuilles de caoutchouc

Pouce



**BLACK RUBBER MATTING
NARROW GROOVE CORRUGATED**
1/8" Thick — 25 Yard Rolls

SPAENAUR No.	Width	Shipping Weight
7441-AN	24"	51 kg (112 lbs.)
7441-BN	36"	77 kg (170 lbs.)
7441-CN	48"	103 kg (227 lbs.)

PKG QTY. 25



**BLACK RUBBER MATTING
WIDE GROOVE CORRUGATED**
1/8" Thick — 25 Yard Rolls

SPAENAUR No.	Width	Shipping Weight
7441-AW	24"	61 kg (135 lbs.)
7441-BW	36"	92 kg (203 lbs.)
7441-CW	48"	122 kg (270 lbs.)

PKG QTY. 25

**Black PVC
ELECTRICAL
TAPE**



Adhesive backed. Replaces rubber and friction tape. Resists water, oil, acids and corrosive chemicals. Strong. For neat, lasting splices.

PKG QTY. 1

SPAENAUR No.	Tape Thickness	Size of Roll
TS-302	7.0 mil	3/4" x 66'
892-007	8.0 mil	3/4" x 66'



BLACK RUBBER (SBR) SHEET PACKING
Top Grade — 36" Wide — in 12 Yard Rolls

SPAENAUR No.	Width	Thick-ness	Construction	Shipping Weight
B-807A	36"	1/16"	Single cloth insert	38 kg (84 lbs.)

PKG QTY. 12 YARD ROLLS

All-Rubber SealStrip®

Special Strength - Tough cotton fibres make SealStrip® amazingly strong, but it trims easily without special tools. **Uniform Tackiness** - Clings to glass during application, holds tight when glass is set. Yet it peels off the roll easily, without tearing. **No Oil required** - Applies easily, without oil. For special applications, SealStrip® will absorb oil and swell sufficiently to ensure extra-strong grip. **Resists Age** - Thousands of applications prove that SealStrip® holds its physical characteristics, including tackiness throughout its life. Even moisture cannot affect the setting. **Won't Discolour Glass** - Laminated safety glass is safe from discolouration, because the specially compounded rubber used in SealStrip® will not bleed.

SPAENAUR No.	THICKNESS	WIDTH	FEET PER ROLL
B-168	1/32"	1-1/2"	100
B-169	3/64"	1-1/2"	100
834-A01-1C	3/32"	1-1/2"	100
834-001	1/16"	1-1/2"	100



PKG QTY. 1

**SBR OPEN AND CLOSED CELL
SPONGE RUBBER SHEETS**



SPAENAUR No.	THICKNESS	SIZE	STYLE
4537-R	1/4"	28" x 48"	Open Cell Soft Grade
RW-122	3/16"	23" x 44"	Closed Cell Soft Grade

PKG QTY. 1