

Rubber Grommets / O-Ring Seals

Inch

Rondelles isolantes en caoutchouc / Joints toriques d'étanchéité

Pouce

A

PLASTIKIT «PLASTIKIT» A-32



RUBBER GROMMETS

12 SIZES - 52 PIECES




Outer Diameter	Spaenaur No.	Groove Diameter	Groove Width	Bore Diameter	Overall Thickness	Qty.	Page
11/32"	B-1030	1/4"	1/16"	1/8"	0.218"	4	J64
7/16"	B-1200		3/32"	5/32"	3/8"	6	J64
	315-H53-1Y	5/16"	1/8"	3/16"	1/4"		
15/32"	B-1325	3/32"	5/16"	9/64"	9/32"	5	J64
1/2"	315-G18-2A	3/8"	1/16"	1/4"	7/32"	8	
5/8"	315-G56-2A	7/16"		5/16"	3/16"	4	J65
21/32"	4071	1/2"		3/8"	5/16"	3	
7/8"	315-G71-1P	5/8"		5/16"	1/2"	2	
1"	RB-223	3/4"	3/16"	5/8"	7/16"	4	J65
1-1/16"	315-H67-1N	13/16"		1/2"	1/4"	2	
1-1/8"	RB-245	7/8"	1/16"	1/2"	1/4"	3	
1-1/4"	B-992	1"				2	

O-RING SEALS

Temperature Range: -40° to +121°C (-40° to +250°F)

36 VARIETIES - 428 PIECES



ASSORTMENT ASSORTIMENT A-216

Made of Nitrile (Buna N)

ASSORTMENT ASSORTIMENT 805-606

Made of Viton

Width	Spaenaur No.	Inner Diameter	Outer Diameter	Qty.	Page	
0.070"	OR-006N	0.114"	1/4"	30	J85	
	OR-007N	0.145"	9/32"			
	OR-008N	0.176"	5/16"			
	OR-009N	0.208"	11/32"			
	0.103"	OR-010N	0.239"	3/8"	20	J85
		OR-011N	0.301"	7/16"		
		OR-012N	0.364"	1/2"	15	J85
		OR-013N	0.426"	9/16"		
		OR-014N	0.489"	5/8"		
		OR-015N	0.551"	11/16"		
OR-016N		0.614"	3/4"			
OR-110N		0.362"	9/16"	10		
OR-111N	0.424"	5/8"				
OR-112N	0.487"	11/16"				
OR-113N	0.549"	3/4"				
OR-114N	0.612"	13/16"				
OR-115N	0.674"	7/8"				
0.139"	OR-116N	0.737"	15/16"	6	J85	
	OR-210N	0.734"	1"			
	OR-211N	0.796"	1-1/16"			
	OR-212N	0.859"	1-1/8"			
	OR-213N	0.921"	1-3/16"			
	OR-214N	0.984"	1-1/4"			
	OR-215N	1.046"	1-5/16"			
	OR-216N	1.109"	1-3/8"			
	OR-217N	1.171"	1-7/16"			
	OR-218N	1.234"	1-1/2"			
	OR-219N	1.296"	1-9/16"			
	OR-220N	1.359"	1-5/8"			
	OR-221N	1.421"	1-11/16"			
	OR-222N	1.484"	1-3/4"			
OR-223N	1.609"	1-7/8"				
0.210"	OR-224N	1.734"	2"	6	J86	
	OR-325N	1.475"	1-7/8"			
	OR-326N	1.600"	2"			
	OR-327N	1.725"	2-1/8"			

Width	Spaenaur No.	Inner Diameter	Outer Diameter	Qty.	Page	
0.070"	320-006	0.114"	1/4"	30	J87	
	320-007	0.145"	9/32"			
	320-008	0.176"	5/16"			
	320-009	0.208"	11/32"			
	0.103"	320-010	0.239"	3/8"	20	J87
		320-011	0.301"	7/16"		
		320-012	0.364"	1/2"	15	J87
		320-013	0.426"	9/16"		
		320-014	0.489"	5/8"		
		320-015	0.551"	11/16"		
320-016		0.614"	3/4"			
320-110		0.362"	9/16"	10		
320-111	0.424"	5/8"				
320-112	0.487"	11/16"				
320-113	0.549"	3/4"				
320-114	0.612"	13/16"				
320-115	0.674"	7/8"				
0.139"	320-116	0.737"	15/16"	6	J87	
	320-210	0.734"	1"			
	320-211	0.796"	1-1/16"			
	320-212	0.859"	1-1/8"			
	320-213	0.921"	1-3/16"			
	320-214	0.984"	1-1/4"			
	320-215	1.046"	1-5/16"			
	320-216	1.109"	1-3/8"			
	320-217	1.171"	1-7/16"			
	320-218	1.234"	1-1/2"			
	320-219	1.296"	1-9/16"			
	320-220	1.359"	1-5/8"			
	320-221	1.421"	1-11/16"			
	320-222	1.484"	1-3/4"			
320-223	1.609"	1-7/8"				
0.210"	320-224	1.734"	2"	6	J88	
	320-325	1.475"	1-7/8"			
	320-326	1.600"	2"			
	320-327	1.725"	2-1/8"			

Furnished in Large Size Grey enameled STEEL Drawer, with scooped bins. Size: 18" x 12" x 3"
 Drawer will fit into the Slide Racks, shown on page A3. Shipping Wt. 3.96 kg (8-3/4 lbs.)

A116

Spaenaur reserves the right to substitute parts in any assortment without notice. For any questions or suggestions about our Assortments and Plastikits, please contact us 1-800-265-8772. © 2018 Spaenaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spaenaur Inc. Subject to Catalog Terms and Conditions of Use available at Spaenaur.com and on page TC2 and TC3 at the back of this catalog. Spaenaur se réserve le droit de remplacer des pièces dans n'importe quel assortiment sans préavis. Pour toute question ou suggestion concernant nos Assortiments et Plastikits, veuillez nous contacter au 1-800-265-8772. © 2018 Spaenaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spaenaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spaenaur.com et à la page TC4 et TC5 à la fin de ce catalogue.

Inch and Metric

Pouce et Métrique


O-Ring Seals / O-Ring Splicing Kit

Joint d'étanchéité toriques / Trousse d'épissage de joints toriques

PLASTIKIT
«PLASTIKIT» **804-001**

O-RING SEALS
Viton

19 SIZES - 78 PIECES



Spaenaur No.	Outer Diameter	Inner Diameter	Qty.	Page
320-006	1/4"	0.114"	5	J87
320-007	9/32"	0.145"		
320-008	5/16"	0.176"		
320-009	11/32"	0.208"		
320-010	3/8"	0.239"		
320-011	7/16"	0.301"		
320-012	1/2"	0.364"		
320-110	9/16"	0.362"	3	
320-013		0.426"	5	
320-111	5/8"	0.424"	3	
320-014		0.489"	5	
320-112	11/16"	0.487"	3	
320-015		0.551"	5	
320-113	3/4"	0.549"	3	
320-016		0.614"	5	
320-114	13/16"	0.612"	3	
320-115	7/8"	0.674"		
320-116	15/16"	0.737"		
320-210	1"	0.734"	2	

ASSORTMENT
ASSORTIMENT **805-A05-2M**

O-RING SPLICING KIT
8 PIECES - 8 SIZES

Kit comes in a Regular Size Grey Enamelled STEEL drawer, and will fit the Slide Racks as shown on page A2

Drawer: 13³/₈" x 9¹/₄" x 2"
Shipping Weight: **1.93 kg** (4-1/4 lbs.)




Name	Spaenaur No.	Outer Diameter	Qty.	Page	
O-Ring Splicing Cord	825-B01-1P	0.070"	5'	J84	
	825-174	0.103"			
	825-175	0.139"			
	825-176	0.210"			
	825-177	0.275"			
Name	Spaenaur No.	Blade Length	Blade Width	Qty.	Page
Cutting & Splicing Jig	877-505	4" (overall)	16" (overall)	1	J84
Razor Blade	877-504	1-1/2"	3/4"		
Name	Spaenaur No.	Weight	Qty.	Page	
Turbo Fuse Super Glue	800-B78-1W	2 g	2		

PLASTIKIT
«PLASTIKIT» **804-069**

O-RING SEALS
Nitrile

19 SIZES - 78 PIECES



Spaenaur No.	Outer Diameter	Inner Diameter	Qty.	Page
OR-006N	1/4"	0.114"	5	J85
OR-007N	9/32"	0.145"		
OR-008N	5/16"	0.176"		
OR-009N	11/32"	0.208"		
OR-010N	3/8"	0.239"		
OR-011N	7/16"	0.301"		
OR-012N	1/2"	0.364"		
OR-110N	9/16"	0.362"	3	
OR-013N		0.426"	5	
OR-014N	5/8"	0.489"	3	
OR-112N		0.487"	5	
OR-015N	11/16"	0.551"	3	
OR-113N		0.549"	5	
OR-016N	3/4"	0.614"	3	
OR-114N		0.612"	5	
OR-111N	7/8"	0.424"	3	
OR-115N		0.674"	3	
OR-116N	15/16"	0.737"	2	
OR-210N	1"	0.734"		


ASSORTMENT
ASSORTIMENT **805-625**

METRIC
O-RING SEALS
Made of Nitrile

36 Sizes
439 Pieces

Furnished in Large Size, Grey enamelled STEEL Drawer, with scooped bins. Drawer will fit into the Slide Racks, shown on page A3.
Size: 18" x 12" x 3"

Shipping Weight:
3.97 kg (8.75 lbs.)



Spaenaur No.	Inner Diameter	Outer Diameter	Qty.	Page
204-003	3mm	7mm	30	J92
204-004	4mm	8mm		
204-A01-1W	5mm	9mm		
204-006	6mm	10mm	20	
204-007	7mm	11mm		
204-008	8mm	12mm	15	
204-009	9mm	13mm		
206-109		14mm	10	
206-111	11mm	16mm		
206-112	12mm	17mm	6	
206-113	13mm	18mm		
206-114	14mm	19mm	10	
206-115	15mm	20mm		
206-116	16mm	21mm	6	
206-117	17mm	22mm		
206-118	18mm	23mm	10	
206-119	19mm	24mm		
206-569		26mm	6	
206-321		27mm	10	
206-570	20mm	28mm	6	
204-120		29mm	10	
206-572	22mm	30mm	6	
206-323	23mm	31mm	10	
206-573		32mm	6	
206-325	25mm	33mm	10	
206-575		34mm	6	
204-125		35mm	10	
206-327	27mm	36mm	6	
206-577		37mm	10	
206-330	30mm	38mm	6	
206-580		39mm	10	
206-583	33mm	40mm	6	
206-588	38mm	45mm		
204-A03-1X		48mm	6	
204-641	41mm	51mm		
204-644	44mm	54mm		

O-Ring Seals / O-Ring Splicing Cord

Metric

Joint d'étanchéité toriques / Cordon d'épissage de joints toriques

Métrique

PLASTIKIT
«PLASTIKIT» **804-071**


GERMAN METRIC SIZES

O-RING SEALS
Nitrile

28 SIZES - 128 PIECES

Clear durable plastic container with hinged lid.
Size: 4-1/2" x 2-3/4" x 1"

Shipping Weight: .252 kg (1/4 lb.)



Spaenaur No.	Inner Diameter	Outer Diameter	Qty.	Page
204-003	3mm	7mm	6	J92
206-004	4mm	7mm		
206-006	6mm	9mm		
204-006		10mm		
204-010	10mm	14mm		
206-110		15mm		
206-012	12mm	17mm		
206-112		17mm		
204-014	14mm	18mm		
206-015	15mm	18mm		
206-116	16mm	21mm		
206-569	19mm	26mm		
206-120	20mm	25mm	6	
206-321		26mm		
204-120		28mm		
206-572		29mm		
204-125	25mm	33mm	4	
206-327	27mm			
206-332	32mm	38mm		
206-583	33mm	40mm		
204-A03-1X	38mm	48mm	2	
206-339	39mm	45mm	4	
204-650	50mm	60mm	2	

METRIC
O-RING SPLICING CORD

Solve that problem of LARGE Metric O-Ring availability. Now YOU can make any standard size in German or Swedish cross-section.

ASSORTMENT
ASSORTIMENT **805-455**

German
Metric O-Rings
Cord Stock Refill

9 SIZES, 9 PIECES

Shipping Weight: 1.8 kg (4 lbs.)



Name	Spaenaur No.	Outer Diameter	Hardness	Qty.	Page
O-Ring NITRILE (Buna-N) Metric Cord Stock	825-181	2.0mm	Duro 70	5'	J91
	825-182	2.5mm			
	825-184	3.5mm			
	825-185	4.0mm			
	825-186	5.0mm			
O-Ring-Swedish Metric Sizes	825-183	3.0mm			
Name	Spaenaur No.	Blade Length	Blade Width	Qty.	Page
Razor Blade	877-504	1-1/2"	3/4"	1	J84
Cutting & Splicing Jig	877-505	4"	3/16"		
Name	Spaenaur No.	Weight		Qty.	
Turbo Fuse Super Glue	800-B78-1W	2g		2	

ASSORTMENT
ASSORTIMENT **805-456**

Swedish
Metric O-Rings
Cord Stock Refill

5 SIZES, 8 PIECES

Shipping Weight: 1.9 kg (4-1/4 lbs.)

Name	Spaenaur No.	Outer Diameter		Qty.	Page
O-Ring-Swedish Metric Sizes	825-187	1.6mm		5'	J91
	825-188	2.4mm			
	825-183	3.0mm			
	825-190	5.7mm			
	825-191	8.4mm			
Name	Spaenaur No.	Blade Length	Blade Width	Qty.	Page
Razor Blade	877-504	1-1/2"	3/4"	1	J84
Cutting & Splicing Jig	877-505	4"	3/16"		
Name	Spaenaur No.	Weight		Qty.	
Turbo Fuse Super Glue	800-B78-1W	2g		2	

Kit comes in Grey enamelled STEEL Drawer. Drawer will fit into the Slide Racks, as shown on page A2.

Size: 13-3/8" x 9-1/4" x 2" Buy your refills by the foot.