

Plug Buttons / Steel / Brass

Inch

Cache-trous / Acier



Pouce



Standard Type

For Round and Square Tubing Type,
Steel Plug Button's - See Page F3

See pages J2 and J3
for Nylon Plug Buttons



BRASS or STEEL snap-in covers for holes in metal, plastics, or fibreboard.

For Use In		O.D. of Plug Button Head	Plug Button Material	Bare Metal		Finished		PKG QTY.
Hole Dia. (Inches)	Approximate Thickness Min.-Max.			SPAENAUR No.	Mfr. No.	SPAENAUR No.	Finish	
1/8	.050-.062	21/64	Brass	—	—	B-1834N	Nickel	100
7/32	.062-.078	11/32	Brass	B-1835	BS-50711	B-1835N	Nickel	100
1/4	.035-.062	13/32	Brass	B-1688PB	D-2587	244-A02-1Y	Nickel	50
1/4	.035-.062	13/32	Steel	B-1725-PS	D-2587	B-1725-N	Nickel	50
9/32	.020-.062	13/32	Steel	243-001	D-2666	243-002	Nickel	100
9/32	.032-.046	13/32	Brass	69-SNPB	BS-50627	69-SN	Nickel	50
9/32	.032-.078	13/32	Steel	B-1836	SS-51071	B-1836N	Nickel	100
5/16	.020-.062	7/16	Brass	B-1689PB	D-5076	B-1689	Nickel	50
5/16	.062-.078	7/16	Steel	B-1833	D-2730	B-1833-N	Nickel	100
21/64	.037-.062	7/16	Brass	—	—	B-1789N	Nickel	50
11/32	.037-.062	1/2	Steel	B-1837	D-4161	B-1837N	Nickel	100
11/32	.093-.125	17/32	Steel	B-1790	SS-48149	B-1790N	Nickel	50
3/8	.037-.078	17/32	Brass	80-SNPB	BS-48192	80-SN	Nickel	50
3/8	.047-.062	1/2	Steel	243-E06-1W	SS-48192	B-1786-N	Nickel	50
3/8	.093-.171	17/32	Steel	—	—	B-1758-N	Nickel	50
13/32	.062-.078	1/2	Steel	B-1691	SS-48182	B-1691-N	Nickel	50
13/32	.078-.094	1/2	Brass	B-1272PB	D-3629	B-1272	Nickel	50
7/16	.032-.062	21/32	Steel	243-003	D-2783	243-004	Nickel	50
7/16	.037-.047	21/32	Brass	B-1723PB	BS-51043	B-1723	Nickel	50
7/16	.037-.047	21/32	Steel	B-1873	SS-51043	B-1873N	Nickel	50
15/32	.083-.125	5/8	Steel	—	—	B-1736-N	Nickel	50
15/32	.125-.156	5/8	Brass	81-SNPB	D-2724	81-SN	Nickel	50
31/64	.125-.156	5/8	Steel	B-1737	HS-51163	B-1737-N	Nickel	50
1/2	.037-.062	21/32	Brass	84-SNPB	BS-48152	84-SN	Nickel	50
1/2	.037-.062	21/32	Steel	B-1793	SS-48152	243-E02-1C	Nickel	50
1/2	.125-.156	5/8	Brass	B-1841	D-5071	B-1841N	Nickel	100
33/64	.037-.062	21/32	Steel	B-1842	SS-50662	B-1842N	Nickel	100
17/32	.050-.062	21/32	Steel	B-1751-PS	SS-51074	B-1751	Nickel	50
17/32	.125-.156	11/16	Steel	B-1273-PS	D-4037	B-1273	Nickel	50
9/16	.046-.093	23/32	Brass	244-005	D-3558-B	244-006	Nickel	50
9/16	.062-.078	23/32	Steel	B-1788	D-3558-S	B-1788-N	Nickel	50
5/8	.062-.078	51/64	Brass	85-SNPB	BS-48172	85-SN	Nickel	50
5/8	.062-.093	13/16	Brass	—	—	244-A03-1C	Nickel	50
5/8	.062-.109	51/64	Steel	243-E05-1K	SS-51142	B-1794-N	Nickel	50
11/16	.032-.093	7/8	Brass	244-001	D-4728	—	—	—
23/32	.078-.093	7/8	Steel	B-1843	SS-51176	B-1843N	Nickel	100
3/4	.037-.093	15/16	Brass	86-SNPB	D-2690	86-SN	Nickel	50
3/4	.037-.093	15/16	Steel	B-1745-PS	SS-51026	B-1745N	Nickel	50
3/4	.078-.109	15/16	Steel	B-1716-PS	D-2690	B-1716	Nickel	50

Continues on Next Page

H

SPAENAUR CATALOG 14

Inch

Plug Buttons / Steel / Pierced / Ventilator


Pouce

Cache-trous / Acier / Percés / Ventilés

Continued from previous page...


For Use In		O.D. of Plug Button Head	Plug Button Material	Bare Metal		Finished		PKG QTY.
Hole Dia. (Inches)	Approximate Thickness Min.-Max.			SPAENAUR No.	Mfr. No.	SPAENAUR No.	Finish	
13/16	.046-.062	1-1/16	Steel	B-1844	SS-51045	B-1844N	Nickel	100
7/8	.062-.093	1-1/16	Steel	87-SNPS	SS-48155	243-E07-1M	Nickel	50
7/8	.062-.093	1-1/16	Brass	87-SNPB	BS-48155	87-SN	Nickel	50
7/8	.125-.171	1-1/16	Steel	B-1728-PS	D-5393	B-1728-N	Nickel	50
29/32	.031-.062	1	Steel	—	—	B-1757-N	Nickel	50
15/16	.062-.078	1-5/32	Brass	B-1845	BS-51351	B-1845N	Nickel	100
1	.031-.093	1-9/64	Steel	243-007	D-4290	243-008	Nickel	50
1	.031-.093	1-9/64	Brass	244-A04-1N	D-4290	—	Plain	50
1	.062-.078	1-5/32	Brass	—	—	244-A01-1P	Nickel	50
1	.062-.078	1-5/32	Steel	B-1797	SS-48143	B-1797-N	Nickel	50
1	.109-.125	1-5/32	Steel	243-E08-1X	SS-48166	B-1740-N	Nickel	50
1-1/16	.062-.075	1-5/16	Steel	243-E09-1A	SS-51149	B-1815-N	Nickel	50
1-1/8	.036-.078	1-5/16	Steel	B-1556-PS	SS-48174	B-1556	Nickel	50
1-3/16	.031-.093	1-7/16	Steel	B-1846	D-3557	B-1846N	Nickel	50
1-1/4	.062-.093	1-7/16	Steel	—	—	243-E01-1Y	Nickel	50
1-5/16	.037-.062	1-9/16	Steel	B-1770	SS-48162	B-1770N	Nickel	50
1-3/8	.037-.078	1-9/16	Steel	B-1555-PS	SS-51058	B-1555	Nickel	50
1-3/8	.125-.140	1-9/16	Steel	B-1759	SS-48132	B-1759-N	Nickel	50
1-7/16	.125-.156	1-39/64	Steel	B-1742	D-3839	B-1742-N	Nickel	50
1-1/2	.037-.062	1-41/64	Steel	B-893-PS	D-3632	B-893	Nickel	50
1-5/8	.031-.125	1-13/16	Steel	243-005	D-4212	243-006	Nickel	50
1-5/8	.062-.078	1-51/64	Steel	B-1563	SS-50841	B-1563N	Nickel	50
1-3/4	.037-.093	1-15/16	Steel	B-1564	SS-50890	B-1564-N	Nickel	50
1-7/8	.062	2-3/16	Steel	B-1351-PS	D-3933	B-1351	Nickel	10
2	.037-.187	2-5/16	Steel	B-1565	SS-48175	B-1565-N	Nickel	50
2	.037-.062	2-1/4	Steel	B-1941	D-3103	B-1941N	Nickel	50
2-3/32	.046-.062	2-9/16	Steel	B-1771	XS-51171	B-1771N	Nickel	50

PLUG BUTTONS - Pierced Cap Type



For Use In		O.D. of Plug	Hole Dia. in Cap	Button Material	Bare Metal		Finish		PKG QTY.
Hole Dia. (Inches)	Approximate Thick. Min. - Max.				SPAENAUR No.	Mfr. No.	SPAENAUR No.	Finish	
1-3/8"	.125 - .140"	1-9/16"	1"	Steel	B-1767	SS-51066	B-1767-N	Nickel	50

Screen Ventilator Type




Spaenaur No. B-1630
 STEEL - NICKEL PLATED
 For 1" Dia. Hole

PKG QTY. 50

Spaenaur No. B-1816N
 STEEL - NICKEL PLATED
 For 1-5/8" Dia. Hole in .062" - .078" Material Thickness.

PKG QTY. 50



CATALOG 14 SPAENAUR

Plug Button Assortments

Inch

Assortiments de boutons-fiches

Pouce

ASSORTMENT **A-206A**
ASSORTIMENT

PLUG BUTTONS

Brass and Steel

Nickel Plated Finish.

14 SIZES - 312 PIECES

Furnished in Regular Size grey enamelled steel drawer with scooped bins for easy access. Drawer will fit into Slide Racks shown on page A2

Shipping Weight: **2.49 kg** (5-1/2 lbs.)



H

Name	Spaenaur No.	Panel Thickness Range	Compatible Hole Size	Outside Diameter	Qty.	Page
Plug Buttons Standard Type Brass - Coated	B-1689	0.020" - 0.062"	5/16"	7/16"	25	H2
	69-SN	0.032" - 0.046"	9/32"	13/32"		
	244-A02-1Y	0.035" - 0.062"	1/4"	13/32"		
	84-SN	0.037" - 0.062"	1/2"	21/32"	35	
	80-SN	0.037" - 0.078"	3/8"	17/32"	20	
	86-SN	0.037" - 0.093"	3/4"	15/16"	20	
	B-1835N	0.062" - 0.078"	7/32"	11/32"	30	
	85-SN		5/8"	51/64"	20	
	87-SN	0.062" - 0.093"	7/8"	1-1/16"	15	
	244-A01-1P	0.062" - 0.078"	1"	1-5/32"	12	
243-E01-1Y	0.062" - 0.093"	1-1/4"	1-7/16"			
Plug Buttons - Standard Type - Steel - Coated	B-893	1/32" - 1/16"	1-1/2"	1-41/64"	8	
Plug Buttons - Standard Type - Plain	244-001	1/32" - 3/32"	11/16"	7/8"	20	H2
	81-SN	7/64" - 11/64"	15/32"	5/8"	25	


PLASTIKIT **804-084**
«PLASTIKIT»

PLUG BUTTONS

Steel - Nickel Plated

7 SIZES — 56 PLUGS

Furnished in a 1" x 2-3/4" x 4-1/2" handy clear plastic box with hinged lid.



Spaenaur No.	Panel Thickness Range	Compatible Hole Size	Outside Diameter	Qty.	Page
243-E07-1M	0.062" - 0.093"	7/8"	1-1/16"	8	H3
243-004	0.032" - 0.062"	7/16"	21/32"		H2
243-E02-1C	0.037" - 0.062"	1/2"			
B-1786-N	0.037" - 0.078"	3/8"	1/2"		
B-1745N	0.037" - 0.093"	3/4"	15/16"		
B-1797-N	0.062" - 0.093"	1"	1-5/32"		H3
B-1794-N	0.062" - 0.109"	5/8"	51/64"		H2

See pages H2 - H3 for full line of metal Plug Buttons.

See pages J2 and J3 for Nylon Plug Buttons.

H4