

**Snap Hooks**

Inch and Metric

**Crochets à pression**

Pouce et Métrique

**SPRING SNAPS**



Cast Malleable Iron  
Loop Eye  
Nickel Plated  
▲ Die Cast

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
▲MH-54	1/2"	1-5/8"	.177"	25
MH-55	5/8"	1-5/8"	.177"	25
MH-56	3/4"	1-5/8"	.177"	25
MH-57A	7/8"	1-3/4"	.177"	25
MH-59	2"	1-3/4"	.177"	25



Loop Eye  
Sheet Steel  
Nickel Plated

MH-60	1/2"	1-3/4"	.177"	25
MH-62	3/4"	1-3/4"	.177"	25



Cast Malleable Iron  
Swivel Eye  
Nickel Plated

121-C42-1Y	3/8"	1-15/16"	.156"	25
------------	------	----------	-------	----



**SPAENAUR No. 122-439**  
**Snap Hook**  
(Flag Snap)

Colour:  
Natural

This snap can be used with any cord up to 3/8" dia. It has all the characteristics of metal snaps, as well as other advantages only found using thermoplastic material. The material is versatile because it will not scratch surfaces, freeze or rust after many years of service.

O/A Lgth.  
Approx.  
2-3/8"

**PKG QTY. 25**

Other colours available

**Key Ring BELT SNAP Assemblies**

**Metal Die Cast SNAP**

Nickel Plated

**SPAENAUR No. 121-146**




**Steel Ring**  
Nickel Plated

Spaenaur No. 121-146	
<b>Snap Opening</b>	15/64" 6 mm
<b>Snap O/A Length</b>	2-3/8" 60 mm
<b>Ring I.D.</b>	13/16" 20.64 mm
<b>O/A Assembly Length</b>	3-1/8" 80 mm

**PKG QTY. 10**

**BOLT SNAPS**

Metal Die Cast Nickel Plated  
Double Pattern



SPAENAUR No.	Length Overall	Ring Size Snap Opening	PKG QTY.
121-173	3-1/2"	3/8"	25
121-174	4-1/8"	7/16"	25

Cast Malleable Iron Zinc or Cadmium Plated at our option.

Open Eye, Light Chain Patterns



SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
121-171	3/8"	3-1/4"	5/16"	25
121-172	3/8"	3-1/2"	3/8"	25

Zinc Die-Cast Nickel Plated  
Swivel Round Eye



121-228	1/2"	2-15/16"	11/32"	10
123356N	1/2"	2-15/16"	11/32"	10
121-229	5/8"	3-1/8"	3/8"	10
121-191	3/4"	3-1/4"	5/16"	25
*MH-157	3/4"	4-1/16"	3/8"	25
121-230	7/8"	3-5/16"	3/8"	10
121-231	1"	3-1/2"	3/8"	10

\* Furnished in Cast Mall. Iron - Cad. Plated

**CAST SOLID BRASS**



Plain Finish

MH-70	3/8"	3"	1/4"	25
-------	------	----	------	----

See page M50-M53 for more Key Holders


Inch

Snap Hooks / Swivels

Pouce

Crochets à pression / Émerillons

### SPRING SNAPS




Round Eye

**Snap Body:** tough Zinc Die-Cast, or Cast Malleable Iron, at our option.  
**Finish:** Nickel, Cadmium or Bright Zinc (our option).

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
MH-81	5/8"	3-1/8"	7/16"	10
121-233	3/4"	3-11/16"	7/16"	10

### SPRING SNAPS

Nickel Plated



PKG QTY. 100

SPAENAUR No.	Loop Width	Length Overall	Ring Size Snap Opening	Material
121-C60-1K	1-1/8"	2-1/4"	3/16"	Steel Wire
MH-119	1-1/2"	2-1/8"	3/16"	Steel Wire


### SPRING SNAPS

Sheet Steel Body Swivel Eye



Sheet Steel Eye

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	Snap Body Component
121-C40-1A	3/8"	2-3/4"	1/4"	(MH-86)



Loop Eye


**Material and Finish:** as described above.

PKG QTY. 100

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
MH-110	7/8"	3-1/8"	.283"	25
MH-111	1"	3"	.283"	25
MH-43	2"	3-1/2"	.306"	5

### SNAP BODIES

Sheet Steel Nickel Plated



SPAENAUR No.	Length Overall	Ring Size Snap Opening
MH-87	1-1/4"	7/32"
MH-86A	1-9/16"	3/16"
MH-86	1-3/4"	1/4"

PKG QTY. 100




Swivel Round Eye

**Material and Finish:** as described above.

### SWIVELS


Steel Nickel Plated



SPAENAUR No.	Size of Eye
MH-143	3/8" Eye
MH-145	1/2" Eye

PKG QTY. 100

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
MH-82A	5/8"	3-1/8"	1/4"	25
121-526	5/8"	3-3/8"	3/8"	25
MH-83	3/4"	3-1/2"	3/8"	25
MH-84	1"	3-3/4"	3/8"	25



Swivel Eye

Cast Solid Brass - Nickel Plated


MH-52	3/8"	1-7/8"	.175"	25
-------	------	--------	-------	----

Cast Malleable Iron - Nickel Plated

121-192	3/8"	2-1/2"	3/16"	25
---------	------	--------	-------	----

### SWIVELS

Tough Zinc Die-Cast Nickel Plated



SPAENAUR No.	Size of Eye	Length Overall	Use with Snap Opening	PKG QTY.
121-247	1/2"	1-15/16"	5/32"	25
121-248	5/8"	2-3/8"	3/16"	25
121-249	3/4"	2-5/8"	3/16"	10
121-250	1"	3"	7/32"	10

CATALOG 14 SPAENAUR

Non-critical measurements in catalog are for reference only.

© 2018 Spenaaur Inc. All rights reserved. Catalog may not be reproduced, in whole or in part, without the written permission of Spenaaur Inc. Subject to Catalog Terms and Conditions of Use available at Spenaaur.com and on page TC2 and TC3 at the back of this catalog.  
 © 2018 Spenaaur Inc. Tous droits réservés. Le catalogue ne peut être reproduit, en tout ou en partie, sans l'autorisation écrite de Spenaaur Inc. L'utilisation est soumise aux Conditions d'utilisation du Catalogue disponibles sur Spenaaur.com et à la page TC4 et TC5 à la fin de ce catalogue.

M51

**Snap Hooks / Pulleys**

Inch

**Crochets à pression / Poulies**

Pouce

**SNAPS**

Cast Brass

Plain Finish

90° Fast Eye



SPAENAUR No.	I.D. of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
MH-67	5/8"	2-7/8"	5/16"	10
121-025	3/4"	3-7/8"	5/8"	10

**TRIGGER SNAPS**

Swivel Eye

Zinc Die-cast  
or  
Cast Malleable Iron  
- at our option.



Nickel Plated

121-177

SPAENAUR No.	Size of Eye	Length Overall	Ring Size Snap Opening	PKG QTY.
121-179	3/8"	2-3/8"	3/8"	10
121-180	1/2"	2-1/2"	3/8"	10
121-177	3/4" x 1/4"	2-3/8"	3/8"	10
121-181	5/8"	2-3/8"	3/8"	10
121-182	3/4"	2-7/8"	3/8"	10


Our buckles, snaps, hooks and pulleys are manufactured to either Inch or **Metric** specifications and shown accordingly in our catalog.

By using the Inch/**Metric** Conversion Chart on page **R3** in the back of the Spaenaur catalog, your selection can be expanded by simple conversion to choose from both Inch and **Metric** items.

The **R section** also contains information relating to Equivalent Standard Bolt Diameters, Torque Conversion Charts and Tension Loads / Tightening Torques.

**SAFETY SNAP HOOKS**

Fast Eye



Weldless Drop Forged Steel

Galvanized Finish

With Stainless Steel Spring and Rivet or Screw and Nut Assembly.

SPAENAUR No.	A	B	C	D	L	Safe Work Ld.	PKG QTY.
121-049	1-1/4"	3/4"	3/4"	7/16"	3-15/16"	750 lbs.	10
121-050	2"	1-1/8"	13/16"	9/16"	4-3/4"	1000 lbs.	5

For trailer winches, etc. Also used on conveyors.

**PULLEY with Swivel Eye**

For 9/32" (7 mm) Rope Dia.

SPAENAUR No.

**121-422**

**Body:** Die Cast, Nickel Plated

**Roller:** Die Cast, Brass Plated

**Overall Length:** 2-3/8"

**Roller O.D.:** 1"

PKG QTY. 10



M

Metric

Snap Hooks / Pulleys

Métrique


Crochets à pression / Poulies

**Snap Hooks of Half Round Steel Wire**

with Swivel Eye

**Metric**

Nickel Plated



Dimensions in Millimetres.

SPAENAUR No.	d1	d2	m	K/L	PKG QTY.
121-079	5.5	8	3.5	25/50	100
121-080	6	8	4.5	30/55	100
121-081	6.5	8	5	35/60	100
121-082	7	10	5.5	40/67	100
121-084	9	11	6.5	50/83	50
121-085	10	13	7.5	60/97	50
121-086	11	17	9	70/115	50
121-087	12	17	10	80/123	25
121-088	13	19	10.5	90/140	25

**SPRING SNAP BODY ONLY**

Stainless Steel, Plain Finish

SPAENAUR No.	d1	d2	m	K	PKG QTY.
121-841	7	-	5.5	40	50

**PULLEYS**

Body: Tough Die Cast Zinc

Roller: Nylon

PKG QTY. 10




SPAENAUR No.	Roller Dia. mm	Rope Dia. mm	O/A Lgth. mm
121-241	15	5	50
121-240	20	6	60
121-242	25	7	70
121-243	30	8	80

**FIREMAN'S SNAP**

Made of ROUND STEEL WIRE

ZINC PLATED



SPAENAUR No.	Dimensions			O/A Length mm	Dia. D mm	PKG QTY.
	A mm	B mm	C mm			
121-129	8	7	4	50	5	10
121-130	10	8	6	60	6	10
121-244	13	11	9	80	8	10
121-132	13	11	10	90	9	10
121-245	16	12	11	100	10	10
121-246	16	17	12	120	11	10
121-133	20	21	14	140	12	10
121-134	22	28	16	160	13	10
121-135	22	42	16	180	14	5
121-136	26	43	16	200	15	5

For Wire Clamps & Thimbles see Page M55

**THIMBLES**



**MANILLA ROPE THIMBLES**



**WIRE ROPE CLAMPS**



CATALOG 14

SPAENAUR

See page M50 for more Belt Snaps

Snap Hooks

Crochets à pression

Metric

Métrique

SNAP HOOK



SOLID BRASS

SPAENAUR No.	Size of Eye mm (inch)	Snap Opening mm	Overall Length mm	PKG QTY.
121-119	16 (5/8)	—	80	10
121-120	20 (3/4)	—	80	10

SNAP HOOKS

ZINC DIE CAST

Nickel Plated



Swivel Eye

DIN 5289

SPAENAUR No.	Size of Eye mm	Length Overall mm	Ring Size Snap Opening mm	PKG QTY.
121-223	10	55	10	10
121-224	15	65	12	10

SNAP HOOK

of

DROP FORGED STEEL

Bright Zinc Plated

Break Strength: 3600 lbs.



SPAENAUR No. 121-C63-1X


Eye Diameter	Overall Length	PKG QTY
17 mm	90 mm	10

SNAP HOOKS

DROP FORGED ZINC PLATED

Style 1

DIN 5299E



Boat Snaps

ZINC DIE CAST

Zinc or Nickel Plated - our option.



Fast Eye

SPAENAUR No.	Size of Eye mm	Length Overall mm	Ring Size Snap Opening mm	PKG QTY.
121-423	11	50	7	10
*121-236	12	60	8	10
MH-153	15	70	10	10
MH-154	16	85	12	10
121-C39-1P	17	100	15	10
*121-237	24	120	18	10

\*Cast Malleable Iron

Style 2

with threaded collar



SNAP HOOK



SOLID BRASS

SPAENAUR No.	Size of Eye mm (inch)	Snap Opening mm	Overall Length mm	PKG QTY.
121-121	16 (5/8)	—	70	10
121-122	20 (3/4)	—	95	5

SPAENAUR No.	Style	Eye Dia. A mm	Steel Thck. B mm	Snap Opening C mm	O/A Lgth. D mm	PKG QTY.
121-123	1	9	6	8	60	5
121-C02-1A	1	10	7	8	70	5
121-424	1	15	10	13	100	1
121-C31-1C	2	15	10	13	100	1

CATALOG 14

SPAENAUR