

Inch












Snap Fasteners / Grommets / Installation Tools

Pouce

Fermeoirs à pression / Passe-fils / Outils d'installation












“COMMON SENSE” FASTENERS

PKG QTY. 100 (ALL FASTENERS ON THIS PAGE)
PKG QTY. 1 (ALL TOOLS ON THIS PAGE)

 <p>401-CS STUD Single, two screw base. Nickel on Brass</p>	 <p>402-CS STUD Double, two screw base. Nickel on Brass. 402-CSB Plain Brass.</p>	 <p>404-CS STUD #7 x 5/8" Wood Screw. Nickel on Brass. (Steel Screw.)</p>	 <p>404-B STUD #12 x 5/8" Wood Screw. Nickel on Brass. (Steel Screw.)</p>	
 <p>400 EYELET Regular 1/4" prongs. Nickel on Brass. 400B Plain Brass. 420 Long prong, 5/16". (Not Illustrated) Nickel on Brass. 420-B Plain Brass.</p>	 <p>400A WASHER For attaching No. 400 or No. 420. Nickel on Brass. 400AB Plain Brass.</p>	 <p>410 STUD Single, two prong, clinch type. Nickel on Brass. 410-B Plain Brass.</p>	 <p>412 STUD Double, two prong, clinch type. Nickel on Brass. 412-B Plain Brass.</p>	 <p>410A CLINCH PLATE For attaching stud No. 410 or No. 412. Nickel on Brass. 410-AB Plain Brass.</p>
		<p>450-T</p>  <p>Punch for 400, 400B, 420, 420B Eyelets.</p>	<p>HAND PUNCHES</p>  <p>171-T Punch for 410 and 412, also 895 Studs.</p>	

LIFT-THE-DOT FASTENERS

Supplied in Nickel Finish Only

 <p>608 SOCKET Regular, 7/32" prongs. Brass with bronze spring.</p>	 <p>609 SOCKET Long prong, 9/32". Brass with bronze spring.</p>	 <p>708A CLINCH PLATE For attaching No. 608 or No. 609. Brass.</p>	 <p>895 STUD Single, clinch type. Brass.</p>	 <p>295A CLINCH PLATE Use with stud No. 895. Brass.</p>	 <p>844 STUD Single, eyelet type. Brass. Tubular.</p>	 <p>844A WASHER Use with stud No. 844.</p>	<p>151-T HAND PUNCH</p>  <p>For 608 and 609 Sockets.</p>
 <p>106-W06-1W #8 x 3/8" 952-DL #8 x 5/8" Single, large hexagon base. Self-Tapping Steel Screw.</p>	 <p>852-D STUD #8 x 5/8" Brass Wood Screw. Single, large hexagon base.</p>	<p>HAND SCREW DRIVER 169-E</p>  <p>for Studs 882D, 852D, 952D, and 953D.</p>					

ALL STUDS MADE OF BRASS, NICKEL PLATED.

CATALOG 14 SPAENAUR

M

Snap Fasteners / Grommets / Installation Tools

Inch

Fermeoirs à pression / Passe-fils / Outils d'installation

Pouce

Klikit


SNAP FASTENERS Brass — Nickel Plated

PKG QTY. 100


ATTACHING TOOLS

with 3/8" Arbor
for 876-830 Hand Press


See page M26 for Bench Press




106-100
OPEN FRONT



106-101
SOCKET



106-W04-1T
STUD




106-W05-1K
EYELET

SPAENAUR No.	Fits Fastener	PKG QTY.
876-014	106-100	1
876-015	106-101	1
876-016	106-W04-1T	1
876-017	106-W05-1K	1


CINCH FASTENING TOOL

PKG QTY. 1

3501-T



(64C socket is no longer available.)



VELTrex — Vintage type CARPET FASTENERS

Socket is fastened to carpet by means of a pronged ring. When attached, ring is concealed in nap of carpet. Will not bend or break under pressure of stepping on fastener.

PKG QTY. 100

See M24 for Snap Fasteners




106-W15-1N
Socket




106-195
Pronged Ring

Brass — Black Nickel Finish

BENCH TOOLS



SPAENAUR No. **192-T**
CHUCK DIE HOLDER
For 3/8" Shank Dia. Upper Die.



SPAENAUR No. **9902-T**
LOWER DIE HOLDER
For 3/8" Shank Dia. Dies

PKG QTY. 1 (ALL ITEMS ON THIS PAGE)

For Installation Tool & Dies see Page M26

Snap Fastener Dies



CAP
(Bottom)
SPAENAUR No. **876-831**



SOCKET
(Top)
SPAENAUR No. **876-832**



STUD
(Top)
SPAENAUR No. **876-833**



EYELET
(Bottom)
SPAENAUR No. **876-834**





SPAENAUR No. **876-830**

Brass / Aluminum Grommets & Washers / Tools

Inch

Passe-fils et rondelles de laiton / aluminium / Outils

Pouce



SHEET BRASS GROMMETS WITH WASHERS					S.B. GROMMETS & WASHERS SEPARATE COMPONENTS		
Furnished in "PACKAGES" only					GROMMET ONLY	WASHER ONLY	PKG QTY.
Stamped Brass  Flat Flange Style 							
SPAENAUR No.	Size No.	(Approx.) Hole Dia.	Finish	PKG QTY.	SPAENAUR No.	SPAENAUR No.	PKG QTY.
7344	00	3/16"	Plain Brass	144	116-A03-1A	116-205	100
7344-GB	00	3/16"	Black Oxide	144	116-105GB	116-205GB	100
7344-N	00	3/16"	Nickel Plated	144	116-106	116-206	100
7345	0	1/4"	Plain Brass	144	116-107	116-207	100
116-A10-1T	0	1/4"	Nickel Plated	144	116-A08-1T	116-A09-1K	100
7346	1	5/16"	Plain Brass	144	116-109	116-209	100
7346-N	1	5/16"	Nickel Plated	144	116-110	116-210	100
7347	2	3/8"	Plain Brass	144	116-A04-1P	116-211	100
7347-N	2	3/8"	Nickel Plated	144	116-112	116-212	100
7348	3	13/32"	Plain Brass	144	116-113	116-213	100
7349	4	15/32"	Plain Brass	144	116-117	116-217	100
7350	5	9/16"	Plain Brass	144	116-119	116-219	100
7363	6	13/16"	Plain Brass	144	116-120	116-220	100

INSERTING DIES FOR SHEET BRASS GROMMETS			
SPAENAUR No.	Size No.	(Approx.) Grommet Hole Dia.	
876-1777	00	3/16"	
876-1778	0	1/4"	
1-GT	1	5/16"	
2-GT	2	3/8"	
3-GT	3	13/32"	
4-GT	4	15/32"	
5-GT	5	9/16"	
6-GT	6	13/16"	

PKG QTY. 1 SET



GROMMETING DIES FOR USE IN PRESSES		
Sold in complete sets only (Top and Bottom Dies).		
Dies have 3/8" SHANK DIAMETER to fit any press which accepts 3/8" shank dia. (e.g. 876-830 Hand Press on page M26).		
FOR GROMMET SIZE No.	For SHEET BRASS GROMMETS DIE SET No.	For Spur-type GROMMETS DIE SET No.
00	876-549	-
0	T-218	876-537
1	T-219	876-538
2	T-220	876-539
3	T-221	876-540
4	T-222	876-541
5	T-223	876-542


PKG QTY. 1 SET

ROLLED RIM BRASS GROMMETS WITH SPUR WASHERS				SPUR-TYPE SEPARATE COMPONENTS		
Plain Finish  *Nickel Plated 				GROMMET ONLY	WASHER ONLY	PKG QTY.
SPAENAUR No.	Size No.	(Approx.) Hole Dia. When Set	PKG QTY.	SPAENAUR No.	SPAENAUR No.	PKG QTY.
7370	0	5/16"	144	116-121	116-221	100
7371	1	3/8"	144	116-123	116-223	100
7372	2	7/16"	144	116-125	116-225	100
*7372-N	2	7/16"	144	*116-126	*116-226	100
7373	3	15/32"	144	116-127	116-227	100
7374	4	5/8"	144	116-129	116-229	100
7375	5	11/16"	144	116-130	116-230	100
7376	6	7/8"	144	116-132	116-232	100
7377	7	15/16"	144	116-134	116-234	100
7378	8	1"	144	116-136	116-236	100



INSERTING DIES FOR BRASS SPUR GROMMETS			
SPAENAUR No.	Size No.	(Approx.) Grommet Hole Dia.	
M-40	0	5/16"	
M-41	1	3/8"	
M-42	2	7/16"	
M-43	3	15/32"	
M-44	4	5/8"	
M-45	5	11/16"	
M-46	6	7/8"	
M-47	7	15/16"	
M-48	8	1"	

PKG QTY. 1 SET

BRASS VENTILATOR GROMMETS (WITH STEEL WASHERS)				SETTING TOOLS: T-201 Hand Cutter & Dies For No. 116-A06-1C		
 				SEPARATE COMPONENTS		
SPAENAUR No.	Hole Diameter	Top O.D.	PKG QTY.	GROMMET ONLY SPAENAUR No.	WASHER ONLY SPAENAUR No.	PKG QTY.
116-A06-1C	9/16"	3/4"	144	116-A02-1X	116-A07-1N	100
B-1299A	3/4"	1"	100	116-A01-1M	116-203	100

HOLE CUTTERS Drop Forged Steel - Side-type		
		
Use a wood mallet with all dies and cutters.		
SPAENAUR No.	Size No.	Hole Dia.
M-29	00	3/16"
M-30	0	1/4"
M-31	1	9/32"
M-32	2	3/8"
M-33	3	7/16"
M-34	4	1/2"
M-35	5	5/8"
M-36	6	3/4"
M-37	7	7/8"
M-38	8	1"
M-93	-	1-1/4"

PKG QTY. 1

ALUMINUM			
	116-A05-1Y Grommet	0	7/32"
	116-302 Washer	0	7/32"

PKG QTY. 100

CATALOG 14

SPAENAUR