

Straight Compression Springs

Inch


Ressorts de compression droits

Pouce

Continued from Previous Page




STEEL INCH SIZES

- ▲ 302 Stainless Steel
- Wire ends may not be galvanized



SPAENAUR No.	SPECIFICATIONS						PKG QTY.
	Outside Dia.	Length Overall	Gauge of Wire	Total Coils	Style of Ends	Finish	
B-648	1/8"	5/16"	.015"	5	S	Br. Zinc	25
610-051	.128/.133"	.360/.340	.014"	12	SG	Plain	25
610-050	.140/.147"	.740/.700	.016"	20	SG	Plain	25
610-053	3/16"	3/8"	.032"	5	S	Black Oxide	25
610-014	3/16"	7/16"	.032"	6	S	Plain	50
610-003	3/16"	33/64"	.029"	9	P	Plain	25
B-643	7/32"	11/16"	.032"	7	S	Br. Zinc	25
B-681	7/32"	1-3/32"	.013"	25	S	Br. Zinc	25
B-647	7/32"	2-3/8"	.016"	22	S	Br. Zinc	25
B-677	.220"	13/16"	.025"	10-1/4	S	Br. Zinc	25
▲ SP-2000	1/4"	3/8"	.025"	5	SG	302 S. Stl.	25
B-682	1/4"	3/8"	.032"	5	S	Br. Zinc	50
■ B-646	1/4"	3/4"	.018"	8	S	Galvanized	25
B-679	1/4"	15/16"	.015"	13	S	Br. Zinc	25
B-678	1/4"	1"	.013"	11	S	Br. Zinc	25
B-645	1/4"	1-1/2"	.032"	18	S	Br. Zinc	25
B-687	9/32"	1-1/16"	.032"	10	SG	Br. Zinc	50
B-642	9/32"	1-5/8"	.034"	16	S	Br. Zinc	25
B-644	9/32"	1-7/8"	.028"	14	S	Br. Zinc	25
B-640	11/32"	5/8"	.028"	4-1/2	S	Br. Zinc	25
■ 610-054	11/32"	11/16"	.016"	5	S	Galvanized	25
SP-7	11/32"	1-7/32"	.047"	10	SG	Br. Zinc	25
B-685	3/8"	7/8"	.062"	6	SG	Br. Zinc	50
B-639	3/8"	1-7/8"	.034"	16	S	Br. Zinc	25
B-686	25/64"	1-7/32"	.035"	9	SG	Br. Zinc	25
110-027	.400"	.700"	.040"	7	S	Br. Zinc	100
B-638	13/32"	1-1/2"	.047"	10-1/2	S	Br. Zinc	25
B-692	13/32"	1-17/32"	.035"	9	SG	Br. Zinc	25
▲ 610-A05-1K	27/64"	1"	.039"	7	SG	302 S. Stl.	25
B-637	7/16"	3/4"	.047"	5-1/2	S	Br. Zinc	25
B-696	7/16"	15/16"	.054"	7-3/4	S	Br. Zinc	25
B-636	7/16"	2-1/4"	.062"	14	SG	Br. Zinc	10
610-A03-1P	7/16"	2-1/2"	.035"	18	S	Plain	25
610-018	7/16"	7-3/4"	.054"	48-1/4	S	Br. Zinc	10
B-674	15/32"	1"	.047"	8	S	Br. Zinc	10
B-697	15/32"	1-1/2"	.062"	8	SG	Br. Zinc	25
▲ SP-2001	.480"	1"	.055"	5	S	302 S. Stl.	25
110-031	.490"	.720"	.062"	6-3/4	S	Br. Zinc	100
B-634	1/2"	7/8"	.047"	5	S	Br. Zinc	25
B-635	1/2"	3-1/8"	.041"	22	S	Br. Zinc	10
B-691	17/32"	4"	.072"	28	SG	Plain	25
SP-6	35/64"	7/8"	.105"	6	SG	Plain	10
610-A10-1K	19/32"	9/16"	.054"	3-1/2	S	Br. Zinc	25
B-680	5/8"	1-3/8"	.062"	7-1/2	S	Br. Zinc	25
B-663	5/8"	1-3/8"	.100"	7	S	Br. Zinc	10
B-632	5/8"	2"	.105"	10	SG	Br. Zinc	25
B-622	5/8"	3"	.080"	15	SG	Br. Zinc	10
B-631	11/16"	27/32"	.054"	5	S	Br. Zinc	25
610-048	11/16"	2"	.092"	10	SG	Br. Zinc	25
610-016	.707"	1"	.041"	5	SNG	Plain	25
▲ B-688	.720"	2"	.067"	8	SG	302 S. Stl.	10
610-015	.733"	1"	.054"	5	SNG	Plain	25
610-A11-1W	3/4"	13/16"	.1875"	3	SG	Plain	10
B-630	7/8"	2"	.054"	7	SG	Br. Zinc	10
B-629	1"	1-15/16"	.062"	6-1/4	S	Br. Zinc	10
B-628	1-3/32"	1-1/2"	.054"	7	SG	Br. Zinc	10

CODE EXPLAINING STYLE OF ENDS



ASSORTMENT **B-550-M-A**
ASSORTIMENT

EXTENSION & COMPRESSION SPRINGS

STEEL - Black & Zinc Finish

57 SIZES - 264 PIECES

LARGE SIZE Welded STEEL Drawer
Furnished in strong metal case, with hinged lid,
and finished in green enamel.

Shipping Weight **5.10 kg** (11-1/4 lbs.)



For the complete assortment contents turn to A109

ASSORTMENT **805-632A**
ASSORTIMENT

COMPRESSION SPRINGS

Steel - Zinc Plated

30 SIZES - 435 PIECES

Put up in a LARGE SIZE grey enamelled Steel
Drawer, with hinged lid and "Adjusta-bins." Drawer
will fit into our Slide Racks, as shown on page A3

Shipping Weight **6.24 kg** (13.75 lbs.)



ASSORTMENT **805-633**
ASSORTIMENT

EXTENSION SPRINGS


Steel - Black & Zinc Finish

29 Sizes - 268 Pieces

Put up in a LARGE SIZE grey enamelled Steel
Drawer, with hinged lid and "Adjusta-bins."

Drawer will fit into our Slide Racks,
as shown on page A3

Shipping Weight **8.39 kg** (18-1/2 lbs.)



For the complete assortment contents turn to A110

Extension & Compression Spring Assortments

Inch

Assortiments de ressorts de traction et de compression

Pouce

Miscellaneous Springs




Spaenaur No. B-1278

Black Finish

Headlamp Reflector Retaining Spring

Coil O.D.: 19/64" Wire Gauge: .049"
Tip to Tip: 2-3/8" PKG QTY. 25



Spaenaur No. B-613

Zinc Plated

Carburetor Spring

Coil O.D.: 3/8" Wire Gauge: .037"
Coil Lgth.: 1-5/8" PKG QTY. 10

**Steel - Zinc Plated
EXTENSION
SPRINGS**

PLASTIKIT
«PLASTIKIT» **A-26**

10 SIZES - 45 PIECES

Spaenaur No.	Spring Outside Diameter	Wire Gauge	Overall Length	Qty.	Page	
B-659	3/32"	0.014"	1/2"	4	H17	
B-660	1/8"	0.018"	5/8"	6		
B-665	5/32"		1-5/16"	5		
B-656	3/16"	0.022"	1"			
B-667	7/32"	0.025"	2"	4		
B-664		0.028"	1-1/4"	5		
610-A09-1W	1/4"	0.022"	1"			
B-666	5/16"	0.023"	1-9/32"			3
B-613	3/8"	0.037"	1-5/8"	H20		
B-611		0.054"		H17		

**EXTENSION AND
COMPRESSION SPRINGS**

Clear PLASTIC CONTAINERS - durable and practical. Hinged lids - all plastic - no metal pins to rust or break. Positive gripping clasp - no spilling of contents. **Size: 1" x 2-3/4" x 4-1/2"**



A-26

PLASTIKIT
«PLASTIKIT» **A-28**

25 SIZES - 54 PIECES

**Steel - Zinc Plated
EXTENSION &
COMPRESSION
SPRINGS**

Name	Spaenaur No.	Spring Outside Diameter	Overall Length	Wire Gauge	Qty.	Page		
Compression Springs	B-648	1/8"	5/16"	0.015"	2	H18		
	B-647	7/32"	11/16"	0.032"				
	B-643		2-3/8"	0.016"	3			
	B-646	1/4"	3/4"	0.018"				
	B-645		1-1/2"	0.032"	2			
	B-644	1-1/16"	3					
	B-687	9/32"	1-5/8"	0.034"	2			
	B-642		1-7/8"	0.028"				
	B-640	11/32"	5/8"		3			
	B-638	13/32"	1-1/2"	0.047"	2			
	B-637	7/16"	3/4"					
	B-635	1/2"	7/8"	0.041"	1			
	B-634		3-1/8"					
	B-633	19/32"	9/16"	0.054"	1			
	B-631	11/16"	27/32"	0.054"			H18	
	Extension Springs	B-659	3/32"	1/2"	0.014"		2	H17
		B-660	1/8"	5/8"	0.018"		3	
		B-665	5/32"	1-5/16"				
B-656		3/16"	1"	0.022"	2			
B-664		7/32"	1-1/4"	0.028"				
B-667			2"	0.025"				
610-A09-1W		1/4"	1"	0.022"	3			
B-666		5/16"	1-9/32"	0.023"	2			
B-613		3/8"	1-5/8"	0.037"	1			
B-611				0.054"		H20		

SPAENAUR CATALOG 14

H

PLASTIKIT
«PLASTIKIT» **A-27**

**Steel - Zinc Plated
COMPRESSION
SPRINGS**

17 SIZES - 44 PIECES

Name	Spaenaur No.	Spring Outside Diameter	Overall Length	Wire Gauge	Qty.	Page
Compression Springs - Closed, Squared, or Squared & Ground Ends	B-648	1/8"	5/16"	0.015"	4	H18
	B-643	7/32"	11/16"	0.032"		
	B-647		2-3/8"	0.016"	2	
	B-646	1/4"	3/4"	0.018"	5	
	B-645		1-1/2"	0.032"	2	
	B-687	9/32"	1-1/16"		0.034"	
	B-642		1-5/8"			
	B-644	1-7/8"	0.028"	5		
	B-640	11/32"			5/8"	
	B-639	3/8"	1-7/8"	0.034"	1	
	B-638	13/32"	1-1/2"	0.047"	2	
	B-637	7/16"	3/4"			
	B-636		2-1/4"	0.062"	1	
	B-634	1/2"	7/8"	0.047"	2	
	B-635		3-1/8"	0.041"	1	
	B-631	11/16"	27/32"	0.054"	2	
610-A10-1K	19/32"	9/16"				

H20