

Inch and Metric


Bungee Cords

Pouce et Métrique

Tendeurs élastiques



- SPORTING GOODS
- AUTOMOTIVE
- MARINE
- HARDWARE




Fibertex All Utility Cord

◆ With Steel Yellow Zinc Plated Hooks.

FIBERTEX ALL UTILITY CORDS
Assembled with Plastic Covered Steel Hooks

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
◆ 810-059	5/32	4	10 in.	25
810-061	5/16	8	16 in.	25
810-062	5/16	8	18 in.	25
810-064	5/16	8	65 in.	25
810-065	3/8	9	18 in.	25
810-066	3/8	9	20 in.	25
810-068	3/8	9	24 in.	25
810-069	3/8	9	26 in.	25
810-071	3/8	9	30 in.	25
810-072	3/8	9	32 in.	25
810-073	13/32	10	12 in.	25

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-074	13/32	10	18 in.	25
810-075	13/32	10	24 in.	25
810-076	13/32	10	28 in.	25
810-077	13/32	10	32 in.	25
810-078	13/32	10	36 in.	25
810-079	13/32	10	40 in.	25
810-080	1/2	12	18 in.	25
810-081	1/2	12	24 in.	25
810-082	1/2	12	32 in.	25
810-083	1/2	12	40 in.	25




Ocefiber

OCEFIBER COVER ASSEMBLED WITH DICHROMATED HOOKS

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-085	13/32	10	16 in.	25
810-086	13/32	10	24 in.	25
810-087	13/32	10	32 in.	25
810-088	13/32	10	40 in.	25

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-089	13/32	10	48 in.	25
810-091	13/32	10	64 in.	25
810-092	13/32	10	72 in.	25




Nylon

NYLON COVER WITH STAINLESS STEEL HOOKS #316 RUST PROOF

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-093	13/32	10	16 in.	25
810-094	13/32	10	24 in.	25
810-095	13/32	10	32 in.	25
810-096	13/32	10	40 in.	25

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-097	13/32	10	48 in.	25
810-098	13/32	10	56 in.	25
810-099	13/32	10	64 in.	25
810-175	13/32	10	72 in.	25



Nylon Heavy Duty

INDUSTRIAL-TRUCKING-HEAVY DUTY ASSEMBLED WITH DICHROMATED HOOKS

BLACK COLOUR

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-176	13/32	10	16 in.	25
810-177	13/32	10	18 in.	25
810-178	13/32	10	24 in.	25
810-179	13/32	10	32 in.	25
810-180	13/32	10	40 in.	25

SPAENAUR No.	DIAMETER Inch	DIAMETER mm	Approx. Lgth.	PKG QTY.
810-181	13/32	10	48 in.	25
810-182	13/32	10	56 in.	25
810-183	13/32	10	64 in.	25

Bungee Cord / Toggle Strap / Luggage Rack Fastener

Inch

Tendeurs élastiques / Sangles de bascule / Fixation de porte-bagages

Pouce

**TOGGLE STRAPS
DOUBLE STRAND NYLON
WITH 25 mm BALL**


SPAENAUR No.	DIAMETER		Approx. Lgth.	PKG QTY.
	Inch	mm		
810-185	5/32	4	12 in.	25
810-186	5/32	4	16 in.	25
810-187	5/32	4	20 in.	25
810-188	5/32	4	24 in.	25



SPORTING GOODS / GENERAL USE

**TOGGLE STRAPS
DOUBLE STRAND NYLON
WITH 30 mm BALL**


SPAENAUR No.	DIAMETER		Approx. Lgth.	PKG QTY.
	Inch	mm		
810-189	3/16	5	24 in.	25
810-190	3/16	5	28 in.	25
810-191	3/16	5	32 in.	25



MARINE USE/BOATING INDUSTRY

BICYCLE-MOPEDS AND MOTORCYCLES


LUGGAGE RACK FASTENERS



SPAENAUR No.	DIAMETER		Approx. LENGTH	NUMBER OF BRANCHES	PKG QTY.
	Inches	mm			
810-193	13/32	10	32 in.	3 Hooks	25
810-194	5/16	8	20 in.	4 Arms	10
810-195	3/8	9	24 in.	4 Arms	10
810-196	13/32	10	24 in.	4 Arms	10

CANOPY BALL CORDS

LOOP STYLE



SPAENAUR No.	DIAMETER		Approx. Length	PKG QTY.
	Inch	mm		
810-197	5/32	4	4-3/4 in.	50
810-198	5/32	4	6 in.	50
810-200	5/32	4	10 in.	50
810-201	5/32	4	12 in.	50
810-202	3/16	4	4-3/4 in.	50
810-203	3/16	5	6 in.	50
810-204	3/16	5	8 in.	50
810-205	3/16	5	10 in.	50

CAR & TRAILER TOP LUGGAGE RACK FASTENERS



PKG QTY. 1

SPAENAUR No.	DESCRIPTION	DIAMETER		DORMANT LENGTH	UNIT BRANCHES
		Inches	mm		
810-207	Spider	13/32	10	36 in.	6 Arms
810-208	Octopus	3/8	9	32 in.	8 Arms
810-209	Star	13/32	10	38 in.	8 Arms
810-210	Centipede	1/2	12	40 in.	8 Arms
810-211	Stretch Net Small Compact Car	3/16	5	28" x 36"	12 Hooks
810-212	Stretch Net Large Full Size Car	1/4	6	40" x 50"	16 Hooks
810-213	Stretch Net Compact Truck	1/4	6	60" x 78"	24 Hooks
810-214	Stretch Net Truck & Trailer	1/4	6	72" x 96"	32 Hooks

M

M8

Inch

Elastic Shockcord & Attachment / Mounts / Hooks

Pouce

Cordon élastique et attaches / supports / crochets

SHOCKCORD MOUNTS
Tough Delrin 500 (Black)
For use with 1/4" dia. Shockcord

SPAENAUR No.	Style	Type of End	PKG QTY.
122-410	A	For 1" Webbing	10
122-413	B	Has 3/16" hole	10
122-416	C	Hook, with tongue	10

Note: Elastic Cord should be tight-wrapped with 1" wide masking tape, 1-1/4 turns. Then cut through the wrapped part with a sharp knife or shears. This yields non-fraying ends, for secure anchoring in the mount.

EASY HOOK
(Natural Nylon)

SPAENAUR No. 122-420

Hook Opening .153"

Non-conductive, rust resistant, and can be used with "D" and "O" rings.
For use with 1/8" dia. Shockcord.

PKG QTY. 50

All mounts come in two separate parts which are snapped together after insertion of the cord.

Adjustable SHOCKCORD HOOK
For use with 1/4" dia. Shockcord
Material: Acetal Colour: Black
PKG QTY. 10

Adjustable CORD HOOK
SPAENAUR No. 122-445
For use with 1/8" to 1/4" dia. Shockcord.
Snaphook opening to 1/4" dia. max.
Material: Nylon Colour: Black
PKG QTY. 10

Snaphook opening to 5/8" dia. max.

ELASTIC SHOCKCORD
Strong and durable.

CHOOSE FROM COTTON OR NYLON COVERING.

SPAENAUR No.	COTTON COVERING		NYLON COVERING		
	Cord Dia.	Spool Size	Cord Dia.	Spool Size	
810-009	1/8"	1,000 ft.	810-051	1/8"	1,000 ft.
MP-82	3/16"	1,000 ft.	810-052	5/32"	1,000 ft.
MP-44	1/4"	500 ft.	810-053	3/16"	1,000 ft.
MP-45	5/16"	500 ft.	810-054	1/4"	500 ft.
MP-46	3/8"	300 ft.	810-055	5/16"	500 ft.
MP-47	7/16"	250 ft.	*810-010	5/16"	500 ft.
MP-48	1/2"	150 ft.	810-056	3/8"	300 ft.
			810-057	7/16"	150 ft.
			810-058	1/2"	150 ft.

*All Black Cover
- Covering Colour -
White with Coloured Fleck.

ELASTIC CORD LOAD AND STRETCH DATA

Dia.	Stretch	Load 100%	Approx. Breaking Strength
3/16"		12 lbs.	75 lbs.
1/4"	6" to 12"	20 lbs.	127 lbs.
5/16"	6" to 12"	55 lbs.	175 lbs.
3/8"	6" to 12"	60 lbs.	520 lbs.
7/16"	6" to 12"	65 lbs.	575 lbs.
1/2"	6" to 12"	70 lbs.	610 lbs.

SHOCKCORD ATTACHMENTS
Available in Plated Steel and 302 Stainless Steel

Hook is first slid over end of cord. Ring is then clamped to end of cord with pliers. Hook then engages ring, and will not come off. Hook completely covers retaining ring.

Two parts-hook and ring.

PKG QTY. 25

High Tensile STEEL - Zinc Plated

Complete Attachment	Spring Hook Only	Retainer Ring Only
MH-90 (for 3/16" shockcord)	121-213	121-218
MH-1 (for 1/4" shockcord)	121-214	121-219
MH-2 (for 5/16" shockcord)	121-215	121-220
MH-91 (for 3/8" shockcord)	121-216	121-221
MH-3 (for 7/16" and 1/2" cord)	121-217	121-222

302 STAINLESS STEEL

Complete Attachment	Spring Hook Only	Retainer Ring Only
MH-90SS (for 3/16" shockcord)	121-823	121-828
MH-1SS (for 1/4" shockcord)	121-824	121-829
MH-2SS (for 5/16" shockcord)	121-825	121-830
MH-91SS (for 3/8" shockcord)	121-826	121-831
MH-3SS (for 7/16" and 1/2" cord)	121-827	121-832

CATALOG 14 SPAENAUR

Elastic Stretch Cords / Mooring Snubber

Inch

Cordes élastiques / Amortisseur de tannage

Pouce



ELASTIC STRETCH CORDS

Rubber fasteners with fully plasticized hooks and multi-coloured polyethylene cover. Impervious to salt water, sun, gas, oil, chlorine, and certain acids. Smart in colour, secure and durable.

SPAENAUR No.	Diameter		Length	Stretchable From	PKG QTY.
	Inches	mm			
825-163	3/8	9	12 in.	12 to 20 in.	25
825-167	3/8	9	36 in.	36 to 72 in.	10
825-168	3/8	9	42 in.	42 to 96 in.	10



825-192
(Without rope)



SPAENAUR No.

825-192

Neoprene Mooring Snubber

22" Long


SPAENAUR Mooring Snubber gives safety stretch to mooring lines, absorbs shock of wind and waves. Tough 3-rib neoprene withstands sun, salt, water. Use two for large boats.

PKG QTY. 1

For other Marine Products see Page K6


WHITE RUB RAIL
825-309

For Boat Docks, Hospital Corridors, etc.



PVC BOAT GUNWALE STRIP
825-346 825-B09-1X

Flexible, Inert. Resistant to Chemicals, Salt Water, etc.



M