


Inch

Screwdrivers / Drive Bits

Pouce

Tournevis / Embouts de tournevis

Magnetic Screwdrivers - Hollow Handle (with Insert Bits)



Bits are stored in hollow handle




Each driver has size 1 & 2 Phillips, 4-6 & 6-8 Slot, (1"-long bits with 1/4" Hex) in storage handle.

Magnet in driver-shank holds choice of 4 interchangeable bits, and passes magnetism through bit to securely hold screw.

SPAENAUR No.	Overall Length	Description
876-121	8"	Magna Driver
876-122	11"	Magna Driver


Magnetic Screwdrivers - Hollow Handle (without Bits)



Bits can be stored in hollow handle

SPAENAUR No.	Overall Length	For all Hex Bits
876-129	8"	1/4"
876-131	11"	1/4"
876-130	8-3/4"	5/16"

Magnetic Screwdrivers - Solid Handle (without Bits)



SPAENAUR No.	Overall Length	For all Hex Bits
876-124	8"	1/4"
876-126	11"	1/4"
876-125	8-3/4"	5/16"

Magnetic Bit Holder Extender



SPAENAUR No.	Overall Length	For all Hex Bits
876-887	3"	1/4"
876-127	4"	1/4"

DRIVER HANDLE (Spinner)

1/4" Square Drive



Overall length 7"

SPAENAUR No. 876-536

CATALOG 14

SPAENAUR

All items this page
PKG QTY. 1

Drive Tool / Slot / Square / Phillips Bits / WIHA Screwdriver

Inch and Metric

Manche / Embouts plats/carrés/Philips / Tournevis WIHA

Pouce et Métrique

Non-Magnetic Hand Drivers

4 in 1 Quick Change Screwdriver

Hand driver will hold 1 double-ended bit in each end of reversible shaft. By flipping shaft or double-ended bits, 4 driver choices are instantly available in a sturdy driver handle.

Handle and bits must be ordered separately.



Overall assembled length approximately 7-1/4" including selected bits.



SPAENAUR No. **876-1595**
Plastic handle with steel shaft, non-magnetic. (Two Parts)



SPAENAUR No. **876-1597**
3/16" & 5/16" Slotted Drive



SPAENAUR No. **876-1596**
#1 & #2 Phillips Drive

Plain Steel Double End Bits, 5/16" Hex Shank; Overall Length 3".



SPAENAUR No. **876-1599**
#1 & #2 Square Drive

All SPAENAUR No's. PKG QTY. 1

Wiha Precision Series Screwdrivers

Blade of high alloy chrome-vanadium-molybdenum steel.



Slotted Screwdriver with Slender Handle meets the rigorous demands of today's technology for control, accuracy and durability.

Applications:

- Electronics Service and Assembly
- Medical, Optical
- Hobby, Model Making
- All Detail Precision Work

PKG QTY. 1

SPAENAUR No.	Ø		↔		⊥		↔	
	Inch	mm	Inch	mm	Inch	mm	Inch	mm
877-1405	1/32"	0.8	1.6"	40	—	—	—	—
877-1406	0.39"	1.0	1.6"	40	—	—	—	—
877-1407	3/64"	1.2	1.6"	40	—	—	—	—
877-109	1/16"	1.5	1.6"	40	.010"	0.25	4.72"	120
877-110	.070"	1.8	1.6"	40	.012"	0.30	4.72"	120
877-102	5/64"	2.0	1.6"	40	.016"	0.40	4.72"	120
877-103	5/64"	2.0	2.0"	50	.016"	0.40	5.71"	145
877-104	3/32"	2.5	2.0"	50	.016"	0.40	5.71"	145
877-105	1/8"	3.0	2.0"	50	.020"	0.50	5.71"	145
877-106	1/8"	3.0	2.4"	60	.020"	0.50	6.69"	170
877-1411	1/8"	3.0	6.0"	150	.020"	0.50	10.24"	260
877-107	9/64"	3.5	2.4"	60	.024"	0.60	6.69"	170
877-108	5/32"	4.0	2.4"	60	.031"	0.80	6.69"	170
877-1413	5/32"	4.0	3.9"	100	.031"	0.80	8.27"	210
877-1414	5/32"	4.0	6.0"	150	.031"	0.80	10.24"	260

P

CATALOG 14

SPAENAUR

Metric
Métrique



Screwdrivers / Bit Sets / Magnetizing Stars
Tournevis / Ensembles d'embouts / Magnétiseurs



300 Series with Wera slipSTOP® Blade Screwdriver Set

Screwdriver Sets with **SlipSTOP®** blades and Kraftform® handle with ergonomic design for anti-roll protection. **SlipSTOP®** blades are laser treated giving them an extremely rough drive end which literally "bites" into the screw head.

876-1843

Contents:

- ⊖ 6.5 x 150 mm, 4.0 x 100 mm
- ⊕ PH1/80, PH2/100
- ⊙ #1/80, #2/100

Series 100 VDE Safety Screwdriver Set with Wera slipSTOP® Blade



876-1841

Contents:

- ⊖ 3.5 x 100 mm, 5.5 x 125 mm
- ⊕ PH1/80, PH2/100
- ⊙ #1/80, #2/100

Mini-Check CDN Version

A compact bit set that includes Square, Slotted and Phillips bits, for light hand use around the house, or with the included adaptor in your drill for faster work.



876-1847

Contents:

- ⊖ 1.0 x 5.5 mm, 1.2 x 6.5 mm
- ⊕ PH 1/25, PH 2/25
- ⊙ #1/25, #2/25



876-1855

The **Wera Star** is a practical and space-saving magnetizing and demagnetizing device for various screwdriver profiles.

To magnetize, the tool is pulled along the positive surface side of the **Wera Star** and to demagnetize the tool it is passed along one of the four negative sides.

Bit-Safe® Allround

This 32 piece set has a range of tools for all common applications in trade and industry. The set contains a Kraftform® handle, magnetic quick-release chuck and a power tool adaptor.



876-1868

Contents:

- 3 bits each of: ⊕ PH 1/25, PH 2/25, PH3/25
- ⊕ PZ 1/25, PZ 2/25, PZ3/25
- 1 bit each of: ⊕ TX10, TX15, TX20, TX25, TX30, TX40
- ⊙ SW4, SW5, SW6 ⊖ 0.6 x 4.5, 1.0 x 5.5, 1.2 x 6.5



Bit-Safe® BiTorsion®

This 31 piece set has a range of tools for users who place the greatest emphasis on long life-span, high load capacity and versatility, with many different drive profiles. The set contains a BiTorsion® bit holder with quick-release chuck to suit most popular power tools or for use in electronic drills.

876-1869

Contents:

- ⊕ 2 bits: PH 1/25, 6 bits: PH 2/25, 2 bits: PH3/25
- ⊕ 2 bits: PZ 1/25, PZ3/25, 6 bits: PZ 2/25
- ⊕ 1 bit: TX10, 2 bits: TX15, TX20, TX25, TX30, 1 bit: TX40

876-1860

Kraftform Kompakt 11- This is a unique, compact 10 piece bit set that contains a range of Torx, Pozidriv, Phillips and Slot bits ideal for either household or electronics applications.



876-1862

Kraftform Kompakt 30 - This 11 piece bit set contains an ergonomic bit-holding screwdriver, as well as an adaptor that allows the included Slotted, Phillips and Pozidriv bits to be used in power tools as well.



876-1863

Kraftform Kompakt 50 - This 14 piece bit set features the exciting new Wera "**Bayonet**" handle, which extends to convert from a short to a longer screwdriver and the bit holder can also be removed to convert to a power tool adaptor. Set includes Torx Security, Pozidriv, Phillips and Slotted bits.

Bayonet blade



By pushing the clamping sleeve, the bayonet blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.

Bits / Screwdrivers / Nut Drivers

Embouts / Tournevis / Tourne-écrous




Inch and Metric
Pouce et Métrique

A wide range of accessories are available in the Vario® program.

PKG QTY. 1

Wera screwdriver handles are manufactured almost exclusively from a sensational new material, "Weralit® II". A modern multi-component material with outstanding qualities: Stronger, more comfortable grip; Higher impact resistance; Excellent hot or cold temperature resistance; High oil, gas and acid resistance; Weight savings up to 25% over other materials add to the work comfort in tool handling; All cadmium-free colors.




Vario® T-Handle
SPAENAUR No. 876-920
for **6 mm**
Vario
Accessories

Vario® with Kraftform-plus®
"soft cushions" Handle
SPAENAUR No. 876-919
with **10 mm** hex.
and **6 mm** opening
to fit all Vario
Accessories.



Size **95 mm x 35 mm**
(3-3/4" x 1-3/8")



The Vario Blade Selection

(All blades listed below are usable either end and will fit both handles shown above. **6 mm Hex Driver is essential**)



Slotted

SPAENAUR No.		Hex drive mm	O/L
876-921	5/32" and 1/4"	6	7"
876-922	3/16" and 9/32"	6	7"



Phillips/Pozidrive®

SPAENAUR No.	Point size	Hex. drive mm	O/L
876-926	#1	6	7"
876-927	#2	6	7"



Slotted/Phillips

SPAENAUR No.	Point size		Hex drive mm	O/L
876-923	#1	5/32"	6	7"
876-924	#2	1/4"	6	7"
876-925	#3	9/32"	6	7"



Phillips

876-941	#1	#2	6	7"
---------	----	----	---	----



Hex Head/Ball-Head

SPAENAUR No.	Hex Size	Hex drive mm	O/L
876-930	2.5 mm	6	7"
876-931	3 mm	6	7"
876-932	4 mm	6	7"
876-933	5 mm	6	7"
876-934	6 mm	6	7"



Pozidrive®

876-942	#1	#2	6	7"
---------	----	----	---	----



Square Socket Head

876-943	#1	#2	6	7"
---------	----	----	---	----



Torx® Size

876-945	T6	T8	6	7"
876-946	T7	T9	6	7"
876-947	T10	T15	6	7"
876-948	T20	T25	6	7"
876-949	T30	T40	6	7"

P

CATALOG 14

SPAENAUR

Inch and Metric
Pouce et Métrique



Screwdrivers / Nut Drivers

Tournevis / Tourne-écrous

Wera-VDE 1000 Volt Professional



**Insulated Screwdrivers
for work on live circuits.**



Tough ergonomically designed handle for ultimate torque transfer and operator comfort.

A 10,000 volt water immersion test guarantees the safe performance of every single insulated tool manufactured by Wera.

+ VDE - screwdriver for Phillips - recess screws,
Red Insulation

SPAENAUR No.	Point Size		mm	mm		
876-950	0		80	75/22	135	2-3/8"
876-951	1		80	90/30	170	3-1/8"
876-952	2		100	100/38	200	4"
876-953	3		150	110/42	260	6"
876-954	4		200	110/42	310	8"

● VDE - screwdriver for slotted screws.
Conical tips DIN 7437. Red Insulation.

SPAENAUR No.	mm	mm	mm	mm	mm	
876-956	0.4	2.5	75	75/22	150	3/32" x 3"
876-957	0.5	3	100	75/22	175	1/8" x 4"
876-958	0.6	3.5	100	80/27	180	1/8" x 4"
876-959	0.8	4	100	90/30	190	5/32" x 4"
876-960	1.0	5.5	125	100/38	225	7/32" x 5"
876-961	1.2	6.5	150	100/38	250	1/4" x 6"
876-962	1.2	8	175	110/42	285	5/16" x 7"
876-963	1.6	8	200	110/42	310	5/16" x 8"
876-964	1.6	10	200	110/42	310	3/8" x 8"



VDE nut driver for hex head bolts, red insulation

SPAENAUR No.	Hex. Size		mm	mm	mm	
876-973	3/16"		125	90/30	215	5"
876-504	1/4"		125	90/30	215	5"
876-974	5/16"		125	100/38	225	5"
876-505	3/8"		125	110/42	236	5"
876-501	7/16"		125	110/42	236	5"
876-503	1/2"		125	110/42	236	5"
876-502	9/16"		125	110/42	235	5"
876-506	5/8"		125	110/42	235	5"

□ VDE - Screwdriver for Square Socket Screws.

SPAENAUR No.	Point Size	Colour		mm	mm	mm	Inch
876-1771	1	Green/Yellow		80	98/26	178	3-1/8"
876-262	2	Red/Yellow		100	105/22	205	4"


PKG QTY. 1

Screw-holding Drivers - Ideal for tight spots

(Not for use on live circuits)



PKG QTY. 1



Screwdriver for Slot-Head Screws

SPAENAUR No.	mm	mm	mm	mm	mm	
876-965	0.4	2.5	75	75/22	150	3/32" x 3"
876-966	0.5	3	100	80/27	180	1/8" x 4"
876-967	0.6	4	125	90/30	215	5/32" x 5"
876-968	0.8	5	150	105/40	255	3/16" x 6"
876-969	1.2	6	175	105/40	280	1/4" x 7"



Screwdriver for Phillips - Recess Screws

SPAENAUR No.	Point Size		mm	mm	mm	
876-971	1		150	105/40	255	6"
876-972	2		175	105/40	280	7"

CATALOG 14 SPAENAUR

Square Head Screwdriver / Square Socket Drive Adapter

Tournevis à prise carrée / Adaptateur de tournevis à prise carrée



Inch and Metric
Pouce et Métrique

Screwdriver for Square Socket Head Screws



Blade: Round, mat nickel.

Tip: Square-Plus, Black Point except for 876-1760 & 1761.

Handle: Kraftform®, with anti-roll protection, three components. 876-1760 & 876-1761 handles are Weralit® II one component.

SPAENAUR No.	Colour	Point	A		B	Use with Screw Dia.	
			mm	inch	mm	Mach. & Tap	Wood
876-1752	orange/grey	#00	60	2-3/8"	81	2	2
876-1753	yellow/grey	# 0	60	2-3/8"	81	3, 4	3, 4
876-1760 (Stubby)	green	#01	25	31/32"	54	5, 6, 7	5, 6, 7
876-1754	green/grey	# 1	80	3-1/8"	98	—	—
876-1755	green/grey	# 1	200	8"	98	—	—
876-1761 (Stubby)	red	#02	25	31/32"	54	8, 10	8, 9, 10
876-1756	red/grey	# 2	100	4"	105	—	—
876-1757	red/grey	# 2	200	8"	105	—	—
876-1758	black/grey	# 3	150	6"	112	12, 1/4"	12, 14
876-1759	black/grey	# 4	200	8"	112	5/16", 3/8"	16, 18, 20, 24

PKG QTY. 1

Square Socket Drive Adapters for Hex Bits

Hand or Powertool use.

(Length 30 mm)



SPAENAUR No. **876-895**

Adapter, 1/4" Square Drive with Wera Quickrelease® for 1/4" Hex Bits.

PKG QTY. 1

(Length 43 mm)



SPAENAUR No. **876-896**

Adapter, 3/8" Square Drive with Wera Quickrelease® for 1/4" Hex Bits.

SPAENAUR No. **876-898**

Adapter, 3/8" Square Drive with Wera Quickrelease® for 5/16" Hex Bits.

(Length 50 mm)



SPAENAUR No. **876-897**

Adapter, 1/2" Square Drive with Wera Quickrelease® for 1/4" Hex Bits.

SPAENAUR No. **876-899**

Adapter, 1/2" Square Drive with Wera Quickrelease® for 5/16" Hex Bits.

P

Inch

Screwdrivers

Pouce

Tournevis

FULLER "PRO 300" SCREWDRIVERS

Industrial quality and strength. Preferred by professionals. A perfect combination of rugged durability and comfort-guaranteed. Available in Slotted, Phillips or Robertson Drive.



Chrome vanadium steel blade for strength and durability. Chrome Plated to resist rust.

One piece, shatterproof, extra large fluted handles for maximum comfort and torque.

Spaenaur No.	Tip Width	Blade Length	For Screw Sizes
--------------	-----------	--------------	-----------------

POCKET SCREWDRIVER with clip 876-1870	1/8"	3"	#1, 2, 3
---	------	----	----------

ELECTRICIAN'S SCREWDRIVER 876-1871	3/16"	4"	#4, 5, 6
--	-------	----	----------

MECHANIC'S SCREWDRIVER 876-1872	1/4"	4"	#7, 8, 9
876-1873	5/16"	6"	#10
876-1874	3/8"	8"	#12,14,16

Genuine PHILLIPS TIP SCREWDRIVERS

Spaenaur No.	Tip #	Blade Length	For Screw Sizes
876-1875	0	2-1/2"	#0, 1
876-1876	1	3"	#2, 3, 4
876-1877	2	4"	#5, 6, 7, 8, 9, 10
876-1878	3	6"	#12, 14, 16

Genuine ROBERTSON TIP SCREWDRIVERS

876-1879	0	4"	#3, 4
876-1880	1	4"	#5, 6, 7
876-1881	2	5"	#8, 9, 10
876-1882	3	5"	#12, 14

PHILLIPS SECURITY SCREW DRIVER

Spaenaur No. **876-851**

O/A Length 8" Plastic Handle

Screw Driver fits #6 to #10 Dia. Phillips Drive Security Screws.



UN-DO-IT SCREW TOOL

Needed for removing "ONE-WAY SLOT" Machine Screws, Barrel Nuts and Shoulder Screws.

Extremely hard points.



Un-Do-It Screw Tool also shown on B104 with One-Way Slot Drive Screws. See page C66 for One-Way Slot Drive Barrel Nuts and Shoulder Screws.

SPAENAUR Driver No.	876-804	876-807	876-810
For Screw Sizes	4 to 8 ga.	10-12 ga.	14 ga. (1/4" & 5/16")
Points C. to C.	5/32"	7/32"	15/64"



WARNING: "Spanner" and "Un-Do-It" Screw Drivers are **NOT GUARANTEED** against breakage or wear because of their extremely hard points.

DRIVERS FOR SPANNER (drilled head) SCREWS



O/A Lgth. 10"



SPAENAUR No.	For Screw Sizes	Points C.to C.
876-F46-1W	No. 4	3/32"
876-186	No. 6	1/8"
876-187	No. 8	5/32"
▲ 876-F01-2A	No. 10	3/16"
876-994	No. 12	7/32"
876-189	1/4", 5/16" & 3/8"	1/4"

▲8-1/2" O/A Lgth.

All items this page
PKG QTY. 1

P

Pozidriv® / Torx® Screwdrivers / Screw Extractor Sets

Tournevis Pozidriv^{MD} / Torx^{MD} / Coffrets d'extracteurs de vis




Metric
Métrique

Pozidriv® Screwdrivers with blue ring

Chrome-Vanadium For Pozidriv® screws

Blades **Chrome-Plated**, Tips **Burnished**
From size PZ 3 on, blade with hex bolster



SPAENAUR No.	HAZET No.	←	L ₁ mm	∅ mm
994-035	803-PZ 0	0	53.5	—
994-036	803-PZ 1	1	80	—
994-037	803-PZ 2	2	100	—
994-038	803-PZ 3	3	142	13
994-039	803-PZ 4	4	192	16

TORX® Screwdrivers for inside TORX® screws

with trinamic®-handle (protected by design patent), Black plastic material

Blades **Chrome-Plated**
Tips **Burnished**




SPAENAUR No.	HAZET No.	∅ mm	L ₁ mm
994-025	803-T 6	1.67	48
994-026	803-T 7	1.99	48
994-027	803-T 8	2.31	55
994-028	803-T 9	2.50	55
994-029	803-T 10	2.74	70
994-030	803-T 15	3.27	70
994-031	803-T 20	3.86	84
994-032	803-T 25	4.43	84
994-033	803-T 27	4.99	99
994-034	803-T 30	5.52	99

Screw Extractors

Chrome-Vanadium

For broken screws and bolts with r.h. threads.

Use drill sizes listed in 5th table column for making holes required.



Polished



SPAENAUR No.	HAZET No.	∅ mm	M	∅ mm	L ₁ mm	L ₂ mm
991-120	840-1	1.4-3.6	3-6	1.8	13.2	50
991-121	840-2	2.1-4.9	6-8	2.6	16.8	57
991-122	840-3	3.1-6.5	8-11	3.7	20.4	64
991-123	840-4	4.8-8.8	11-14	5.5	24.0	71
991-124	840-5	6.2-11.0	14-18	7.0	28.8	78
991-125	840-6	9.4-15.0	18-24	10.3	33.6	85
991-126	840-7	12.7-19.0	24-33	13.7	37.8	92
991-127	840-8	17.5-24.0	33-45	18.6	39.0	100

Screw Extractor Sets

In plastic boxes



SPAENAUR No. (HAZET No.)	SPAENAUR No's. in Set		
991-128 (840/5)	991-120	991-121	991-122
	991-123	991-124	

P



For More Screwdrivers see Section N

CATALOG 14

SPAENAUR