

B

**PLASTIKIT**  
«PLASTIKIT» **A-5**

Pan Slot Head  
TYPE AB  
TAPPING SCREWS  
STEEL, Zinc Plated


20 SIZES - 140 PIECES



Shipping weight **0.34 kg** (0.75 lbs.)

**ASSORTMENT**  
**ASSORTIMENT** **B-573**

**SPECIAL ASSORTMENT**  
**Slotted & Phillips Pan Head**  
**TAPPING SCREWS (Type AB)**



**ALL SCREWS**  
**ZINC PLATED**

**36 SIZES - 1000 PIECES**



16-1/16" x 11-1/2" x 1-3/4"

Excellent "General Purpose" kit. Red enameled STEEL box. 12 SCOOPED bins, 24 regular bins.

Shipping weight:  
**5.33 kg** (11-3/4 lbs.)



**For the complete assortment contents turn to A35**

**Slotted Pan, Oval, & Flat Head**  
**TAPPING SCREWS (Type AB)**  
**ALL SCREWS NICKEL OR ZINC PLATED**



**ASSORTMENT**  
**ASSORTIMENT** **1268R**

**SPECIAL ASSORTMENT**  
**36 Sizes**  
**1025 Pieces**



16-1/4" x 11-3/4" x 2"

Red enameled metal box. Hinged lid, 12 SCOOPED bins, 24 regular bins & dividers.

Shipping weight: **5.22 kg** (11-1/2 lbs.)

**ASSORTMENT**  
**ASSORTIMENT** **1268M**

**REGULAR ASSORTMENT**  
**36 Sizes**  
**995 Pieces**



13-3/8" x 9-1/4" x 2"

Grey enameled metal box. Hinged lid, SCOOPED bins & dividers.

Shipping weight: **4.08 kg** (9 lbs.)



**For the complete assortment contents turn to A36**

Inch

Pouce



**Tapping Screws - Slot Drive**

Vis autotaraudeuses – prise fendue

Hardened  
**STEEL**



Inch Sizes

**FINISHES:** ALL OVAL HEADS - NICKEL PLATED  
ALL OTHERS ZINC PLATED

**STYLE:** Type AB ("B" fine thread with "A" sharp point) is now standard.  
We will furnish Type A as shown until all stock of same is exhausted.

**PACKING:** Contact Sales Desk For Package Quantities

**ORDER:** By **SPAENAUR** NUMBERS from the following Master Charts.



Type AB  
thread

Made to  
ASME B18.6.3

**B**



Inch Sizes (Approx. Metric mm equivalent shown in brackets.)				Inch Sizes (Approx. Metric mm equivalent shown in brackets.)								
DIA.	L.	OV	FL	PAN	DIA.	L.	OV	RO	FL	PAN	TR	
<b>2</b> (2.2 mm)	3/16			ST-139	<b>10</b> (4.8 mm)	3/8				43-101		
	1/4			ST-196		1/2		83-102		43-102	ST-106	
<b>4</b> (2.9 mm)	1/4			ST-24		3/4	52-104				43-104	
	3/8			43-41		7/8					43-105	
	1/2		ST-134	43-42		1		83-106	63-106	43-106		
	5/8			ST-140		1-1/4					43-108	
<b>6</b> (3.5 mm)	3/4			ST-141	<b>12</b> (5.5 mm)	1/2					43-122	
	1			520-B02-1M		<b>14</b> (6.3 mm)	1/2					
	1/4			43-60			5/8					43-142
	3/8		63-61	43-61			3/4					43-143
	1/2			43-62			1					43-144
	5/8		63-63	43-63								43-146
3/4	52-64	ST-188	43-64									
<b>8</b> (4.2 mm)	7/8			ST-143								
	1			43-66								
	1-1/4			ST-135								
	3/8			43-81								
	1/2			43-82								
	3/4	52-84		43-84								
1	52-86	B-889	43-86									
1-1/4			43-88									
1-1/2			43-89									
2			ST-144									

Hardened  
**STEEL**  
Inch Sizes



TYPE B SLOT DRIVE

Inch Sizes  
(Approx. Metric mm equivalent shown in brackets.)



**FINISHES:** ALL OVAL HEADS - NICKEL PLATED  
ALL OTHERS ZINC PLATED

**PACKING:** Contact Sales Desk For Package Quantities

**ORDER:** By **SPAENAUR** NUMBERS from the following Master Chart.

Made to  
ASME B18.6.4


DIA.	L.	PAN	TRUSS
<b>2</b> (2.2 mm)	1/4	ST-323B	
	1/2	520-570	
<b>4</b> (2.9 mm)	1/4	ST-466B	
	3/8		520-B01-1W
<b>6</b> (3.5 mm)	1/4	ST-684B	
<b>8</b> (4.2 mm)	3/8	520-B03-1X	
	1	520-572	
<b>10</b> (4.8 mm)	3/8	ST-159B	
	1	520-566	

CATALOG 14  
SPAENAUR

See page R12 for Technical Information relating to Tapping Screws

Tapping Screws - Slot Drive

Vis autotaraudeuses – prise fendue



Inch

Pouce

**18-8** INCH Sizes  
**STAINLESS STEEL**

**TYPE "AB"**

Note: \*Type AB will be supplied when Type A stocks are depleted.

B



Type "A" illustrated

\*STYLE: Type AB ("B" fine thread with "A" sharp point) is now standard. We will furnish Type A as shown until all stock of same is exhausted.

PACKING: PKG QTY.100 (PER SIZE)

Head/Body & Slot Dimensions to ASME B18.6.4

Inch Sizes (Approx. Metric mm equivalent shown in Brackets)						Inch Sizes (Approx. Metric mm equivalent shown in Brackets)						
DIA.	L.	OV	RO	FL	PAN	DIA.	L.	OV	RO	FL	PAN	
4 (2.9 mm)	1/4				ST-2030	10 (4.8 mm)	3/8				ST-2070	
	3/8	ST-2034		ST-2032	ST-2033		1/2		ST-2071	521-058	ST-2072	
	1/2	ST-2036			ST-2035		5/8				ST-2074	
	3/4				ST-2038		3/4		ST-2075	521-A06-1K	ST-2076	
6 (3.5 mm)	1/4				ST-2039		1			ST-2077	ST-2079	
	3/8	ST-2130	ST-2040	ST-2129	ST-2042		521-A05-1T	1-1/4	521-060	ST-2096	ST-2095	521-A01-1P
	1/2	ST-2131		521-A03-1C	ST-2045		1-1/2	521-064		ST-2100	521-057	
	5/8			ST-2132	ST-2046		12 (5.5 mm)	1/2				ST-2081
	3/4	ST-2059	ST-2047	ST-2133	ST-2048			3/4				ST-2082
	1			521-059	ST-2049			1		ST-2094		521-A04-1N
1-1/2				521-062	14 (6.3 mm)	3/4			ST-2092		ST-2084	
7 (3.9 mm)	3/8					ST-2052	1				ST-2099	
	1/2					ST-2054	See page R12 for Technical Information relating to Tapping Screws					
	3/4					ST-2055						
	1				ST-2056							
	8 (4.2 mm)	3/8		ST-2057		ST-2058						ST-2016
1/2		ST-2062			ST-2061	ST-2104						
5/8		ST-2065	ST-2063	521-A02-1Y	ST-2064							
3/4		521-061		ST-2066	ST-2068	ST-2014						
1			ST-2093	ST-2015	ST-2004	521-A07-1W						
1-1/4			521-063	ST-2098								

ASSORTMENT 805-526

TYPE "AB"



18-8 Stainless Steel TAPPING SCREWS  
36 SIZES - 1,000 PIECES

Furnished in a REGULAR SIZE drawer, with lid and scooped bin. Fits the slide racks shown on Page A2

Shipping Weight: 3.40 kg (7-1/2 lbs.)

ASSORTMENT B-570B

TYPE "AB"



PHILLIPS DRIVE (Oval, Pan and Flat Head) Steel, Nickel Plated (Or Zinc) TAPPING SCREWS  
36 SIZES - 1,095 PIECES

16-1/4" x 11-1/4" x 2" Red enamelled, all steel container  
Shipping Weight: 5.90 kg (13 lbs.)



For the complete assortment contents turn to A37

Inch


Pouce



Tapping Screws - Phillips Drive

Vis autotaraudeuses - prise cruciforme

**Hardened STEEL TAPPING SCREWS INCH Sizes**



**TYPE AB PHILLIPS DRIVE**



**Made to ASME B18.6.3 ALL OVAL HEADS - NICKEL PLATED ALL OTHERS - ZINC PLATED**

**NOTE:** Type A, as shown, is being replaced by Type AB ("B" fine thread with "A" sharp point). Type A will be furnished until stock sold.

Inch Sizes (Approx. Metric mm equivalent shown in Brackets.)						Inch Sizes (Approx. Metric mm equivalent shown in Brackets.)							
DIA.	L.	OVAL	FLAT	PAN	TRUSS	DIA.	L.	OVAL	ROUND	FLAT	PAN	TRUSS	
<b>2</b> (2.2 mm)	1/2			530-B18-1M		<b>8</b> (4.2 mm)	2-1/4			530-135			
							2-1/2	*ST-312P			530-B89-1T	530-049	
<b>4</b> (2.9 mm)	1/4		530-B23-1P	530-B51-1C		<b>10</b> (4.8 mm)	3			530-018	530-050		
	3/8	ST-525P	530-001	530-B34-2A									
	1/2	530-B66-1K	530-B24-1Y	530-B08-1A									
	5/8		530-B84-1A	530-B93-1W									
	3/4	B-348	530-003	530-B29-1W									
1		530-004	530-B19-1X										
<b>6</b> (3.5 mm)	1/4		530-B67-1W	1935	ST-702P								
	5/16			530-B25-1C									
	3/8	B-1558	ST-168P	530-B02-1N	530-062								
	1/2	ST-63P	530-B52-1N	530-B80-1K	530-B61-1P								
	5/8	1793	530-005	ST-41P	530-B36-1Y								
	3/4	1794	530-B56-1M	2364	530-B70-1M								
	7/8		530-006										
	1	1796	530-007	ST-89P									
	1-1/4	1797	530-B77-1T	530-044									
	1-1/2		530-008	530-045									
2		530-009	530-046										
<b>7</b> (3.9 mm)	1/2			530-B91-1T									
	1/4			530-B53-1T									
	3/8		530-010	530-B14-2N	ST-176P								
	1/2	2358	530-B92-1K	530-B60-1A	530-065								
	1/2		*1711										
	5/8	ST-13P	530-011	B-1120	530-742								
	5/8	*1421											
	3/4	2359	530-012	B-1121	530-B55-1W								
	3/4	*530-B68-1M	*1712										
	7/8	ST-14P	530-013	530-047									
	7/8	*1800											
	1	2360	530-743	530-B37-1C	530-066								
	1	*1483											
	1-1/8	*530-B65-1T		ST-346P									
	1-1/4	2361	*530-B58-1A	ST-631P	530-067								
1-3/8	ST-32P												
1-3/8	*1803A												
1-1/2	2362	530-014	ST-723P										
1-3/4	ST-25P	530-015	2088										
1-3/4	*1933												
2	ST-26P	530-016	530-048										
2	*ST-2P												
<b>8</b> (4.2 mm)	1/2					<b>12</b> (5.5 mm)	1/2	ST-412P			530-B40-1N	530-069	
	5/8							5/8			ST-343P		
	3/4							3/4	ST-418P		530-028	2367	530-070
	1							1	***ST-422P		ST-172P	530-B57-1X	530-071
	1							1-1/4			530-029	530-055	
	1-1/8							1-1/2	**ST-427P			530-B71-1X	
	1-1/4	2361	*530-B58-1A	ST-631P	530-067			1-3/4	**ST-429P		530-030	530-B75-1C	
	1-3/8	ST-32P						2	**ST-432P		530-031	ST-10P	
	1-3/8	*1803A						2-1/2			530-032	530-057	
	1-1/2	2362	530-014	ST-723P				3			530-033	530-058	
	1-3/4	ST-25P	530-015	2088									
	1-3/4	*1933											
	2	ST-26P	530-016	530-048									
	2	*ST-2P											


\*With No.6 Hd. \*\*With No. 8 Head \*\*\*With No. 10 Hd.

Contact Sales Desk For Package Quantities

**B**

**Tapping Screws - Phillips Drive / Square Socket Drive**

Vis autotaraudeuses – prise cruciforme / carrée



Inch

Pouce

B

**Hardened STEEL TAPPING SCREWS PHILLIPS DRIVE**  
ASME B18.6.4

PLATING: Oval Heads - Nickel Plated  
Other Styles - Zinc Plated

**TYPE AB**  
PKG QTY. 100

**Inch Sizes**  
(Approx. Metric mm equivalent shown in brackets.)

DIAMETER	L.	OVAL	FLAT	PAN
<b>14</b> (6.3 mm)	1/2	ST-437P		ST-464P
	1/2	*ST-435P		
	5/8			2216
	3/4	*ST-441P	530-034	530-B85-1P
	7/8		530-B12-1Y	ST-523P
	1		530-B63-1C	ST-315P
	1-1/4		530-036	530-059
	1-1/2	ST-453P	530-037	ST-33P
	1-3/4	*ST-454P		ST-34P
	1-3/4	•ST-455P		
	2		530-038	530-061
	2-1/4			B-1336
	2-1/2		530-039	ST-11P
	3		530-040	ST-12P

\*With No. 10 Head      •With No. 12 Head

**Hardened STEEL TAPPING SCREWS PHILLIPS DRIVE**  
ASME B18.6.4

FINISH: ZINC PLATED

**TYPE B**  
PKG QTY. 100

**Inch Sizes**  
(Approx. Metric mm equivalent shown in brackets.)

DIA.	L.	FLAT	PAN	TRUSS
<b>2</b> (2.2 mm)	3/16		530-B35-1P	
	1/4	530-072	530-B42-1K	
	5/16	530-733	530-B20-1M	
	3/8	ST-605P	530-B32-1M	
	7/16		▲530-747	
	9/16		530-748	
<b>4</b> (2.9 mm)	1/4		530-B03-2T	
	3/8	530-073	530-B87-1C	
	1/2	530-B45-1X	530-086	
<b>6</b> (3.5 mm)	1/4		530-B72-1A	
	5/16	530-730	530-B39-1T	
	3/8	530-B76-2N	B-1436	530-117
	1/2	530-B79-1W		
	7/8		530-088	
<b>8</b> (4.2 mm)	1	▲530-746	530-745	
	1/4		ST-175PB	
	5/16		530-B06-1M	
	3/8		■530-B04-2K	ST-176PB
	1/2	530-B81-1W	530-B38-1N	530-118
	5/8	530-B28-1K	530-B27-2T	530-119
	3/4	530-076	530-B09-1P	530-120
	1	530-077	530-B13-1C	
<b>10</b> (4.8 mm)	1-1/4	530-078	530-090	
	3/8		530-B05-1W	530-121
	1/2	▲530-079	530-727	530-B26-1N
	5/8	530-080	530-B82-1M	530-123
	3/4	530-081	530-091	530-124
	1	530-082	530-092	
<b>12</b> (5.5 mm)	1-1/4	530-083	530-093	
	1/2		530-094	530-B21-1X
	3/4		530-B74-1Y	
<b>14</b> (6.3 mm)	1		530-096	
	1/2	530-129	530-097	ST-177PB
	5/8			B-1399
	1		530-098	530-734
	1-1/4	530-B59-1P	530-099	
	1-1/2	530-B31-1W	530-114	
	1-3/4		530-115	
2	ST-214P	530-116		

▲ Undercut Hd.      ■ Phillips/Slot Comb. Drive

STAINLESS STEEL SEE B83. Made to ASME B18.6.3

**Hardened STEEL TAPPING SCREWS**  
Inch Sizes  
ASME B18.6.4

ZINC PLATED **TYPE B**

☑ SLOTTED/SOCKET DRIVE      PKG QTY. 100

DIA.	LGTH.	ROUND	FLAT	PAN	TRUSS
<b>8</b> (Approx. 4.2 mm)	1/4"			535-A08-1A	
	5/16"			535-021	535-020ZP
	5/16"				▲535-020

☑ SOCKET DRIVE      ▲ Green Aerodite Finish

DIA.	LGTH.	ROUND	FLAT	PAN	TRUSS
<b>6</b> (Approx. 3.5 mm)	3/8"			535-A19-1X	
	5/8"	ST-687			
<b>8</b> (Approx. 4.2 mm)	3/8"			535-A06-1M	535-016
<b>10</b> (Approx. 4.8 mm)	3/4"		ST-197		

See page B87-88 for Tapping Screws, Square Socket, Type AB.  
See page B102 for larger sizes.

**Phillips Rd. Washer Head TYPE AB SELF-TAPPING SCREWS**      **Phillips Wafer Head ASME B18.6.4**

Low Profile      PKG QTY. 100

Head	SPAENAUR No.	Size	Finish	SPAENAUR No.	Size	Hd. Dia.	Finish
	530-740	8 x 3/8"	Black Zinc	530-B47-1P	8 x 1/2"	7/16"	Z. Chr.
O.D.	530-725	8 x 3/8"	Zinc				
3/8"	530-B46-2A	8 x 1/2"	Chromate				
	530-B10-1A	8 x 5/8"	Finish				

Material: Case Hardened Steel

For Truck and Trailer FLOORBOARD SCREWS - see page B102.



Inch

Pouce



Tapping Screws - Phillips Drive

Vis autotaraudeuses – prise cruciforme

**18-8  
STAINLESS  
STEEL  
TAPPING SCREWS**



**TYPE A (or AB at our option)  
PHILLIPS DRIVE**

Head/Body & Recess Dimensions to ASME B18.6.3

Inch Sizes (Approx. mm equivalent shown in brackets.)		80° to 82°	80° to 82°	LENGTH	LENGTH	Inch Sizes (Approx. mm equivalent shown in brackets.)		80° to 82°	80° to 82°	LENGTH	LENGTH	
DIA.	L.	OVAL	FLAT	PAN	TRUSS	DIA.	L.	OVAL	FLAT	PAN	TRUSS	
<b>2</b> (2.2 mm)	7/16			526-004 (Type B)		<b>12</b> (5.5 mm)	1/2			531-A68-1Y		
							5/8			531-A09-1T		
<b>4</b> (2.9 mm)	1/4			531-A61-1T	531-163		3/4	531-138	531-A10-1N	531-128		
	3/8	531-A04-2A	531-A46-1N	531-A22-1N	531-164		1	531-139	531-A60-1N	531-129		
	1/2	531-020	531-A32-1Y	531-A02-2A	531-A13-1W		1-1/4	531-140	531-135	531-A50-1K		
	5/8		531-A20-1Y	531-013			1-1/2	531-A56-1Y	531-A23-1T	531-131		
	3/4	531-A29-1P	531-A15-1X	531-A57-1C			2	531-142	531-137	531-132		
1	531-A65-1X	531-019	531-A59-1T		<b>14</b> (6.3 mm)		1/2	531-154		531-143		
							3/4	531-155	531-A52-1M	531-144		
							3/4	ST-2000P (#12 Hd., 430 S.S.)				
						1	531-156	531-150	531-145	531-160		
						1-1/4	531-157	531-151	531-146			
						1-1/2	531-A30-1A	531-A51-1W	531-147			
						2	531-A12-1K	531-A35-1T	531-A48-1K			
						■ 526-002 Type B						
<b>8</b> (4.2 mm)	3/8		531-A39-1X	531-052		531-078	<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>ASSORTMENT 805-546</b>                      ASSORTIMENT 805-546                      Made to ASME/ANSI B18.6.3  <b>18-8 STAINLESS STEEL TAPPING SCREWS</b>                      PHILLIPS DRIVE  <b>36 SIZES - 1000 PIECES</b>                      Furnished in Regular Size Steel drawer which will                      fit into Slide Racks shown on page A2                      Shipping Wght: <b>3.60 kg</b> (7.95 lbs.)                 </div>					
	1/2	531-A25-1W	531-062	531-053		531-001						
	5/8	531-071	531-A69-1C	531-A31-1P	531-A18-1Y							
	3/4	531-072	531-064	531-A44-1Y	531-080							
	1	531-073	531-A24-1K	531-A45-1C	531-081							
	1-1/4	531-A63-1W	531-066	531-057	531-A66-1A							
	1-1/2	531-075	531-067	531-058	531-A47-1T							
	1-3/4	531-076	531-068	531-059								
	2	531-A37-1W	531-A49-1W	531-A06-1Y	531-A07-1C							
	<b>10</b> (4.8 mm)	3/8			531-085	531-117						
1/2		531-107	531-A19-1C	531-A40-1M	531-118							
5/8		531-108	531-098	531-A62-1K	531-119							
3/4		531-A21-1C	531-099	531-088	531-120							
1		531-110	531-A17-1P	531-090	531-A38-1M							
1-1/4		531-111	531-101	531-091	531-122							
1-1/2		531-112	531-102	531-092	531-A33-1C							
1-3/4		531-A16-1A	531-A67-1P	531-093	531-124							
2		531-114	531-104	531-A53-1X	531-A03-2X							
2-1/2		531-115	531-105	531-095	531-162							
3	531-116	531-106	531-096									



**For the complete assortment contents turn to A38**

Contact Sales Desk For Package Quantities

**B**

Tapping Screws - Square Socket Drive

Vis autotaraudeuses - prise carrée



Inch

Pouce

INCH Sizes

Hardened **STEEL**

PKG QTY. 100  
ALL SCREWS ON THIS PAGE

ASSORTMENT **805-531A**  
ASSORTIMENT

TAPPING SCREWS

32 SIZES - 1000 PIECES






TYPE AB  
SQUARE SOCKET OVAL,  
FLAT, PAN & TRUSS HEAD



Regular Size grey  
enamelled steel drawer.  
Shipping Wt. **4.39 kg** (9.7 lbs.)



Page **A39**

Inch Sizes		    				
DIA.	L.	OVAL	▲ ROUND	FLAT	PAN	TRUSS
<b>4</b> (2.9 mm)	1/4				535-A17-1W	
	3/8			ST-255	535-A09-1P	ST-294
	1/2				535-002	ST-295
	3/4		ST-314	535-010		ST-690
<b>6</b> (3.5 mm)	1/4				535-A22-1W	
	5/16				535-A05-1W	
	3/8			535-A02-1N	535-A35-1P	535-A33-1X
	1/2			ST-257	■ ST-275	535-A12-1Y
	5/8	ST-225			ST-276	535-A21-1X
	3/4	535-A07-1X		ST-258	ST-311	
	1	ST-227		ST-259	ST-629	
	1-1/4		535-401	535-A29-1W		535-003
	1-1/2			ST-66		535-A34-1A
	2				535-A30-1K	
<b>8</b> (4.2 mm)	1/4				535-A38-1N	
	3/8			535-A11-1P	535-A24-1Y	535-006
	1/2			ST-260	535-A13-2C	535-A15-1T
	5/8	ST-228			ST-280	
	3/4	ST-229		• ST-261	535-A01-1C	ST-298
	1	ST-231		ST-262	535-A37-1C	ST-299
	1-1/4			ST-263	535-A27-1T	
	1-1/2			ST-264	ST-503	ST-609
	2					ST-628
	2-1/2				535-025	
<b>10</b> (4.8 mm)	3/8				ST-283	
	1/2	ST-233			535-A36-1Y	535-A23-1W
	5/8				ST-285	535-A31-1W
	3/4	ST-234		535-A20-1M	535-A18-1M	535-A10-1A
	7/8					ST-301
	1	ST-235		ST-266	ST-287	ST-627
	1-1/4	ST-236		ST-729	ST-317	ST-302
	1-1/2			ST-267	535-A26-1N	
	1-3/4				535-015	
	2			535-A16-1K	ST-482	
<b>12</b> (5.5 mm)	1/2				ST-288	
	3/4			ST-268	535-A28-1K	535-A03-1T
	1				ST-290	ST-304
	1-1/4			ST-269	ST-584	
	1-1/2	535-A32-1M				
	2				535-023	
<b>14</b> (6.3 mm)	5/8				535-A14-1N	
	3/4				535-A04-1K	
	7/8				ST-292	
	1			ST-270	ST-293	
	1-1/4				ST-204	ST-586
	1-1/2			ST-501	ST-203	
2				ST-202		

■535-017 Slot/Socket •535-018 60° CTSK. ▲Type AB (Slight Flattening of Head Crown may occur due to formation of square socket recess.

**Note:** Type A, as shown, is being replaced by Type AB ("B" fine thread with "A" sharp point). We will furnish Type A until all stock of same is exhausted.  
Made to IFI Specifications. Finish: Zinc Plated. Type B can be found on B82.




Inch

Pouce



Tapping Screws - Square Socket Drive

Vis autotaraudeuses - prise carrée

18-8 STAINLESS STEEL INCH Sizes Head/Body & Recess Dimensions to ASME B18.6.3	Inch Sizes (Approx. mm equivalent shown in brackets)		 80° to 82° ctsk.	 80° to 82° ctsk.		PKG QTY.		
	DIA.	L.	OVAL	FLAT	PAN			
See page R12 for Technical Information relating to Tapping Screws	<b>6</b> (3.5 mm)	3/8				536-066	100	
		1/2	536-024	536-A24-1P	536-001			
		3/4	536-A20-1W	536-A11-1A	536-A22-1X			
		1	536-026	536-038	536-003			
	<b>8</b> (4.2 mm)	1/2			536-039	▲536-A10-1X		50
		5/8				536-073		
		3/4	536-027	536-A26-1C	536-A29-1K			
		1	536-A18-1W	536-A06-1W	536-005			
		1-1/4	536-029	536-A16-1T	536-A08-1X			
		1-1/2	536-A28-1T	536-043	536-A05-1K			
		1-3/4		536-044				
	2		536-045	536-A19-1M				
	<b>10</b> (4.8 mm)	1/2			536-046	536-009	100	
		3/4	536-031	536-047	536-A25-1Y		50	
		1	536-032	536-048	536-011			
		1-1/4	536-A15-1N	536-A27-1N	536-A12-1P			
		1-1/2	536-034	536-A01-2Y	536-A09-1A			
		1-3/4		536-051			25	
		2	536-035	536-052	536-A03-1N			
		2-1/2		536-053	536-067			
	<b>12</b> (5.5 mm)	3/4				536-A02-1C	50	
		1			536-065	536-016		
		1-1/4			536-A07-1M	536-A23-1A		
		1-1/2			536-056	536-A21-1M	25	
		1-3/4			536-057			
		2			536-058	536-A14-1C		
		2-1/2			536-059			
	3-1/2			536-069	536-068			
<b>14</b> (6.3 mm)	3/4				536-020	50		
	1				536-A17-1K	25		
	1-1/4			536-060				
	1-1/2			536-061	536-022			
	2			536-A13-1Y	536-023			
	2-1/2			536-063				
3			536-064					

▲ 536-072 Truss Head

**Note:** Type A, as shown, is being replaced by Type AB ("B" fine thread with "A" sharp point). We will furnish Type A until all stock of same is exhausted.

**B**

CATALOG 14 SPAENAUR




Page A39

ASSORTMENT ASSORTIMENT **805-530**

**Tapping Screws**  
30 SIZES - 690 PIECES

TYPE AB  
SQUARE SOCKET OVAL,  
FLAT, PAN HEAD



Regular Size grey  
enamelled steel drawer.  
Shipping Wt. **4.19 kg** (9.24 lbs.)





Inch

Pouce



Tapping Screws - Phillips Drive

Vis autotaraudeuses – prise cruciforme


**18-8  
STAINLESS  
STEEL  
TAPPING SCREWS**



**TYPE A (or AB at our option)  
PHILLIPS DRIVE**

Head/Body & Recess Dimensions to ASME B18.6.3

Inch Sizes (Approx. mm equivalent shown in brackets.)						Inch Sizes (Approx. mm equivalent shown in brackets.)							
DIA.	L.	OVAL	FLAT	PAN	TRUSS	DIA.	L.	OVAL	FLAT	PAN	TRUSS		
<b>2</b> (2.2 mm)	7/16			526-004 (Type B)		<b>12</b> (5.5 mm)	1/2			531-A68-1Y			
							5/8			531-A09-1T			
<b>4</b> (2.9 mm)	1/4			531-A61-1T	531-163		3/4	531-138	531-A10-1N	531-128			
	3/8	531-A04-2A	531-A46-1N	531-A22-1N	531-164		1	531-139	531-A60-1N	531-129			
	1/2	531-020	531-A32-1Y	531-A02-2A	531-A13-1W		1-1/4	531-140	531-135	531-A50-1K			
	5/8		531-A20-1Y	531-013			1-1/2	531-A56-1Y	531-A23-1T	531-131			
	3/4	531-A29-1P	531-A15-1X	531-A57-1C			2	531-142	531-137	531-132			
<b>6</b> (3.5 mm)	1	531-A65-1X	531-019	531-A59-1T			<b>14</b> (6.3 mm)	1/2	531-154		531-143		
	1/4			531-A41-1X				3/4	531-155	531-A52-1M	531-144		
	3/8	531-040	531-A26-1M	531-025	531-A34-1N			3/4	ST-2000P (#12 Hd., 430 S.S.)				
	1/2	531-A58-1N	531-034	531-A14-1M	531-A43-1P	1		531-156	531-150	531-145	531-160		
	5/8	531-A28-1A	531-A64-1M	531-A42-1A	531-048	1-1/4		531-157	531-151	531-146			
	3/4	531-A54-1A	531-036	531-A11-1T	531-A36-1K	1-1/2		531-A30-1A	531-A51-1W	531-147			
	1	531-044	531-037	531-029	531-050	2		531-A12-1K	531-A35-1T	531-A48-1K			
	1-1/4	531-045	531-A27-1X	531-030	531-051	■ 526-002 Type B							
1-1/2	531-A55-1P	531-039	531-A08-1N		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>ASSORTMENT 805-546</b>                      ASSORTIMENT                 </div>								
2			531-A05-1P		<div style="border: 1px solid black; padding: 5px; display: inline-block;">                     Made to ASME/ANSI B18.6.3  <b>18-8 STAINLESS STEEL TAPPING SCREWS</b>                      PHILLIPS DRIVE  <b>36 SIZES - 1000 PIECES</b>                      Furnished in Regular Size Steel drawer which will                      fit into Slide Racks shown on page A2                      Shipping Wght: <b>3.60 kg</b> (7.95 lbs.)                 </div>								
<b>8</b> (4.2 mm)	3/8		531-A39-1X	531-052	531-078	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>PLASTIKIT 804-080</b>                      «PLASTIKIT»                 </div>							
	1/2	531-A25-1W	531-062	531-053	531-001	<b>18-8 STAINLESS STEEL Type A-AB TAPPING SCREWS</b> PHILLIPS DRIVE Oval, Flat, Pan and Truss Heads <b>20 VARIETIES - 200 PIECES</b> Clear durable, plastic container 1" x 2-3/4" x 4-1/2" Shipping Weight: <b>0.48 kg</b> (1.05 lbs.)							
	5/8	531-071	531-A69-1C	531-A31-1P	531-A18-1Y								
	3/4	531-072	531-064	531-A44-1Y	531-080								
	1	531-073	531-A24-1K	531-A45-1C	531-081								
	1-1/4	531-A63-1W	531-066	531-057	531-A66-1A								
	1-1/2	531-075	531-067	531-058	531-A47-1T								
	1-3/4	531-076	531-068	531-059									
	2	531-A37-1W	531-A49-1W	531-A06-1Y	531-A07-1C								
	<b>10</b> (4.8 mm)	3/8			531-085	531-117							
1/2		531-107	531-A19-1C	531-A40-1M	531-118								
5/8		531-108	531-098	531-A62-1K	531-119								
3/4		531-A21-1C	531-099	531-088	531-120								
1		531-110	531-A17-1P	531-090	531-A38-1M								
1-1/4		531-111	531-101	531-091	531-122								
1-1/2		531-112	531-102	531-092	531-A33-1C								
1-3/4		531-A16-1A	531-A67-1P	531-093	531-124								
2		531-114	531-104	531-A53-1X	531-A03-2X								
2-1/2		531-115	531-105	531-095	531-162								
3	531-116	531-106	531-096										



**For the complete assortment contents turn to A38**

Contact Sales Desk For Package Quantities

Tapping Screws - Square Socket Drive

Vis autotaraudeuses - prise carrée



Inch

Pouce

INCH Sizes

Hardened **STEEL**

PKG QTY. 100  
ALL SCREWS ON THIS PAGE

ASSORTMENT **805-531A**

TAPPING SCREWS

32 SIZES - 1000 PIECES






TYPE AB  
SQUARE SOCKET OVAL,  
FLAT, PAN & TRUSS HEAD



Regular Size grey  
enamelled steel drawer.  
Shipping Wt. **4.39 kg** (9.7 lbs.)



Page **A39**

Inch Sizes		    				
DIA.	L.	OVAL	▲ ROUND	FLAT	PAN	TRUSS
<b>4</b> (2.9 mm)	1/4				535-A17-1W	
	3/8			ST-255	535-A09-1P	ST-294
	1/2				535-002	ST-295
	3/4		ST-314	535-010		ST-690
<b>6</b> (3.5 mm)	1/4				535-A22-1W	
	5/16				535-A05-1W	
	3/8			535-A02-1N	535-A35-1P	535-A33-1X
	1/2			ST-257	■ ST-275	535-A12-1Y
	5/8	ST-225			ST-276	535-A21-1X
	3/4	535-A07-1X		ST-258	ST-311	
	1	ST-227		ST-259	ST-629	
	1-1/4		535-401	535-A29-1W		535-003
	1-1/2			ST-66		535-A34-1A
	2				535-A30-1K	
<b>8</b> (4.2 mm)	1/4				535-A38-1N	
	3/8			535-A11-1P	535-A24-1Y	535-006
	1/2			ST-260	535-A13-2C	535-A15-1T
	5/8	ST-228			ST-280	
	3/4	ST-229		• ST-261	535-A01-1C	ST-298
	1	ST-231		ST-262	535-A37-1C	ST-299
	1-1/4			ST-263	535-A27-1T	
	1-1/2			ST-264	ST-503	ST-609
	2					ST-628
	2-1/2				535-025	
<b>10</b> (4.8 mm)	3/8				ST-283	
	1/2	ST-233			535-A36-1Y	535-A23-1W
	5/8				ST-285	535-A31-1W
	3/4	ST-234		535-A20-1M	535-A18-1M	535-A10-1A
	7/8					ST-301
	1	ST-235		ST-266	ST-287	ST-627
	1-1/4	ST-236		ST-729	ST-317	ST-302
	1-1/2			ST-267	535-A26-1N	
	1-3/4				535-015	
	2			535-A16-1K	ST-482	
<b>12</b> (5.5 mm)	1/2				ST-288	
	3/4			ST-268	535-A28-1K	535-A03-1T
	1				ST-290	ST-304
	1-1/4			ST-269	ST-584	
	1-1/2	535-A32-1M				
	2				535-023	
<b>14</b> (6.3 mm)	5/8				535-A14-1N	
	3/4				535-A04-1K	
	7/8				ST-292	
	1			ST-270	ST-293	
	1-1/4				ST-204	ST-586
	1-1/2			ST-501	ST-203	
2				ST-202		

■ 535-017 Slot/Socket • 535-018 60° CTSK. ▲ Type AB (Slight Flattening of Head Crown may occur due to formation of square socket recess.

Note: Type A, as shown, is being replaced by Type AB ("B" fine thread with "A" sharp point). We will furnish Type A until all stock of same is exhausted. Made to IFI Specifications. Finish: Zinc Plated. Type B can be found on B82.




Inch

Pouce



Tapping Screws - Square Socket Drive

Vis autotaraudeuses - prise carrée

18-8 STAINLESS STEEL INCH Sizes Head/Body & Recess Dimensions to ASME B18.6.3	Inch Sizes (Approx. mm equivalent shown in brackets)		 80° to 82° ctsk.	 80° to 82° ctsk.		PKG QTY.		
	DIA.	L.	OVAL	FLAT	PAN			
See page R12 for Technical Information relating to Tapping Screws	<b>6</b> (3.5 mm)	3/8				536-066	100	
		1/2	536-024	536-A24-1P	536-001			
		3/4	536-A20-1W	536-A11-1A	536-A22-1X			
		1	536-026	536-038	536-003			
	<b>8</b> (4.2 mm)	1/2			536-039	▲536-A10-1X		50
		5/8				536-073		
		3/4	536-027	536-A26-1C	536-A29-1K			
		1	536-A18-1W	536-A06-1W	536-005			
		1-1/4	536-029	536-A16-1T	536-A08-1X			
		1-1/2	536-A28-1T	536-043	536-A05-1K			
		1-3/4		536-044				
	2		536-045	536-A19-1M				
	<b>10</b> (4.8 mm)	1/2			536-046	536-009	100	
		3/4	536-031	536-047	536-A25-1Y		50	
		1	536-032	536-048	536-011			
		1-1/4	536-A15-1N	536-A27-1N	536-A12-1P			
		1-1/2	536-034	536-A01-2Y	536-A09-1A		25	
		1-3/4		536-051				
		2	536-035	536-052	536-A03-1N			
		2-1/2		536-053	536-067			
	<b>12</b> (5.5 mm)	3/4				536-A02-1C	50	
		1			536-065	536-016		
		1-1/4			536-A07-1M	536-A23-1A		
		1-1/2			536-056	536-A21-1M	25	
		1-3/4			536-057			
		2			536-058	536-A14-1C		
		2-1/2			536-059			
	3-1/2			536-069	536-068			
<b>14</b> (6.3 mm)	3/4				536-020	50		
	1				536-A17-1K	25		
	1-1/4			536-060				
	1-1/2			536-061	536-022			
	2			536-A13-1Y	536-023			
	2-1/2			536-063				
3			536-064					

▲ 536-072 Truss Head

**Note:** Type A, as shown, is being replaced by Type AB ("B" fine thread with "A" sharp point). We will furnish Type A until all stock of same is exhausted.

**B**

CATALOG 14 SPAENAUR




Page **A39**

**ASSORTMENT** **805-530**

**Tapping Screws**  
30 SIZES - 690 PIECES

TYPE AB  
SQUARE SOCKET OVAL,  
FLAT, PAN HEAD



Regular Size grey  
enamelled steel drawer.  
Shipping Wt. **4.19 kg** (9.24 lbs.)

